JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.reflect

Class ReflectPermission

java.lang.Object
  java.security.Permission
    java.security.BasicPermission
      java.lang.reflect.ReflectPermission

All Implemented Interfaces:

Serializable, Guard

```
public final class ReflectPermission
extends BasicPermission
```

The Permission class for reflective operations.

The following table provides a summary description of what the permission allows, and discusses the risks of granting code the permission.

Permission Target Name	What the Permission Allows	Risks of Allowing this Permission
suppressAccessChecks	ability to suppress the standard Java language access checks on fields and methods in a class; allow access not only public members but also allow access to default (package) access, protected, and private members.	This is dangerous in that information (possibly confidential) and methods normally unavailable would be accessible to malicious code.
newProxyInPackage.{package name}	ability to create a proxy instance in the specified package of which the non-	This gives code access to classes in packages to which it normally does not have access and the dynamic proxy

	public interface that the proxy class implements.	class is in the system protection domain. Malicious code may use these classes to help in its attempt to compromise security in the system.

Since:

1.2

See Also:

Permission, BasicPermission, AccessibleObject, Field.get(java.lang.Object), Field.set(java.lang.Object, java.lang.Object), Method.invoke(java.lang.Object, java.lang.Object...), Constructor.newInstance(java.lang.Object...), Proxy.newProxyInstance(java.lang.ClassLoader, java.lang.Class<?>[], java.lang.reflect.InvocationHandler), Serialized Form

Constructor Summary

Constructors

Constructor	Description
`ReflectPermission(String name)`	Constructs a ReflectPermission with the specified name.
`ReflectPermission(String name, String actions)`	Constructs a ReflectPermission with the specified name and actions.

Method Summary

Methods inherited from class java.security.BasicPermission

equals, getActions, hashCode, implies, newPermissionCollection

Methods inherited from class java.security.Permission

checkGuard, getName, toString

Methods inherited from class java.lang.Object

clone, finalize, getClass, notify, notifyAll, wait, wait, wait

Constructor Detail

ReflectPermission

```
public ReflectPermission(String name)
```

Constructs a ReflectPermission with the specified name.

Parameters:

name - the name of the ReflectPermission

Throws:

NullPointerException - if name is null.

IllegalArgumentException - if name is empty.

ReflectPermission

```
public ReflectPermission(String name,
                         String actions)
```

Constructs a ReflectPermission with the specified name and actions. The actions should be null; they are ignored.

Parameters:

name - the name of the ReflectPermission

actions - should be null

Throws:

NullPointerException - if name is null.

`IllegalArgumentException` - if name is empty.

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.