JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.reflect

Interface WildcardType

All Superinterfaces:

Type

```
public interface WildcardType
extends Type
```

WildcardType represents a wildcard type expression, such as ?, ? extends Number, or ? super Integer.

Since:

1.5

Method Summary

Abstract Methods

Modifier and Type	Method	Description
Type[]	getLowerBounds()	Returns an array of Type objects representing the lower bound(s) of this type variable.
Type[]	getUpperBounds()	Returns an array of Type objects representing the upper bound(s) of this type variable.

Methods inherited from interface java.lang.reflect.Type

getTypeName

Method Detail

getUpperBounds

Type[] getUpperBounds()

Returns an array of Type objects representing the upper bound(s) of this type variable. Note that if no upper bound is explicitly declared, the upper bound is Object.

For each upper bound B :

- if B is a parameterized type or a type variable, it is created, (see ParameterizedType for the details of the creation process for parameterized types).
- Otherwise, B is resolved.

Returns:

an array of Types representing the upper bound(s) of this type variable

Throws:

TypeNotPresentException - if any of the bounds refers to a non-existent type declaration

MalformedParameterizedTypeException - if any of the bounds refer to a parameterized type that cannot be instantiated for any reason

getLowerBounds

Type[] getLowerBounds()

Returns an array of Type objects representing the lower bound(s) of this type variable. Note that if no lower bound is explicitly declared, the lower bound is the type of null. In this case, a zero length array is returned.

For each lower bound B :

- if B is a parameterized type or a type variable, it is created, (see ParameterizedType for the details of the creation process for parameterized types).
- Otherwise, B is resolved.

Returns:

an array of Types representing the lower bound(s) of this type variable

Throws:

`TypeNotPresentException` - if any of the bounds refers to a non-existent type declaration

`MalformedParameterizedTypeException` - if any of the bounds refer to a parameterized type that cannot be instantiated for any reason

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.