JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio

Class ByteOrder

java.lang.Object
    java.nio.ByteOrder

```
public final class ByteOrder
extends Object
```

A typesafe enumeration for byte orders.

Since:

1.4

Field Summary

Fields

Modifier and Type	Field	Description
static ByteOrder	BIG_ENDIAN	Constant denoting big-endian byte order.
static ByteOrder	LITTLE_ENDIAN	Constant denoting little-endian byte order.

Method Summary

Instance Methods | **Concrete Methods**

Modifier and Type	Method	Description

static ByteOrder	nativeOrder()	Retrieves the native byte order of the underlying platform.
String	toString()	Constructs a string describing this object.

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Field Detail

BIG_ENDIAN

```
public static final ByteOrder BIG_ENDIAN
```

Constant denoting big-endian byte order. In this order, the bytes of a multibyte value are ordered from most significant to least significant.

LITTLE_ENDIAN

```
public static final ByteOrder LITTLE_ENDIAN
```

Constant denoting little-endian byte order. In this order, the bytes of a multibyte value are ordered from least significant to most significant.

Method Detail

nativeOrder

```
public static ByteOrder nativeOrder()
```

Retrieves the native byte order of the underlying platform.

This method is defined so that performance-sensitive Java code can allocate direct buffers with the same byte order as the hardware. Native code libraries are often more efficient when such buffers are used.

Returns:

The native byte order of the hardware upon which this Java virtual machine is running

toString

```
public String toString()
```

Constructs a string describing this object.

This method returns the string `"BIG_ENDIAN"` for `BIG_ENDIAN` and `"LITTLE_ENDIAN"` for `LITTLE_ENDIAN`.

Overrides:

`toString` in class `Object`

Returns:

The specified string

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.