JavaScript is disabled on your browser.



compact1, compact2, compact3

java.nio.channels

# Class ClosedChannelException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.nio.channels.ClosedChannelException

**All Implemented Interfaces:**

Serializable

**Direct Known Subclasses:**

AsynchronousCloseException

---

```
public class ClosedChannelException
extends IOException
```

Checked exception thrown when an attempt is made to invoke or complete an I/O operation upon channel that is closed, or at least closed to that operation. That this exception is thrown does not necessarily imply that the channel is completely closed. A socket channel whose write half has been shut down, for example, may still be open for reading.

**Since:**

1.4

**See Also:**

Serialized Form

## *Constructor Summary*

**Constructors**

| Constructor | Description |
| --- | --- |

| | |
|---|---|
| `ClosedChannelException()` | Constructs an instance of this class. |

## *Method Summary*

### Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

## *Constructor Detail*

### ClosedChannelException

```
public ClosedChannelException()
```

Constructs an instance of this class.



Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.