JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.channels

Class FileChannel.MapMode

java.lang.Object
    java.nio.channels.FileChannel.MapMode

Enclosing class:

FileChannel

```
public static class FileChannel.MapMode
extends Object
```

A typesafe enumeration for file-mapping modes.

Since:

1.4

See Also:

FileChannel.map(java.nio.channels.FileChannel.MapMode, long, long)

Field Summary

Fields

Modifier and Type	Field	Description
static FileChannel.MapMode	PRIVATE	Mode for a private (copy-on-write) mapping.
static FileChannel.MapMode	READ_ONLY	Mode for a read-only mapping.

static FileChannel.MapMode	READ_WRITE	Mode for a read/write mapping.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
String	toString()	Returns a string describing this file-mapping mode.

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Field Detail

READ_ONLY

```
public static final FileChannel.MapMode READ_ONLY
```

Mode for a read-only mapping.

READ_WRITE

```
public static final FileChannel.MapMode READ_WRITE
```

Mode for a read/write mapping.

PRIVATE

```
public static final FileChannel.MapMode PRIVATE
```

Mode for a private (copy-on-write) mapping.

Method Detail

toString

```
public String toString()
```

Returns a string describing this file-mapping mode.

Overrides:

`toString` in class `Object`

Returns:

A descriptive string

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.