JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.channels

Interface InterruptibleChannel

All Superinterfaces:

`AutoCloseable`, `Channel`, `Closeable`

All Known Implementing Classes:

`AbstractInterruptibleChannel`, `AbstractSelectableChannel`, `DatagramChannel`, `FileChannel`, `Pipe.SinkChannel`, `Pipe.SourceChannel`, `SelectableChannel`, `ServerSocketChannel`, `SocketChannel`

```
public interface InterruptibleChannel
extends Channel
```

A channel that can be asynchronously closed and interrupted.

A channel that implements this interface is *asynchronously closeable:* If a thread is blocked in an I/O operation on an interruptible channel then another thread may invoke the channel's `close` method. This will cause the blocked thread to receive an `AsynchronousCloseException`.

A channel that implements this interface is also *interruptible:* If a thread is blocked in an I/O operation on an interruptible channel then another thread may invoke the blocked thread's `interrupt` method. This will cause the channel to be closed, the blocked thread to receive a `ClosedByInterruptException`, and the blocked thread's interrupt status to be set.

If a thread's interrupt status is already set and it invokes a blocking I/O operation upon a channel then the channel will be closed and the thread will immediately receive a `ClosedByInterruptException`; its interrupt status will remain set.

A channel supports asynchronous closing and interruption if, and only if, it implements this interface. This can be tested at runtime, if necessary, via the `instanceof` operator.

Since:

1.4

Method Summary

	Abstract Methods	
Modifier and Type	**Method**	**Description**
void	**close**()	Closes this channel.

Methods inherited from interface java.nio.channels.Channel

isOpen

Method Detail

close

```
void close()
    throws IOException
```

Closes this channel.

Any thread currently blocked in an I/O operation upon this channel will receive an AsynchronousCloseException.

This method otherwise behaves exactly as specified by the Channel interface.

Specified by:

close in interface AutoCloseable

Specified by:

close in interface Channel

Specified by:

close in interface Closeable

Throws:

`IOException` - If an I/O error occurs

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.