JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.file

Enum AccessMode

java.lang.Object
    java.lang.Enum<AccessMode>
        java.nio.file.AccessMode

All Implemented Interfaces:

Serializable, Comparable<AccessMode>

```
public enum AccessMode
extends Enum<AccessMode>
```

Defines access modes used to test the accessibility of a file.

Since:

1.7

Enum Constant Summary

Enum Constants

Enum Constant	Description
EXECUTE	Test execute access.
READ	Test read access.
WRITE	Test write access.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static AccessMode	valueOf(String name)	Returns the enum constant of this type with the specified name.
static AccessMode[]	values()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

READ

```
public static final AccessMode READ
```

Test read access.

WRITE

```
public static final AccessMode WRITE
```

Test write access.

EXECUTE

```
public static final AccessMode EXECUTE
```

Test execute access.

Method Detail

values

```
public static AccessMode[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (AccessMode c : AccessMode.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static AccessMode valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.