JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.file

Class FileSystemException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.nio.file.FileSystemException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AccessDeniedException, AtomicMoveNotSupportedException, DirectoryNotEmptyException, FileAlreadyExistsException, FileSystemLoopException, NoSuchFileException, NotDirectoryException, NotLinkException

---

```
public class FileSystemException
extends IOException
```

Thrown when a file system operation fails on one or two files. This class is the general class for file system exceptions.

Since:

1.7

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description

FileSystemException(**String** file)	Constructs an instance of this class.
FileSystemException(**String** file, **String** other, **String** reason)	Constructs an instance of this class.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
String	**getFile**()	Returns the file used to create this exception.
String	**getMessage**()	Returns the detail message string.
String	**getOtherFile**()	Returns the other file used to create this exception.
String	**getReason**()	Returns the string explaining why the file system operation failed.

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

FileSystemException

```
public FileSystemException(String file)
```

Constructs an instance of this class. This constructor should be used when an operation involving one file fails and there isn't any additional information to explain the reason.

Parameters:

`file - a string identifying the file or null if not known.`

FileSystemException

```
public FileSystemException(String file,
                           String other,
                           String reason)
```

Constructs an instance of this class. This constructor should be used when an operation involving two files fails, or there is additional information to explain the reason.

Parameters:

`file - a string identifying the file or null if not known.`

`other - a string identifying the other file or null if there isn't another file or if not known`

`reason - a reason message with additional information or null`

Method Detail

getFile

```
public String getFile()
```

Returns the file used to create this exception.

Returns:

`the file (can be null)`

getOtherFile

```
public String getOtherFile()
```

Returns the other file used to create this exception.

Returns:

the other file (can be null)

getReason

```
public String getReason()
```

Returns the string explaining why the file system operation failed.

Returns:

the string explaining why the file system operation failed

getMessage

```
public String getMessage()
```

Returns the detail message string.

Overrides:

getMessage in class Throwable

Returns:

the detail message string of this Throwable instance (which may be null).

workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.