JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.file

Enum FileVisitResult

java.lang.Object
    java.lang.Enum<FileVisitResult>
        java.nio.file.FileVisitResult

All Implemented Interfaces:

Serializable, Comparable<FileVisitResult>

```
public enum FileVisitResult
extends Enum<FileVisitResult>
```

The result type of a FileVisitor.

Since:

1.7

See Also:

Files.walkFileTree(java.nio.file.Path, java.util.Set<java.nio.file.FileVisitOption>, int, java.nio.file.FileVisitor<? super java.nio.file.Path>)

Enum Constant Summary

Enum Constants

Enum Constant	Description
CONTINUE	Continue.
SKIP_SIBLINGS	Continue without visiting the *siblings* of this file or directory.
SKIP_SUBTREE	Continue without visiting the entries in this directory.
TERMINATE	

	Terminate.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static FileVisitResult	valueOf(String name)	Returns the enum constant of this type with the specified name.
static FileVisitResult[]	values()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

CONTINUE

```
public static final FileVisitResult CONTINUE
```

Continue. When returned from a preVisitDirectory method then the entries in the directory should also be visited.

TERMINATE

```
public static final FileVisitResult TERMINATE
```

Terminate.

SKIP_SUBTREE

```
public static final FileVisitResult SKIP_SUBTREE
```

Continue without visiting the entries in this directory. This result is only meaningful when returned from the `preVisitDirectory` method; otherwise this result type is the same as returning `CONTINUE`.

SKIP_SIBLINGS

```
public static final FileVisitResult SKIP_SIBLINGS
```

Continue without visiting the *siblings* of this file or directory. If returned from the `preVisitDirectory` method then the entries in the directory are also skipped and the `postVisitDirectory` method is not invoked.

Method Detail

values

```
public static FileVisitResult[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (FileVisitResult c : FileVisitResult.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static FileVisitResult valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

`IllegalArgumentException` - if this enum type has no constant with the specified name

`NullPointerException` - if the argument is null

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.