JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.file

Class LinkPermission

java.lang.Object
  java.security.Permission
    java.security.BasicPermission
      java.nio.file.LinkPermission

All Implemented Interfaces:

Serializable, Guard

```
public final class LinkPermission
extends BasicPermission
```

The Permission class for link creation operations.

The following table provides a summary description of what the permission allows, and discusses the risks of granting code the permission.

Permission Target Name	What the Permission Allows	Risks of Allowing this Permission
hard	Ability to add an existing file to a directory. This is sometimes known as creating a link, or hard link.	Extreme care should be taken when granting this permission. It allows linking to any file or directory in the file system thus allowing the attacker access to all files.
symbolic	Ability to create symbolic links.	Extreme care should be taken when granting this permission. It allows linking to any file or directory in the file system thus allowing the attacker to access to all files.

Since:

1.7

See Also:

Files.createLink(java.nio.file.Path, java.nio.file.Path), Files.createSymbolicLink(java.nio.file.Path, java.nio.file.Path, java.nio.file.attribute.FileAttribute<?>...), Serialized Form

Constructor Summary

Constructors

Constructor	Description
`LinkPermission(String name)`	Constructs a LinkPermission with the specified name.
`LinkPermission(String name, String actions)`	Constructs a LinkPermission with the specified name.

Method Summary

Methods inherited from class java.security.BasicPermission

equals, getActions, hashCode, implies, newPermissionCollection

Methods inherited from class java.security.Permission

checkGuard, getName, toString

Methods inherited from class java.lang.Object

clone, finalize, getClass, notify, notifyAll, wait, wait, wait

Constructor Detail

LinkPermission

```
public LinkPermission(String name)
```

Constructs a LinkPermission with the specified name.

Parameters:

name - the name of the permission. It must be "hard" or "symbolic".

Throws:

IllegalArgumentException - if name is empty or invalid

LinkPermission

```
public LinkPermission(String name,
                      String actions)
```

Constructs a LinkPermission with the specified name.

Parameters:

name - the name of the permission; must be "hard" or "symbolic".

actions - the actions for the permission; must be the empty string or null

Throws:

IllegalArgumentException - if name is empty or invalid, or actions is a non-empty string

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.