JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.file.attribute

Enum AclEntryPermission

java.lang.Object
    java.lang.Enum<AclEntryPermission>
        java.nio.file.attribute.AclEntryPermission

All Implemented Interfaces:

Serializable, Comparable<AclEntryPermission>

```
public enum AclEntryPermission
extends Enum<AclEntryPermission>
```

Defines the permissions for use with the permissions component of an ACL `entry`.

Since:

1.7

Enum Constant Summary

Enum Constants

Enum Constant	Description
APPEND_DATA	Permission to append data to a file.
DELETE	Permission to delete the file.
DELETE_CHILD	Permission to delete a file or directory within a directory.
EXECUTE	Permission to execute a file.
READ_ACL	Permission to read the ACL attribute.
READ_ATTRIBUTES	The ability to read (non-acl) file attributes.

READ_DATA	Permission to read the data of the file.
READ_NAMED_ATTRS	Permission to read the named attributes of a file.
SYNCHRONIZE	Permission to access file locally at the server with synchronous reads and writes.
WRITE_ACL	Permission to write the ACL attribute.
WRITE_ATTRIBUTES	The ability to write (non-acl) file attributes.
WRITE_DATA	Permission to modify the file's data.
WRITE_NAMED_ATTRS	Permission to write the named attributes of a file.
WRITE_OWNER	Permission to change the owner.

Field Summary

Fields

Modifier and Type	Field	Description
static AclEntryPermission	ADD_FILE	Permission to add a new file to a directory (equal to WRITE_DATA)
static AclEntryPermission	ADD_SUBDIRECTORY	Permission to create a subdirectory to a directory (equal to APPEND_DATA)
static AclEntryPermission	LIST_DIRECTORY	Permission to list the entries of a directory (equal to READ_DATA)

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static AclEntryPermission	valueOf(String name)	Returns the enum constant of this type with the specified name.

static AclEntryPermission[]	values()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

READ_DATA

```
public static final AclEntryPermission READ_DATA
```

Permission to read the data of the file.

WRITE_DATA

```
public static final AclEntryPermission WRITE_DATA
```

Permission to modify the file's data.

APPEND_DATA

```
public static final AclEntryPermission APPEND_DATA
```

Permission to append data to a file.

READ_NAMED_ATTRS

```
public static final AclEntryPermission READ_NAMED_ATTRS
```

Permission to read the named attributes of a file.

RFC 3530: Network File System (NFS) version 4 Protocol defines *named attributes* as opaque files associated with a file in the file system.

WRITE_NAMED_ATTRS

```
public static final AclEntryPermission WRITE_NAMED_ATTRS
```

Permission to write the named attributes of a file.

RFC 3530: Network File System (NFS) version 4 Protocol defines *named attributes* as opaque files associated with a file in the file system.

EXECUTE

```
public static final AclEntryPermission EXECUTE
```

Permission to execute a file.

DELETE_CHILD

```
public static final AclEntryPermission DELETE_CHILD
```

Permission to delete a file or directory within a directory.

READ_ATTRIBUTES

```
public static final AclEntryPermission READ_ATTRIBUTES
```

The ability to read (non-acl) file attributes.

WRITE_ATTRIBUTES

```
public static final AclEntryPermission WRITE_ATTRIBUTES
```

The ability to write (non-acl) file attributes.

DELETE

```
public static final AclEntryPermission DELETE
```

Permission to delete the file.

READ_ACL

```
public static final AclEntryPermission READ_ACL
```

Permission to read the ACL attribute.

WRITE_ACL

```
public static final AclEntryPermission WRITE_ACL
```

Permission to write the ACL attribute.

WRITE_OWNER

```
public static final AclEntryPermission WRITE_OWNER
```

Permission to change the owner.

SYNCHRONIZE

```
public static final AclEntryPermission SYNCHRONIZE
```

Permission to access file locally at the server with synchronous reads and writes.

Field Detail

LIST_DIRECTORY

```
public static final AclEntryPermission LIST_DIRECTORY
```

Permission to list the entries of a directory (equal to READ_DATA)

ADD_FILE

```
public static final AclEntryPermission ADD_FILE
```

Permission to add a new file to a directory (equal to WRITE_DATA)

ADD_SUBDIRECTORY

```
public static final AclEntryPermission ADD_SUBDIRECTORY
```

Permission to create a subdirectory to a directory (equal to APPEND_DATA)

Method Detail

values

```
public static AclEntryPermission[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (AclEntryPermission c : AclEntryPermission.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static AclEntryPermission valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

C

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.