JavaScript is disabled on your browser.

compact1, compact2, compact3

java.nio.file.attribute

Enum AclEntryType

java.lang.Object
    java.lang.Enum<AclEntryType>
        java.nio.file.attribute.AclEntryType

All Implemented Interfaces:

Serializable, Comparable<AclEntryType>

```
public enum AclEntryType
extends Enum<AclEntryType>
```

A typesafe enumeration of the access control entry types.

Since:

1.7

Enum Constant Summary

Enum Constants

Enum Constant	Description
ALARM	Generate an alarm, in a system dependent way, the access specified in the permissions component of the ACL entry.
ALLOW	Explicitly grants access to a file or directory.
AUDIT	Log, in a system dependent way, the access specified in the permissions component of the ACL entry.
DENY	Explicitly denies access to a file or directory.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static AclEntryType	valueOf(String name)	Returns the enum constant of this type with the specified name.
static AclEntryType[]	values()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

ALLOW

```
public static final AclEntryType ALLOW
```

Explicitly grants access to a file or directory.

DENY

```
public static final AclEntryType DENY
```

Explicitly denies access to a file or directory.

AUDIT

```
public static final AclEntryType AUDIT
```

Log, in a system dependent way, the access specified in the permissions component of the ACL entry.

ALARM

```
public static final AclEntryType ALARM
```

Generate an alarm, in a system dependent way, the access specified in the permissions component of the ACL entry.

Method Detail

values

```
public static AclEntryType[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (AclEntryType c : AclEntryType.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static AclEntryType valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.