JavaScript is disabled on your browser.



compact1, compact2, compact3

java.text

# Enum Normalizer.Form

java.lang.Object
    java.lang.Enum<Normalizer.Form>
        java.text.Normalizer.Form

**All Implemented Interfaces:**

Serializable, Comparable<Normalizer.Form>

**Enclosing class:**

Normalizer

---

```
public static enum Normalizer.Form
extends Enum<Normalizer.Form>
```

This enum provides constants of the four Unicode normalization forms that are described in Unicode Standard Annex #15 — Unicode Normalization Forms and two methods to access them.

**Since:**

1.6

## *Enum Constant Summary*

**Enum Constants**

| Enum Constant | Description |
|---|---|
| **NFC** | Canonical decomposition, followed by canonical composition. |
| **NFD** | Canonical decomposition. |
| **NFKC** | Compatibility decomposition, followed by canonical composition. |

| | |
|---|---|
| **NFKD** | Compatibility decomposition. |

## *Method Summary*

**Concrete Methods**

| Modifier and Type | Method | Description |
|---|---|---|
| static **Normalizer.Form** | **valueOf**(**String** name) | Returns the enum constant of this type with the specified name. |
| static **Normalizer.Form**[] | **values**() | Returns an array containing the constants of this enum type, in the order they are declared. |

### Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

### Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

## *Enum Constant Detail*

### NFD

```
public static final Normalizer.Form NFD
```

Canonical decomposition.

### NFC

```
public static final Normalizer.Form NFC
```

Canonical decomposition, followed by canonical composition.

### NFKD

```
public static final Normalizer.Form NFKD
```

Compatibility decomposition.

### NFKC

```
public static final Normalizer.Form NFKC
```

Compatibility decomposition, followed by canonical composition.

## *Method Detail*

### values

```
public static Normalizer.Form[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (Normalizer.Form c : Normalizer.Form.values())
    System.out.println(c);
```

**Returns:**

an array containing the constants of this enum type, in the order they are declared

### valueOf

```
public static Normalizer.Form valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

**Parameters:**

name - the name of the enum constant to be returned.

**Returns:**

the enum constant with the specified name

**Throws:**

`IllegalArgumentException` - if this enum type has no constant with the specified name

`NullPointerException` - if the argument is null



Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.