JavaScript is disabled on your browser.



compact1, compact2, compact3

java.text.spi

# Class DateFormatSymbolsProvider

java.lang.Object
    java.util.spi.LocaleServiceProvider
        java.text.spi.DateFormatSymbolsProvider

---

```
public abstract class DateFormatSymbolsProvider
extends LocaleServiceProvider
```

An abstract class for service providers that provide instances of the `DateFormatSymbols` class.

**Since:**

1.6

## *Constructor Summary*

**Constructors**

| Modifier | Constructor | Description |
|---|---|---|
| protected | `DateFormatSymbolsProvider()` | Sole constructor. |

## *Method Summary*

**Abstract Methods**

| Modifier and Type | Method | Description |
|---|---|---|
| abstract `DateFormatSymbols` | `getInstance(Locale locale)` | Returns a new `DateFormatSymbols` |

| | | |
|---|---|---|
| | | instance for the specified locale. |

### Methods inherited from class java.util.spi.LocaleServiceProvider

getAvailableLocales, isSupportedLocale

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## *Constructor Detail*

### DateFormatSymbolsProvider

```
protected DateFormatSymbolsProvider()
```

Sole constructor. (For invocation by subclass constructors, typically implicit.)

## *Method Detail*

### getInstance

```
public abstract DateFormatSymbols getInstance(Locale locale)
```

Returns a new `DateFormatSymbols` instance for the specified locale.

**Parameters:**

`locale - the desired locale`

**Returns:**

`a DateFormatSymbols instance.`

**Throws:**

`NullPointerException - if locale is null`

`IllegalArgumentException - if locale isn't one of the locales returned from getAvailableLocales().`

**See Also:**

`DateFormatSymbols.getInstance(java.util.Locale)`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.