JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Class FormattableFlags

java.lang.Object
    java.util.FormattableFlags

```
public class FormattableFlags
extends Object
```

FomattableFlags are passed to the `Formattable.formatTo()` method and modify the output format for Formattables. Implementations of `Formattable` are responsible for interpreting and validating any flags.

Since:

1.5

Field Summary

Fields

Modifier and Type	Field	Description
static int	**ALTERNATE**	Requires the output to use an alternate form.
static int	**LEFT_JUSTIFY**	Left-justifies the output.
static int	**UPPERCASE**	Converts the output to upper case according to the rules of the **locale** given during creation of the `formatter` argument of the **`formatTo()`** method.

Method Summary

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Detail

LEFT_JUSTIFY

```
public static final int LEFT_JUSTIFY
```

Left-justifies the output. Spaces (`'\u0020'`) will be added at the end of the converted value as required to fill the minimum width of the field. If this flag is not set then the output will be right-justified.

This flag corresponds to `'-'` (`'\u002d'`) in the format specifier.

See Also:

Constant Field Values

UPPERCASE

```
public static final int UPPERCASE
```

Converts the output to upper case according to the rules of the locale given during creation of the `formatter` argument of the `formatTo()` method. The output should be equivalent the following invocation of `String.toUpperCase(java.util.Locale)`

```
out.toUpperCase()
```

This flag corresponds to `'S'` (`'\u0053'`) in the format specifier.

See Also:

Constant Field Values

ALTERNATE

```
public static final int ALTERNATE
```

Requires the output to use an alternate form. The definition of the form is specified by the `Formattable`.

This flag corresponds to `'#'` (`'\u0023'`) in the format specifier.

See Also:

Constant Field Values

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.