JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Class IllegalFormatException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.IllegalArgumentException
          java.util.IllegalFormatException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

DuplicateFormatFlagsException, FormatFlagsConversionMismatchException, IllegalFormatCodePointException, IllegalFormatConversionException, IllegalFormatFlagsException, IllegalFormatPrecisionException, IllegalFormatWidthException, MissingFormatArgumentException, MissingFormatWidthException, UnknownFormatConversionException, UnknownFormatFlagsException

---

```
public class IllegalFormatException
extends IllegalArgumentException
```

Unchecked exception thrown when a format string contains an illegal syntax or a format specifier that is incompatible with the given arguments. Only explicit subtypes of this exception which correspond to specific errors should be instantiated.

Since:

1.5

See Also:

Serialized Form

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.