JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Class IllegalFormatFlagsException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.IllegalArgumentException
          java.util.IllegalFormatException
            java.util.IllegalFormatFlagsException

All Implemented Interfaces:

Serializable

```
public class IllegalFormatFlagsException
extends IllegalFormatException
```

Unchecked exception thrown when an illegal combination flags is given.

Unless otherwise specified, passing a `null` argument to any method or constructor in this class will cause a `NullPointerException` to be thrown.

Since:

1.5

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`IllegalFormatFlagsException(String f)`	

	Constructs an instance of this class with the specified flags.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
`String`	`getFlags()`	Returns the set of flags which contains an illegal combination.
`String`	`getMessage()`	Returns the detail message string of this throwable.

Methods inherited from class java.lang.Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Detail

IllegalFormatFlagsException

```
public IllegalFormatFlagsException(String f)
```

Constructs an instance of this class with the specified flags.

Parameters:

`f - The set of format flags which contain an illegal combination`

Method Detail

getFlags

```
public String getFlags()
```

Returns the set of flags which contains an illegal combination.

Returns:

The flags

getMessage

```
public String getMessage()
```

Description copied from class: Throwable

Returns the detail message string of this throwable.

Overrides:

getMessage in class Throwable

Returns:

the detail message string of this Throwable instance (which may be null).

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.