JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Class InvalidPropertiesFormatException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.util.InvalidPropertiesFormatException

All Implemented Interfaces:

Serializable

```
public class InvalidPropertiesFormatException
extends IOException
```

Thrown to indicate that an operation could not complete because the input did not conform to the appropriate XML document type for a collection of properties, as per the Properties specification.

Note, that although InvalidPropertiesFormatException inherits Serializable interface from Exception, it is not intended to be Serializable. Appropriate serialization methods are implemented to throw NotSerializableException.

Since:

1.5

See Also:

Properties

Constructor Summary

Constructors

Constructor	Description

InvalidPropertiesFormatException(**String** message)	Constructs an InvalidPropertiesFormatException with the specified detail message.
InvalidPropertiesFormatException(**Throwable** cause)	Constructs an InvalidPropertiesFormatException with the specified cause.

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

InvalidPropertiesFormatException

```
public InvalidPropertiesFormatException(Throwable cause)
```

Constructs an InvalidPropertiesFormatException with the specified cause.

Parameters:

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method).

InvalidPropertiesFormatException

```
public InvalidPropertiesFormatException(String message)
```

Constructs an InvalidPropertiesFormatException with the specified detail message.

Parameters:

`message - the detail message. The detail message is saved for later retrieval by the Throwable.getMessage() method.`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.