JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Enum Locale.FilteringMode

java.lang.Object
    java.lang.Enum<Locale.FilteringMode>
        java.util.Locale.FilteringMode

All Implemented Interfaces:

Serializable, Comparable<Locale.FilteringMode>

Enclosing class:

Locale

```
public static enum Locale.FilteringMode
extends Enum<Locale.FilteringMode>
```

This enum provides constants to select a filtering mode for locale matching. Refer to RFC 4647 Matching of Language Tags for details.

As an example, think of two Language Priority Lists each of which includes only one language range and a set of following language tags:

```
de (German)
de-DE (German, Germany)
de-Deva (German, in Devanagari script)
de-Deva-DE (German, in Devanagari script, Germany)
de-DE-1996 (German, Germany, orthography of 1996)
de-Latn-DE (German, in Latin script, Germany)
de-Latn-DE-1996 (German, in Latin script, Germany, orthography of 1996)
```

The filtering method will behave as follows:

Filtering Mode	Language Priority List: "de-DE"	Language Priority List: "de-*-DE"
AUTOSELECT_FILTERING	Performs *basic* filtering and	Performs *extended* filtering and returns "de-DE", "de-Deva-DE",

	returns `"de-DE"` and `"de-DE-1996"`.	`"de-DE-1996"`, `"de-Latn-DE"`, and `"de-Latn-DE-1996"`.
`EXTENDED_FILTERING`	Performs *extended* filtering and returns `"de-DE"`, `"de-Deva-DE"`, `"de-DE-1996"`, `"de-Latn-DE"`, and `"de-Latn-DE-1996"`.	Same as above.
`IGNORE_EXTENDED_RANGES`	Performs *basic* filtering and returns `"de-DE"` and `"de-DE-1996"`.	Performs *basic* filtering and returns `null` because nothing matches.
`MAP_EXTENDED_RANGES`	Same as above.	Performs *basic* filtering and returns `"de-DE"` and `"de-DE-1996"` because `"de-*-DE"` is mapped to `"de-DE"`.
`REJECT_EXTENDED_RANGES`	Same as above.	Throws `IllegalArgumentException` because `"de-*-DE"` is not a valid basic language range.

Since:

1.8

See Also:

`Locale.filter(List, Collection, FilteringMode)`, `Locale.filterTags(List, Collection, FilteringMode)`

Enum Constant Summary

Enum Constants

Enum Constant	Description
`AUTOSELECT_FILTERING`	Specifies automatic filtering mode based on the given Language Priority List consisting of language ranges.
`EXTENDED_FILTERING`	Specifies extended filtering.
`IGNORE_EXTENDED_RANGES`	Specifies basic filtering: Note that any extended language ranges included in the given Language Priority List are ignored.
`MAP_EXTENDED_RANGES`	Specifies basic filtering: If any extended language ranges are included in the given

	Language Priority List, they are mapped to the basic language range.
REJECT_EXTENDED_RANGES	Specifies basic filtering: If any extended language ranges are included in the given Language Priority List, the list is rejected and the filtering method throws **IllegalArgumentException**.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static **Locale.FilteringMode**	**valueOf**(**String** name)	Returns the enum constant of this type with the specified name.
static **Locale.FilteringMode**[]	**values**()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

AUTOSELECT_FILTERING

`public static final Locale.FilteringMode AUTOSELECT_FILTERING`

Specifies automatic filtering mode based on the given Language Priority List consisting of language ranges. If all of the ranges are basic, basic filtering is selected. Otherwise, extended filtering is selected.

EXTENDED_FILTERING

`public static final Locale.FilteringMode EXTENDED_FILTERING`

Specifies extended filtering.

IGNORE_EXTENDED_RANGES

`public static final Locale.FilteringMode IGNORE_EXTENDED_RANGES`

Specifies basic filtering: Note that any extended language ranges included in the given Language Priority List are ignored.

MAP_EXTENDED_RANGES

`public static final Locale.FilteringMode MAP_EXTENDED_RANGES`

Specifies basic filtering: If any extended language ranges are included in the given Language Priority List, they are mapped to the basic language range. Specifically, a language range starting with a subtag `"*"` is treated as a language range `"*"`. For example, `"*-US"` is treated as `"*"`. If `"*"` is not the first subtag, `"*"` and extra `"-"` are removed. For example, `"ja-*-JP"` is mapped to `"ja-JP"`.

REJECT_EXTENDED_RANGES

`public static final Locale.FilteringMode REJECT_EXTENDED_RANGES`

Specifies basic filtering: If any extended language ranges are included in the given Language Priority List, the list is rejected and the filtering method throws `IllegalArgumentException`.

Method Detail

values

```
public static Locale.FilteringMode[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (Locale.FilteringMode c : Locale.FilteringMode.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static Locale.FilteringMode valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.