JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util

Class TooManyListenersException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.util.TooManyListenersException

All Implemented Interfaces:

Serializable

```
public class TooManyListenersException
extends Exception
```

The `TooManyListenersException` Exception is used as part of the Java Event model to annotate and implement a unicast special case of a multicast Event Source.

The presence of a "throws TooManyListenersException" clause on any given concrete implementation of the normally multicast "void addXyzEventListener" event listener registration pattern is used to annotate that interface as implementing a unicast Listener special case, that is, that one and only one Listener may be registered on the particular event listener source concurrently.

Since:

`JDK1.1`

See Also:

`EventObject`, `EventListener`, `Serialized Form`

Constructor Summary

Constructors

Constructor	Description

`TooManyListenersException()`	Constructs a TooManyListenersException with no detail message.
`TooManyListenersException(String s)`	Constructs a TooManyListenersException with the specified detail message.

Method Summary

Methods inherited from class java.lang.Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Detail

TooManyListenersException

```
public TooManyListenersException()
```

Constructs a TooManyListenersException with no detail message. A detail message is a String that describes this particular exception.

TooManyListenersException

```
public TooManyListenersException(String s)
```

Constructs a TooManyListenersException with the specified detail message. A detail message is a String that describes this particular exception.

Parameters:

`s - the detail message`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.