JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util.concurrent

Class CompletionException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.util.concurrent.CompletionException

All Implemented Interfaces:

Serializable

```
public class CompletionException
extends RuntimeException
```

Exception thrown when an error or other exception is encountered in the course of completing a result or task.

Since:

1.8

See Also:

Serialized Form

Constructor Summary

Constructors

Modifier	Constructor	Description
protected	**CompletionException**()	Constructs a CompletionException with no detail message.

protected	**CompletionException**(**String** message)	Constructs a `CompletionException` with the specified detail message.
	CompletionException(**String** message, **Throwable** cause)	Constructs a `CompletionException` with the specified detail message and cause.
	CompletionException(**Throwable** cause)	Constructs a `CompletionException` with the specified cause.

Method Summary

Methods inherited from class java.lang.Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Detail

CompletionException

```
protected CompletionException()
```

Constructs a `CompletionException` with no detail message. The cause is not initialized, and may subsequently be initialized by a call to `initCause`.

CompletionException

```
protected CompletionException(String message)
```

Constructs a `CompletionException` with the specified detail message. The cause is not initialized, and may subsequently be initialized by a call to `initCause`.

Parameters:

`message - the detail message`

CompletionException

```
public CompletionException(String message,
                           Throwable cause)
```

Constructs a `CompletionException` with the specified detail message and cause.

Parameters:

`message - the detail message`

`cause - the cause (which is saved for later retrieval by the Throwable.getCause() method)`

CompletionException

```
public CompletionException(Throwable cause)
```

Constructs a `CompletionException` with the specified cause. The detail message is set to `(cause == null ? null : cause.toString())` (which typically contains the class and detail message of `cause`).

Parameters:

`cause - the cause (which is saved for later retrieval by the Throwable.getCause() method)`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.