JavaScript is disabled on your browser.

compact1, compact2, compact3
java.util.concurrent

Interface RunnableFuture<V>

Type Parameters:

`V - The result type returned by this Future's get method`

All Superinterfaces:

`Future<V>, Runnable`

All Known Subinterfaces:

`RunnableScheduledFuture<V>`

All Known Implementing Classes:

`FutureTask, SwingWorker`

```
public interface RunnableFuture<V>
extends Runnable, Future<V>
```

A `Future` that is `Runnable`. Successful execution of the `run` method causes completion of the `Future` and allows access to its results.

Since:

`1.6`

See Also:

`FutureTask, Executor`

Method Summary

Abstract Methods

Modifier and Type	Method	Description
void	**run**()	

		Sets this Future to the result of its computation unless it has been cancelled.

Methods inherited from interface java.util.concurrent.Future

`cancel`, `get`, `get`, `isCancelled`, `isDone`

Method Detail

run

```
void run()
```

Sets this Future to the result of its computation unless it has been cancelled.

Specified by:

`run` in interface `Runnable`

See Also:

`Thread.run()`

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.