JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util.concurrent

Interface RunnableScheduledFuture<V>

Type Parameters:

`V - The result type returned by this Future's get method`

All Superinterfaces:

`Comparable<Delayed>, Delayed, Future<V>, Runnable, RunnableFuture<V>, ScheduledFuture<V>`

```
public interface RunnableScheduledFuture<V>
extends RunnableFuture<V>, ScheduledFuture<V>
```

A `ScheduledFuture` that is `Runnable`. Successful execution of the `run` method causes completion of the `Future` and allows access to its results.

Since:

`1.6`

See Also:

`FutureTask, Executor`

Method Summary

Abstract Methods

Modifier and Type	Method	Description
boolean	**isPeriodic**()	Returns true if this task is periodic.

Methods inherited from interface java.util.concurrent.RunnableFuture

run

Methods inherited from interface java.util.concurrent.Delayed

getDelay

Methods inherited from interface java.lang.Comparable

compareTo

Methods inherited from interface java.util.concurrent.Future

cancel, get, get, isCancelled, isDone

Method Detail

isPeriodic

```
boolean isPeriodic()
```

Returns `true` if this task is periodic. A periodic task may re-run according to some schedule. A non-periodic task can be run only once.

Returns:

`true if this task is periodic`

contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.