JavaScript is disabled on your browser.

compact3
java.util.prefs

Interface PreferencesFactory

`public interface PreferencesFactory`

A factory object that generates Preferences objects. Providers of new `Preferences` implementations should provide corresponding `PreferencesFactory` implementations so that the new `Preferences` implementation can be installed in place of the platform-specific default implementation.

This class is for `Preferences` implementers only. Normal users of the `Preferences` facility should have no need to consult this documentation.

Since:

`1.4`

See Also:

`Preferences`

Method Summary

Abstract Methods

Modifier and Type	Method	Description
`Preferences`	`systemRoot()`	Returns the system root preference node.
`Preferences`	`userRoot()`	Returns the user root preference node corresponding to the calling user.

Method Detail

systemRoot

`Preferences systemRoot()`

Returns the system root preference node. (Multiple calls on this method will return the same object reference.)

Returns:

`the system root preference node`

userRoot

`Preferences userRoot()`

Returns the user root preference node corresponding to the calling user. In a server, the returned value will typically depend on some implicit client-context.

Returns:

`the user root preference node corresponding to the calling user`

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.