JavaScript is disabled on your browser.

compact1, compact2, compact3
java.util.zip

Interface Checksum

All Known Implementing Classes:

Adler32, CRC32

---

public interface **Checksum**

An interface representing a data checksum.

Method Summary

Abstract Methods

Modifier and Type	Method	Description
long	**getValue**()	Returns the current checksum value.
void	**reset**()	Resets the checksum to its initial value.
void	**update**(byte[] b, int off, int len)	Updates the current checksum with the specified array of bytes.
void	**update**(int b)	Updates the current checksum with the specified byte.

Method Detail

update

```
void update(int b)
```

Updates the current checksum with the specified byte.

Parameters:

`b - the byte to update the checksum with`

update

```
void update(byte[] b,
            int off,
            int len)
```

Updates the current checksum with the specified array of bytes.

Parameters:

`b - the byte array to update the checksum with`

`off - the start offset of the data`

`len - the number of bytes to use for the update`

getValue

```
long getValue()
```

Returns the current checksum value.

Returns:

`the current checksum value`

reset

```
void reset()
```

Resets the checksum to its initial value.

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.