JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util.zip

Class InflaterOutputStream

java.lang.Object
  java.io.OutputStream
    java.io.FilterOutputStream
      java.util.zip.InflaterOutputStream

All Implemented Interfaces:

`Closeable`, `Flushable`, `AutoCloseable`

```
public class InflaterOutputStream
extends FilterOutputStream
```

Implements an output stream filter for uncompressing data stored in the "deflate" compression format.

Since:

1.6

See Also:

`InflaterInputStream`, `DeflaterInputStream`, `DeflaterOutputStream`

Field Summary

Fields

Modifier and Type	Field	Description
`protected byte[]`	**`buf`**	Output buffer for writing uncompressed data.
`protected Inflater`	**`inf`**	Decompressor for this stream.

Fields inherited from class java.io.FilterOutputStream

out

Constructor Summary

Constructors

Constructor	Description
InflaterOutputStream(OutputStream out)	Creates a new output stream with a default decompressor and buffer size.
InflaterOutputStream(OutputStream out, Inflater infl)	Creates a new output stream with the specified decompressor and a default buffer size.
InflaterOutputStream(OutputStream out, Inflater infl, int bufLen)	Creates a new output stream with the specified decompressor and buffer size.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
void	close()	Writes any remaining uncompressed data to the output stream and closes the underlying output stream.
void	finish()	

		Finishes writing uncompressed data to the output stream without closing the underlying stream.
void	**flush**()	Flushes this output stream, forcing any pending buffered output bytes to be written.
void	**write**(byte[] b, int off, int len)	Writes an array of bytes to the uncompressed output stream.
void	**write**(int b)	Writes a byte to the uncompressed output stream.

Methods inherited from class java.io.FilterOutputStream

write

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Detail

inf

```
protected final Inflater inf
```

Decompressor for this stream.

buf

```
protected final byte[] buf
```

Output buffer for writing uncompressed data.

Constructor Detail

InflaterOutputStream

```
public InflaterOutputStream(OutputStream out)
```

Creates a new output stream with a default decompressor and buffer size.

Parameters:

`out - output stream to write the uncompressed data to`

Throws:

`NullPointerException - if out is null`

InflaterOutputStream

```
public InflaterOutputStream(OutputStream out,
                            Inflater infl)
```

Creates a new output stream with the specified decompressor and a default buffer size.

Parameters:

`out - output stream to write the uncompressed data to`

`infl - decompressor ("inflater") for this stream`

Throws:

`NullPointerException - if out or infl is null`

InflaterOutputStream

```
public InflaterOutputStream(OutputStream out,
                            Inflater infl,
                            int bufLen)
```

Creates a new output stream with the specified decompressor and buffer size.

Parameters:

`out` - output stream to write the uncompressed data to

`infl` - decompressor ("inflater") for this stream

`bufLen` - decompression buffer size

Throws:

`IllegalArgumentException` - if bufLen <= 0

`NullPointerException` - if out or infl is null

Method Detail

close

```
public void close()
           throws IOException
```

Writes any remaining uncompressed data to the output stream and closes the underlying output stream.

Specified by:

`close` in interface `Closeable`

Specified by:

`close` in interface `AutoCloseable`

Overrides:

`close` in class `FilterOutputStream`

Throws:

`IOException` - if an I/O error occurs

See Also:

`FilterOutputStream.flush()`, `FilterOutputStream.out`

flush

```
public void flush()
           throws IOException
```

Flushes this output stream, forcing any pending buffered output bytes to be written.

Specified by:

`flush` in interface `Flushable`

Overrides:

`flush` in class `FilterOutputStream`

Throws:

`IOException` - if an I/O error occurs or this stream is already closed

See Also:

`FilterOutputStream.out`

finish

```
public void finish()
            throws IOException
```

Finishes writing uncompressed data to the output stream without closing the underlying stream. Use this method when applying multiple filters in succession to the same output stream.

Throws:

`IOException` - if an I/O error occurs or this stream is already closed

write

```
public void write(int b)
           throws IOException
```

Writes a byte to the uncompressed output stream.

Overrides:

`write` in class `FilterOutputStream`

Parameters:

`b` - a single byte of compressed data to decompress and write to the output stream

Throws:

IOException - if an I/O error occurs or this stream is already closed

ZipException - if a compression (ZIP) format error occurs

write

```
public void write(byte[] b,
                  int off,
                  int len)
           throws IOException
```

Writes an array of bytes to the uncompressed output stream.

Overrides:

write in class FilterOutputStream

Parameters:

b - buffer containing compressed data to decompress and write to the output stream

off - starting offset of the compressed data within b

len - number of bytes to decompress from b

Throws:

IndexOutOfBoundsException - if off < 0, or if len < 0, or if len > b.length - off

IOException - if an I/O error occurs or this stream is already closed

NullPointerException - if b is null

ZipException - if a compression (ZIP) format error occurs

See Also:

```
FilterOutputStream.write(int)
```


Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.