JavaScript is disabled on your browser.

compact1, compact2, compact3

java.util.zip

Class ZipOutputStream

java.lang.Object
  java.io.OutputStream
    java.io.FilterOutputStream
      java.util.zip.DeflaterOutputStream
        java.util.zip.ZipOutputStream

All Implemented Interfaces:

`Closeable`, `Flushable`, `AutoCloseable`

Direct Known Subclasses:

`JarOutputStream`

```
public class ZipOutputStream
extends DeflaterOutputStream
```

This class implements an output stream filter for writing files in the ZIP file format. Includes support for both compressed and uncompressed entries.

Field Summary

Fields

Modifier and Type	Field	Description
static int	**CENATT**	
static int	**CENATX**	
static int	**CENCOM**	
static int	**CENCRC**	
static int	**CENDSK**	

static int	**CENEXT**	
static int	**CENFLG**	
static int	**CENHDR**	
static int	**CENHOW**	
static int	**CENLEN**	
static int	**CENNAM**	
static int	**CENOFF**	
static long	**CENSIG**	
static int	**CENSIZ**	
static int	**CENTIM**	
static int	**CENVEM**	
static int	**CENVER**	
static int	**DEFLATED**	Compression method for compressed (DEFLATED) entries.
static int	**ENDCOM**	
static int	**ENDHDR**	
static int	**ENDOFF**	
static long	**ENDSIG**	
static int	**ENDSIZ**	
static int	**ENDSUB**	
static int	**ENDTOT**	
static int	**EXTCRC**	
static int	**EXTHDR**	
static int	**EXTLEN**	
static long	**EXTSIG**	
static int	**EXTSIZ**	
static int	**LOCCRC**	
static int	**LOCEXT**	
static int	**LOCFLG**	
static int	**LOCHDR**	

static int	LOCHOW	
static int	LOCLEN	
static int	LOCNAM	
static long	LOCSIG	
static int	LOCSIZ	
static int	LOCTIM	
static int	LOCVER	
static int	STORED	Compression method for uncompressed (STORED) entries.

Fields inherited from class java.util.zip.DeflaterOutputStream

buf, def

Fields inherited from class java.io.FilterOutputStream

out

Constructor Summary

Constructors

Constructor	Description
ZipOutputStream(OutputStream out)	Creates a new ZIP output stream.
ZipOutputStream(OutputStream out, Charset charset)	Creates a new ZIP output stream.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
void	close()	

		Closes the ZIP output stream as well as the stream being filtered.
void	**closeEntry**()	Closes the current ZIP entry and positions the stream for writing the next entry.
void	**finish**()	Finishes writing the contents of the ZIP output stream without closing the underlying stream.
void	**putNextEntry**(**ZipEntry** e)	Begins writing a new ZIP file entry and positions the stream to the start of the entry data.
void	**setComment**(**String** comment)	Sets the ZIP file comment.
void	**setLevel**(int level)	Sets the compression level for subsequent entries which are DEFLATED.
void	**setMethod**(int method)	Sets the default compression method for subsequent entries.
void	**write**(byte[] b, int off, int len)	Writes an array of bytes to the current ZIP entry data.

Methods inherited from class java.util.zip.DeflaterOutputStream

deflate, flush, write

Methods inherited from class java.io.FilterOutputStream

write

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Detail

STORED

```
public static final int STORED
```

Compression method for uncompressed (STORED) entries.

See Also:

Constant Field Values

DEFLATED

```
public static final int DEFLATED
```

Compression method for compressed (DEFLATED) entries.

See Also:

Constant Field Values

LOCSIG

```
public static final long LOCSIG
```

See Also:

Constant Field Values

EXTSIG

```
public static final long EXTSIG
```

See Also:

Constant Field Values

CENSIG

```
public static final long CENSIG
```

See Also:

Constant Field Values

ENDSIG

```
public static final long ENDSIG
```

See Also:

Constant Field Values

LOCHDR

```
public static final int LOCHDR
```

See Also:

Constant Field Values

EXTHDR

```
public static final int EXTHDR
```

See Also:

Constant Field Values

CENHDR

```
public static final int CENHDR
```

See Also:

Constant Field Values

ENDHDR

```
public static final int ENDHDR
```

See Also:

Constant Field Values

LOCVER

public static final int LOCVER

See Also:

Constant Field Values

LOCFLG

public static final int LOCFLG

See Also:

Constant Field Values

LOCHOW

public static final int LOCHOW

See Also:

Constant Field Values

LOCTIM

public static final int LOCTIM

See Also:

Constant Field Values

LOCCRC

public static final int LOCCRC

See Also:

Constant Field Values

LOCSIZ

public static final int LOCSIZ

See Also:

Constant Field Values

LOCLEN

public static final int LOCLEN

See Also:

Constant Field Values

LOCNAM

public static final int LOCNAM

See Also:

Constant Field Values

LOCEXT

public static final int LOCEXT

See Also:

Constant Field Values

EXTCRC

public static final int EXTCRC

See Also:

Constant Field Values

EXTSIZ

public static final int EXTSIZ

See Also:

Constant Field Values

EXTLEN

public static final int EXTLEN

See Also:

Constant Field Values

CENVEM

public static final int CENVEM

See Also:

Constant Field Values

CENVER

public static final int CENVER

See Also:

Constant Field Values

CENFLG

public static final int CENFLG

See Also:

Constant Field Values

CENHOW

public static final int CENHOW

See Also:

Constant Field Values

CENTIM

public static final int CENTIM

See Also:

Constant Field Values

CENCRC

public static final int CENCRC

See Also:

Constant Field Values

CENSIZ

public static final int CENSIZ

See Also:

Constant Field Values

CENLEN

public static final int CENLEN

See Also:

Constant Field Values

CENNAM

public static final int CENNAM

See Also:

Constant Field Values

CENEXT

public static final int CENEXT

See Also:

Constant Field Values

CENCOM

public static final int CENCOM

See Also:

Constant Field Values

CENDSK

public static final int CENDSK

See Also:

Constant Field Values

CENATT

public static final int CENATT

See Also:

Constant Field Values

CENATX

public static final int CENATX

See Also:

Constant Field Values

CENOFF

public static final int CENOFF

See Also:

Constant Field Values

ENDSUB

public static final int ENDSUB

See Also:

Constant Field Values

ENDTOT

public static final int ENDTOT

See Also:

Constant Field Values

ENDSIZ

public static final int ENDSIZ

See Also:

Constant Field Values

ENDOFF

```
public static final int ENDOFF
```

See Also:

Constant Field Values

ENDCOM

```
public static final int ENDCOM
```

See Also:

Constant Field Values

Constructor Detail

ZipOutputStream

```
public ZipOutputStream(OutputStream out)
```

Creates a new ZIP output stream.

The UTF-8 `charset` is used to encode the entry names and comments.

Parameters:

`out` - the actual output stream

ZipOutputStream

```
public ZipOutputStream(OutputStream out,
                       Charset charset)
```

Creates a new ZIP output stream.

Parameters:

`out` - the actual output stream

`charset` - the `charset` to be used to encode the entry names and comments

Since:

1.7

Method Detail

setComment

```
public void setComment(String comment)
```

Sets the ZIP file comment.

Parameters:

`comment - the comment string`

Throws:

`IllegalArgumentException - if the length of the specified ZIP file comment is greater than 0xFFFF bytes`

setMethod

```
public void setMethod(int method)
```

Sets the default compression method for subsequent entries. This default will be used whenever the compression method is not specified for an individual ZIP file entry, and is initially set to DEFLATED.

Parameters:

`method - the default compression method`

Throws:

`IllegalArgumentException - if the specified compression method is invalid`

setLevel

```
public void setLevel(int level)
```

Sets the compression level for subsequent entries which are DEFLATED. The default setting is DEFAULT_COMPRESSION.

Parameters:

`level - the compression level (0-9)`

Throws:

`IllegalArgumentException - if the compression level is invalid`

putNextEntry

```
public void putNextEntry(ZipEntry e)
                  throws IOException
```

Begins writing a new ZIP file entry and positions the stream to the start of the entry data. Closes the current entry if still active. The default compression method will be used if no compression method was specified for the entry, and the current time will be used if the entry has no set modification time.

Parameters:

`e` - the ZIP entry to be written

Throws:

`ZipException` - if a ZIP format error has occurred

`IOException` - if an I/O error has occurred

closeEntry

```
public void closeEntry()
                throws IOException
```

Closes the current ZIP entry and positions the stream for writing the next entry.

Throws:

`ZipException` - if a ZIP format error has occurred

`IOException` - if an I/O error has occurred

write

```
public void write(byte[] b,
                  int off,
                  int len)
           throws IOException
```

Writes an array of bytes to the current ZIP entry data. This method will block until all the bytes are written.

Overrides:

`write` in class `DeflaterOutputStream`

Parameters:

`b` - the data to be written

`off` - the start offset in the data

len - the number of bytes that are written

Throws:

ZipException - if a ZIP file error has occurred

IOException - if an I/O error has occurred

See Also:

FilterOutputStream.write(int)

finish

```
public void finish()
            throws IOException
```

Finishes writing the contents of the ZIP output stream without closing the underlying stream. Use this method when applying multiple filters in succession to the same output stream.

Overrides:

finish in class DeflaterOutputStream

Throws:

ZipException - if a ZIP file error has occurred

IOException - if an I/O exception has occurred

close

```
public void close()
           throws IOException
```

Closes the ZIP output stream as well as the stream being filtered.

Specified by:

close in interface Closeable

Specified by:

close in interface AutoCloseable

Overrides:

close in class DeflaterOutputStream

Throws:

ZipException - if a ZIP file error has occurred

IOException - if an I/O error has occurred

See Also:

FilterOutputStream.flush(), FilterOutputStream.out

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.