JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class NullPointerException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.NullPointerException

All Implemented Interfaces:

Serializable

```
public class NullPointerException
extends RuntimeException
```

Thrown when an application attempts to use `null` in a case where an object is required. These include:

- Calling the instance method of a `null` object.
- Accessing or modifying the field of a `null` object.
- Taking the length of `null` as if it were an array.
- Accessing or modifying the slots of `null` as if it were an array.
- Throwing `null` as if it were a `Throwable` value.

Applications should throw instances of this class to indicate other illegal uses of the `null` object. `NullPointerException` objects may be constructed by the virtual machine as if suppression were disabled and/or the stack trace was not writable.

Since:

1.0

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`NullPointerException()`	Constructs a `NullPointerException` with no detail message.
`NullPointerException(String s)`	Constructs a `NullPointerException` with the specified detail message.

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
String	getMessage()	Returns the detail message string of this throwable.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

NullPointerException

```
public NullPointerException()
```

Constructs a NullPointerException with no detail message.

NullPointerException

```
public NullPointerException(String s)
```

Constructs a NullPointerException with the specified detail message.

Parameters:

s - the detail message.

Method Details

getMessage

```
public String getMessage()
```

Returns the detail message string of this throwable.

If a non-null message was supplied in a constructor it is returned. Otherwise, an implementation specific message or `null` is returned.

Overrides:

`getMessage` in class `Throwable`

Implementation Note:

If no explicit message was passed to the constructor, and as long as certain internal information is available, a verbose description of the null reference is returned. The internal information is not available in deserialized NullPointerExceptions.

Returns:

the detail message string, which may be `null`.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.