JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class Void

java.lang.Object
    java.lang.Void

```
public final class Void
extends Object
```

The `Void` class is an uninstantiable placeholder class to hold a reference to the `Class` object representing the Java keyword void.

Since:

1.1

Field Summary

Fields

Modifier and Type	Field	Description
`static final Class<Void>`	**TYPE**	The `Class` object representing the pseudo-type corresponding to the keyword `void`.

Method Summary

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Field Details

TYPE

```
public static final Class<Void> TYPE
```

The `Class` object representing the pseudo-type corresponding to the keyword `void`.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.

Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.