skkmigas PERTAMINA EP	**PERTAMINA EP REGIONAL 1 ZONA 4**	POG

DATA SHEET LEVEL TRANSMITTER RADAR	No. Dok. : TMBP-SP001-IN-DST-D110 Rev. : A Halaman : 1 dari 6

NAMA PEMILIK PROYEK : **PT PERTAMINA EP**

NAMA PROYEK : **JASA PEMBANGUNAN FASILITAS PRODUKSI STASIUN PENGUMPUL (SP) TANJUNG MIRING BARAT & KARANGAN TIMUR**

LOKASI : **SP TANJUNG MIRING BARAT & KARANGAN TIMUR - FIELD LIMAU**

NO. KONTRAK : **SA02035383B**

REV.	TGL.	DESKRIPSI	DISIAPKAN	DIPERIKSA	DISETUJUI	DIPERIKSA	DISETUJUI
A	09/01/2026	Issued For Review	MHP	AS	MR		
			PT. PROSYMPAC OIL & GAS			PT. PERTAMINA EP	

TABEL REVISI

Rev.	Tanggal	Deskripsi

COMMENT RESPONSE SHEET

No.	Page	PERUSAHAAN's Comment	Contractor's Response	Remarks

DAFTAR ISI

TABEL REVISI **2**
COMMENT RESPONSE SHEET **3**
DAFTAR ISI **4**
1. DATA SHEET LEVEL TRANSMITTER RADAR **5**
1.1 LEVEL TRANSMITTER RADAR LIST 6

skkmigas PERTAMINA EP	**PERTAMINA EP** **REGIONAL 1 ZONA 4**	POG

DATA SHEET LEVEL TRANSMITTER RADAR	No. Dok. : TMBP-SP001-IN-DST-D110 Rev. : A Halaman : 5 dari 6

Tag Number	: See List	Service	: See List
P&ID No.	: See List	Equip./Line No.	: See List

SERVICE CONDITION	1	Fluid	State	See List		See List	
	2	Operating Pressure	Design Pressure	See List	psig	See List	psig
	3	Operating Temperature	Design Temperature	See List	degF	See List	degF
	4	Operating Density		See List	lb/ft^3		
	5	Molecular Weight		See List			
	6	Water Pound Height		See List	meter		
	7						
GENERAL	8	Type		Magnetostriction Level			
	9	Function		Transmitter, Indicating			
	10	Mounting		Top Mounting			
	11	Enclosure Class		IP65			
	12	Certification		Eex"d"			
	13	Hazardous Area Classification Requirment		See List			
	14	Antenn		See List			
TRANSMITTER	15	Wetted Body Material		316SS			
	16	Case Material		Aluminum die cast, epoxy coating (Manufacture Standard)			
	17	Process Connection Size		3" Flange, ANSI Class 150# RF			
	18	Electrical Connection		½" NPT			
	19	Communication		4-20 mA DC			
	20	Power Supply		24 VDC			
	21	Scale Type		Linear			
	22	Scale Range		See List			
	23	Accuracy		0.1% of span			
	24	Level Measurement		Note			(4)
	25	Zero-Span Adjustment		YES			
	26	Lightning Protection |Transcient Protector		YES, Built in		YES	
	27	Indication Display		LCD			
	28						
OPTION	29	Bolt & Nuts		YES			
	30	Heat Tracing		N/A			
	31	Chamber Insulation		N/A			
	32	Switch		N/A			
	33						
PURCHASE	34	Name Plate (Tagging Number)		YES, 316SS			(1)
	35	Manufacture		As per AML / PML			(2)
	36	Model No,		By VENDOR			(3)

Notes:

1. All instrument shall be tagged with 316 SS nameplate showing tag no.
2. VENDOR shall be refer to PT. PERTAMINA EP Approved Manufacturers List (AML)
3. VENDOR shall submit proper model number on bld proposal.
4. Level Measurement to be detailed by Contractor
5. Stilling well shall be provided

skkmigas PERTAMINA EP	PERTAMINA EP REGIONAL 1 ZONA 4	POG
	DATA SHEET LEVEL TRANSMITTER RADAR	No. Dok. : TMBP-SP001-IN-DST-D110 Rev. : A Halaman : 6 dari 6

LEVEL TRANSMITTER RADAR LIST

No.	Tag Number	P&ID No.	Service	Equip./Line Number	Fluid	State	Temperature (°F)		Pressure (Psig)		Operating Density (lb/ft^3)	Molecular Weight (Kg/Kmol)	Hazardous Area Class.	Antenn	Scale Range	Pit Height (Meter)
							Oper.	Design	Oper.	Design						
1	LIT-PN-001-002	TMBP-SP001-PR-PID-D117	SUMP PIT	PN-001	WATER, OIL, SLUDGE	LIQUID	AMB	150	ATM	Full of Liquid	269.73	54.23	Zone 2	-	0.1-2 m	3
2	LIT-PN-001-003	TMBP-SP001-PR-PID-D117	SUMP PIT	PN-001	WATER, OIL, SLUDGE	LIQUID	AMB	150	ATM	Full of Liquid	269.73	54.23	Non	Cone	0.1-2 m	3
3	LIT-PN-002-001	TMBP-SP001-PR-PID-D121	WATER POND	PN-002	UTILITY WATER	LIQUID	95	150	ATM	Full of Water	62.44	18	Non	-	200-2000 mm	2