

DataUtilities.java

```

1  /* =====
2  * JFreeChart : a free chart library for the Java(tm) platform
3  * =====
4  *
5  * (C) Copyright 2000-2013, by Object Refinery Limited and Contributors.
6  *
7  * Project Info:  http://www.jfree.org/jfreechart/index.html
8  *
9  * This library is free software; you can redistribute it and/or modify it
10 * under the terms of the GNU Lesser General Public License as published by
11 * the Free Software Foundation; either version 2.1 of the License, or
12 * (at your option) any later version.
13 *
14 * This library is distributed in the hope that it will be useful, but
15 * WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
16 * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public
17 * License for more details.
18 *
19 * You should have received a copy of the GNU Lesser General Public
20 * License along with this library; if not, write to the Free Software
21 * Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301,
22 * USA.
23 *
24 * [Oracle and Java are registered trademarks of Oracle and/or its affiliates.
25 * Other names may be trademarks of their respective owners.]
26 *
27 * -----
28 * DataUtilities.java
29 * -----
30 * (C) Copyright 2003-2013, by Object Refinery Limited and contributors.
31 *
32 * Original Author:  David Gilbert (for Object Refinery Limited);
33 * Contributor(s):   Peter Kolb (patch 2511330);
34 *
35 * Changes
36 * -----
37 * 05-Mar-2003 : Version 1 (DG);
38 * 03-Mar-2005 : Moved createNumberArray() and createNumberArray2D() methods
39 *               from the DatasetUtilities class (DG);
40 * 17-May-2005 : Added calculateColumnTotal() and calculateRowTotal()
41 *               methods (DG);
42 * 28-Jan-2009 : Added equal(double[][], double[][]) method (DG);
43 * 28-Jan-2009 : Added clone(double[][]) method (DG);
44 * 04-Feb-2009 : Added calculateColumnTotal/RowTotal variants (PK);
45 * 03-Jul-2013 : Use ParamChecks (DG);
46 *
47 */
48
49 package org.jfree.data;
```

```

50
51 import java.util.Arrays;
52 import org.jfree.chart.util.ParamChecks;
53 import org.jfree.data.general.DatasetUtilities;
54
55 /**
56  * Utility methods for use with some of the data classes (but not the datasets,
57  * see {@link DatasetUtilities}).
58  */
59 public abstract class DataUtilities {
60
61     /**
62      * Tests two arrays for equality. To be considered equal, the arrays must
63      * have exactly the same dimensions, and the values in each array must also
64      * match (two values that are both NaN or both INF are considered equal
65      * in this test).
66      *
67      * @param a the first array (<code>null</code> permitted).
68      * @param b the second array (<code>null</code> permitted).
69      *
70      * @return A boolean.
71      *
72      * @since 1.0.13
73      */
74     public static boolean equal(double[][] a, double[][] b) {
75         4 if (a == null) {
76         19 return (b == null);
77     }
78     4 if (b == null) {
79     7 return false; // already know 'a' isn't null
80     }
81     8 if (a.length != b.length) {
82     7 return false;
83     }
84     19 for (int i = 0; i < a.length; i++) {
85     19 if (!Arrays.equals(a[i], b[i])) {
86     7 return false;
87     }
88     }
89     8 return true;
90     }
91
92     /**
93      * Returns a clone of the specified array.
94      *
95      * @param source the source array (<code>null</code> not permitted).
96      *
97      * @return A clone of the array.
98      *
99      * @since 1.0.13
100     */
101     public static double[][] clone(double[][] source) {
102     1 ParamChecks.nullNotPermitted(source, "source");

```

```

103         double[][] clone = new double[source.length][];
104 19         for (int i = 0; i < source.length; i++) {
105 9             if (source[i] != null) {
106 5                 double[] row = new double[source[i].length];
107 21                 System.arraycopy(source[i], 0, row, 0, source[i].length);
108 5                 clone[i] = row;
109             }
110         }
111 2         return clone;
112     }
113
114     /**
115      * Returns the total of the values in one column of the supplied data
116      * table.
117      *
118      * @param data the table of values (<code>>null</code> not permitted).
119      * @param column the column index (zero-based).
120      *
121      * @return The total of the values in the specified column.
122      */
123     public static double calculateColumnTotal(Values2D data, int column) {
124 1         ParamChecks.nullNotPermitted(data, "data");
125 5         double total = 0.0;
126 1         int rowCount = data.getRowCount();
127 25         for (int r = 0; r < rowCount; r++) {
128 11             Number n = data.getValue(r, column);
129 4             if (n != null) {
130 13                 total += n.doubleValue();
131             }
132         }
133 7         return total;
134     }
135
136     /**
137      * Returns the total of the values in one column of the supplied data
138      * table by taking only the row numbers in the array into account.
139      *
140      * @param data the table of values (<code>>null</code> not permitted).
141      * @param column the column index (zero-based).
142      * @param validRows the array with valid rows (zero-based).
143      *
144      * @return The total of the valid values in the specified column.
145      *
146      * @since 1.0.13
147      */
148     public static double calculateColumnTotal(Values2D data, int column,
149         int[] validRows) {
150 1         ParamChecks.nullNotPermitted(data, "data");
151 5         double total = 0.0;
152 1         int rowCount = data.getRowCount();
153 20         for (int v = 0; v < validRows.length; v++) {
154 10             int row = validRows[v];
155 19             if (row < rowCount) {

```

```

156 11         Number n = data.getValue(row, column);
157 4         if (n != null) {
158 13             total += n.doubleValue();
159         }
160     }
161 }
162 7     return total;
163 }
164
165 /**
166  * Returns the total of the values in one row of the supplied data
167  * table.
168  *
169  * @param data the table of values (<code>>null</code> not permitted).
170  * @param row the row index (zero-based).
171  *
172  * @return The total of the values in the specified row.
173  */
174 public static double calculateRowTotal(Values2D data, int row) {
175 1     ParamChecks.nullNotPermitted(data, "data");
176 5     double total = 0.0;
177 1     int columnCount = data.getColumnCount();
178 25     for (int c = 0; c < columnCount; c++) {
179 11         Number n = data.getValue(row, c);
180 4         if (n != null) {
181 13             total += n.doubleValue();
182         }
183     }
184 7     return total;
185 }
186
187 /**
188  * Returns the total of the values in one row of the supplied data
189  * table by taking only the column numbers in the array into account.
190  *
191  * @param data the table of values (<code>>null</code> not permitted).
192  * @param row the row index (zero-based).
193  * @param validCols the array with valid cols (zero-based).
194  *
195  * @return The total of the valid values in the specified row.
196  *
197  * @since 1.0.13
198  */
199 public static double calculateRowTotal(Values2D data, int row,
200     int[] validCols) {
201 1     ParamChecks.nullNotPermitted(data, "data");
202 5     double total = 0.0;
203 1     int colCount = data.getColumnCount();
204 20     for (int v = 0; v < validCols.length; v++) {
205 10         int col = validCols[v];
206 19         if (col < colCount) {
207 11             Number n = data.getValue(row, col);
208 4             if (n != null) {

```

```

209 13         total += n.doubleValue();
210     }
211 }
212 }
213 7     return total;
214 }
215
216 /**
217  * Constructs an array of Number objects from an array of
218  * double primitives.
219  *
220  * @param data the data (null not permitted).
221  *
222  * @return An array of Double.
223  */
224 public static Number[] createNumberArray(double[] data) {
225 1     ParamChecks.nullNotPermitted(data, "data");
226     Number[] result = new Number[data.length];
227 19     for (int i = 0; i < data.length; i++) {
228 16         result[i] = new Double(data[i]);
229     }
230 2     return result;
231 }
232
233 /**
234  * Constructs an array of arrays of Number objects from a
235  * corresponding structure containing double primitives.
236  *
237  * @param data the data (null not permitted).
238  *
239  * @return An array of Double.
240  */
241 public static Number[][] createNumberArray2D(double[][] data) {
242 1     ParamChecks.nullNotPermitted(data, "data");
243     int l1 = data.length;
244 5     Number[][] result = new Number[l1][];
245 25     for (int i = 0; i < l1; i++) {
246 11         result[i] = createNumberArray(data[i]);
247     }
248 2     return result;
249 }
250
251 /**
252  * Returns a {@link KeyedValues} instance that contains the cumulative
253  * percentage values for the data in another {@link KeyedValues} instance.
254  * <p>
255  * The percentages are values between 0.0 and 1.0 (where 1.0 = 100%).
256  *
257  * @param data the data (null not permitted).
258  *
259  * @return The cumulative percentages.
260  */
261 public static KeyedValues getCumulativePercentages(KeyedValues data) {

```

```

262 1      ParamChecks.nullNotPermitted(data, "data");
263 1      DefaultKeyedValues result = new DefaultKeyedValues();
264 5      double total = 0.0;
265 20     for (int i = 0; i < data.getItemCount(); i++) {
266 6         Number v = data.getValue(i);
267 4         if (v != null) {
268 13             total = total + v.doubleValue();
269         }
270     }
271 5     double runningTotal = 0.0;
272 20     for (int i = 0; i < data.getItemCount(); i++) {
273 6         Number v = data.getValue(i);
274 4         if (v != null) {
275 13             runningTotal = runningTotal + v.doubleValue();
276         }
277 25         result.addValue(data.getKey(i), new Double(runningTotal / total));
278     }
279 2     return result;
280 }
281
282 }

```

Mutations

- 75
1. negated conditional → KILLED
 2. removed conditional - replaced equality check with false → KILLED
 3. removed conditional - replaced equality check with true → KILLED
 4. not equal to equal → KILLED
 1. replaced boolean return with false for org/jfree/data/DataUtilities::equal → KILLED
 2. replaced boolean return with true for org/jfree/data/DataUtilities::equal → KILLED
 3. Substituted 1 with 0 → KILLED
 4. Substituted 0 with 1 → KILLED
 5. negated conditional → KILLED
 6. removed conditional - replaced equality check with false → KILLED
 7. removed conditional - replaced equality check with true → KILLED
 8. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED
 - 76 9. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED
 10. Substituted 0 with 1 → KILLED
 11. Substituted 1 with 0 → KILLED
 12. Substituted 1 with -1 → SURVIVED
 13. Substituted 0 with -1 → KILLED
 14. Substituted 1 with -1 → SURVIVED
 15. Substituted 1 with 2 → KILLED
 16. Substituted 0 with 1 → KILLED
 17. Substituted 1 with 0 → KILLED
 18. Substituted 0 with -1 → KILLED
 19. not equal to equal → KILLED
 1. negated conditional → KILLED
 - 78 2. removed conditional - replaced equality check with false → KILLED
 3. removed conditional - replaced equality check with true → KILLED
 4. not equal to equal → KILLED
 - 79 1. replaced boolean return with true for org/jfree/data/DataUtilities::equal → KILLED
 2. Substituted 0 with 1 → KILLED
 3. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED
 4. Substituted 0 with 1 → KILLED
 5. Substituted 0 with -1 → KILLED

6. Substituted 0 with 1 → KILLED
 7. Substituted 0 with -1 → KILLED
- 81 1. negated conditional → KILLED
 2. removed conditional - replaced equality check with false → KILLED
 3. removed conditional - replaced equality check with true → KILLED
 4. equal to less than → KILLED
 5. equal to less or equal → KILLED
 6. equal to greater than → KILLED
 7. equal to greater or equal → SURVIVED
 8. equal to not equal → KILLED
- 82 1. replaced boolean return with true for org/jfree/data/DataUtilities::equal → KILLED
 2. Substituted 0 with 1 → KILLED
 3. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED
 4. Substituted 0 with 1 → KILLED
 5. Substituted 0 with -1 → KILLED
 6. Substituted 0 with 1 → KILLED
 7. Substituted 0 with -1 → KILLED
- 84 1. changed conditional boundary → KILLED
 2. Substituted 0 with 1 → KILLED
 3. negated conditional → KILLED
 4. removed conditional - replaced comparison check with false → KILLED
 5. removed conditional - replaced comparison check with true → KILLED
 6. Negated integer local variable number 2 → KILLED
 7. Substituted 0 with 1 → KILLED
 8. Substituted 0 with -1 → KILLED
 9. Substituted 0 with 1 → KILLED
 10. Substituted 0 with -1 → KILLED
 11. Less than to less or equal → KILLED
 12. Less than to greater than → KILLED
 13. Less than to greater or equal → KILLED
 14. Less than to equal → KILLED
 15. Less than to not equal → SURVIVED
 16. Incremented (a++) integer local variable number 2 → KILLED
 17. Decrementd (a--) integer local variable number 2 → KILLED
 18. Incremented (++a) integer local variable number 2 → KILLED
 19. Decrementd (--a) integer local variable number 2 → KILLED
- 85 1. negated conditional → KILLED
 2. removed call to java/util/Arrays::equals → KILLED
 3. removed conditional - replaced equality check with false → KILLED
 4. removed conditional - replaced equality check with true → KILLED
 5. Negated integer local variable number 2 → KILLED
 6. Negated integer local variable number 2 → KILLED
 7. not equal to less than → KILLED
 8. not equal to less or equal → KILLED
 9. not equal to greater than → SURVIVED
 10. not equal to greater or equal → KILLED
 11. not equal to equal → KILLED
 12. Incremented (a++) integer local variable number 2 → KILLED
 13. Incremented (a++) integer local variable number 2 → SURVIVED
 14. Decrementd (a--) integer local variable number 2 → KILLED
 15. Decrementd (a--) integer local variable number 2 → TIMED_OUT
 16. Incremented (++a) integer local variable number 2 → KILLED
 17. Incremented (++a) integer local variable number 2 → KILLED
 18. Decrementd (--a) integer local variable number 2 → KILLED
 19. Decrementd (--a) integer local variable number 2 → KILLED
- 86 1. replaced boolean return with true for org/jfree/data/DataUtilities::equal → KILLED
 2. Substituted 0 with 1 → KILLED
 3. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED
 4. Substituted 0 with 1 → KILLED
 5. Substituted 0 with -1 → KILLED
 6. Substituted 0 with 1 → KILLED
 7. Substituted 0 with -1 → KILLED
- 89

1. replaced boolean return with false for org/jfree/data/DataUtilities::equal → KILLED
2. Substituted 1 with 0 → KILLED
3. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED
4. Substituted 1 with 0 → KILLED
5. Substituted 1 with -1 → SURVIVED
6. Substituted 1 with -1 → SURVIVED
7. Substituted 1 with 2 → KILLED
8. Substituted 1 with 0 → KILLED
- [102](#) 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → KILLED
1. changed conditional boundary → KILLED
2. Substituted 0 with 1 → KILLED
3. negated conditional → KILLED
4. removed conditional - replaced comparison check with false → KILLED
5. removed conditional - replaced comparison check with true → KILLED
6. Negated integer local variable number 2 → KILLED
7. Substituted 0 with 1 → KILLED
8. Substituted 0 with -1 → KILLED
9. Substituted 0 with 1 → KILLED
- [104](#) 10. Substituted 0 with -1 → KILLED
11. Less than to less or equal → KILLED
12. Less than to greater than → KILLED
13. Less than to greater or equal → KILLED
14. Less than to equal → KILLED
15. Less than to not equal → SURVIVED
16. Incremented (a++) integer local variable number 2 → KILLED
17. Decrementd (a--) integer local variable number 2 → KILLED
18. Incremented (++a) integer local variable number 2 → KILLED
19. Decrementd (--a) integer local variable number 2 → KILLED
1. negated conditional → KILLED
2. removed conditional - replaced equality check with false → KILLED
3. removed conditional - replaced equality check with true → KILLED
4. Negated integer local variable number 2 → KILLED
- [105](#) 5. equal to not equal → KILLED
6. Incremented (a++) integer local variable number 2 → KILLED
7. Decrementd (a--) integer local variable number 2 → KILLED
8. Incremented (++a) integer local variable number 2 → KILLED
9. Decrementd (--a) integer local variable number 2 → KILLED
1. Negated integer local variable number 2 → KILLED
2. Incremented (a++) integer local variable number 2 → KILLED
- [106](#) 3. Decrementd (a--) integer local variable number 2 → KILLED
4. Incremented (++a) integer local variable number 2 → KILLED
5. Decrementd (--a) integer local variable number 2 → KILLED
1. Substituted 0 with 1 → KILLED
2. Substituted 0 with 1 → KILLED
3. removed call to java/lang/System::arraycopy → KILLED
4. Negated integer local variable number 2 → KILLED
5. Negated integer local variable number 2 → KILLED
6. Substituted 0 with 1 → KILLED
7. Substituted 0 with 1 → KILLED
8. Substituted 0 with -1 → KILLED
9. Substituted 0 with -1 → KILLED
10. Substituted 0 with 1 → KILLED
- [107](#) 11. Substituted 0 with 1 → KILLED
12. Substituted 0 with -1 → KILLED
13. Substituted 0 with -1 → KILLED
14. Incremented (a++) integer local variable number 2 → KILLED
15. Incremented (a++) integer local variable number 2 → KILLED
16. Decrementd (a--) integer local variable number 2 → KILLED
17. Decrementd (a--) integer local variable number 2 → KILLED
18. Incremented (++a) integer local variable number 2 → KILLED
19. Incremented (++a) integer local variable number 2 → KILLED
20. Decrementd (--a) integer local variable number 2 → KILLED
21. Decrementd (--a) integer local variable number 2 → KILLED
- [108](#) 1. Negated integer local variable number 2 → KILLED

2. Incremented (a++) integer local variable number 2 → KILLED
 3. Decrementd (a--) integer local variable number 2 → TIMED_OUT
 4. Incremented (++a) integer local variable number 2 → KILLED
 5. Decrementd (--a) integer local variable number 2 → KILLED
 1. replaced return value with null for org/jfree/data/DataUtilities::clone → KILLED
 2. mutated return of Object value for org/jfree/data/DataUtilities::clone to (if (x != null) null else throw new RuntimeException) → KILLED
 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → SURVIVED
 1. Substituted 0.0 with 1.0 → KILLED
 2. Substituted 0.0 with 1.0 → KILLED
 3. Substituted 0.0 with -1.0 → KILLED
 4. Substituted 0.0 with 1.0 → KILLED
 5. Substituted 0.0 with -1.0 → KILLED
 1. removed call to org/jfree/data/Values2D::getRowCount → KILLED
 1. changed conditional boundary → KILLED
 2. Changed increment from 1 to -1 → KILLED
 3. Substituted 0 with 1 → KILLED
 4. negated conditional → KILLED
 5. removed conditional - replaced comparison check with false → KILLED
 6. removed conditional - replaced comparison check with true → KILLED
 7. Negated integer local variable number 5 → KILLED
 8. Negated integer local variable number 4 → KILLED
 9. Substituted 0 with 1 → KILLED
 10. Substituted 0 with -1 → KILLED
 11. Substituted 0 with 1 → KILLED
 12. Substituted 0 with -1 → KILLED
 13. Less than to less or equal → KILLED
 14. Less than to greater than → KILLED
 15. Less than to greater or equal → KILLED
 16. Less than to equal → KILLED
 17. Less than to not equal → SURVIVED
 18. Incremented (a++) integer local variable number 5 → KILLED
 19. Incremented (a++) integer local variable number 4 → KILLED
 20. Decrementd (a--) integer local variable number 5 → KILLED
 21. Decrementd (a--) integer local variable number 4 → KILLED
 22. Incremented (++a) integer local variable number 5 → KILLED
 23. Incremented (++a) integer local variable number 4 → KILLED
 24. Decrementd (--a) integer local variable number 5 → KILLED
 25. Decrementd (--a) integer local variable number 4 → KILLED
 1. removed call to org/jfree/data/Values2D::getValue → KILLED
 2. Negated integer local variable number 5 → KILLED
 3. Negated integer local variable number 1 → KILLED
 4. Incremented (a++) integer local variable number 5 → KILLED
 5. Incremented (a++) integer local variable number 1 → KILLED
 6. Decrementd (a--) integer local variable number 5 → KILLED
 7. Decrementd (a--) integer local variable number 1 → KILLED
 8. Incremented (++a) integer local variable number 5 → KILLED
 9. Incremented (++a) integer local variable number 1 → KILLED
 10. Decrementd (--a) integer local variable number 5 → KILLED
 11. Decrementd (--a) integer local variable number 1 → KILLED
 1. negated conditional → KILLED
 2. removed conditional - replaced equality check with false → KILLED
 3. removed conditional - replaced equality check with true → KILLED
 4. equal to not equal → KILLED
 1. Replaced double addition with subtraction → KILLED
 2. removed call to java/lang/Number::doubleValue → KILLED
 3. Negated double local variable number 2 → KILLED
 4. Replaced double operation with first member → KILLED
 5. Replaced double operation by second member → KILLED
 6. Replaced double addition with subtraction → KILLED
 7. Replaced double addition with multiplication → KILLED
 8. Replaced double addition with division → KILLED
 9. Replaced double addition with modulus → KILLED

- 10. Incremented (a++) double local variable number 2 → SURVIVED
- 11. Decrementd (a--) double local variable number 2 → SURVIVED
- 12. Incremented (++a) double local variable number 2 → KILLED
- 13. Decrementd (--a) double local variable number 2 → KILLED
- 1. replaced double return with 0.0d for
org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
- 2. replaced return of double value with -(x + 1) for
org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
- [133](#) 3. Negated double local variable number 2 → KILLED
- 4. Incremented (a++) double local variable number 2 → SURVIVED
- 5. Decrementd (a--) double local variable number 2 → SURVIVED
- 6. Incremented (++a) double local variable number 2 → KILLED
- 7. Decrementd (--a) double local variable number 2 → KILLED
- [150](#) 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → SURVIVED
- 1. Substituted 0.0 with 1.0 → KILLED
- 2. Substituted 0.0 with 1.0 → KILLED
- [151](#) 3. Substituted 0.0 with -1.0 → KILLED
- 4. Substituted 0.0 with 1.0 → KILLED
- 5. Substituted 0.0 with -1.0 → KILLED
- [152](#) 1. removed call to org/jfree/data/Values2D::getRowCount → KILLED
- 1. changed conditional boundary → KILLED
- 2. Changed increment from 1 to -1 → KILLED
- 3. Substituted 0 with 1 → SURVIVED
- 4. negated conditional → KILLED
- 5. removed conditional - replaced comparison check with false → KILLED
- 6. removed conditional - replaced comparison check with true → KILLED
- 7. Negated integer local variable number 6 → KILLED
- 8. Substituted 0 with 1 → SURVIVED
- 9. Substituted 0 with -1 → KILLED
- [153](#) 10. Substituted 0 with 1 → SURVIVED
- 11. Substituted 0 with -1 → KILLED
- 12. Less than to less or equal → KILLED
- 13. Less than to greater than → KILLED
- 14. Less than to greater or equal → KILLED
- 15. Less than to equal → KILLED
- 16. Less than to not equal → SURVIVED
- 17. Incremented (a++) integer local variable number 6 → KILLED
- 18. Decrementd (a--) integer local variable number 6 → KILLED
- 19. Incremented (++a) integer local variable number 6 → SURVIVED
- 20. Decrementd (--a) integer local variable number 6 → KILLED
- 1. Negated integer local variable number 6 → KILLED
- 2. Negated integer array field → KILLED
- 3. Incremented (a++) integer local variable number 6 → KILLED
- 4. Incremented (a++) integer array field → SURVIVED
- [154](#) 5. Decrementd (a--) integer local variable number 6 → KILLED
- 6. Decrementd (a--) integer array field → SURVIVED
- 7. Incremented (++a) integer local variable number 6 → KILLED
- 8. Incremented (++a) integer array field → KILLED
- 9. Decrementd (--a) integer local variable number 6 → KILLED
- 10. Decrementd (--a) integer array field → KILLED
- [155](#) 1. changed conditional boundary → KILLED
- 2. negated conditional → KILLED
- 3. removed conditional - replaced comparison check with false → KILLED
- 4. removed conditional - replaced comparison check with true → KILLED
- 5. Negated integer local variable number 7 → KILLED
- 6. Negated integer local variable number 5 → KILLED
- 7. greater or equal to less than → KILLED
- 8. greater or equal to less or equal → KILLED
- 9. greater or equal to greater than → KILLED
- 10. greater or equal to equal → SURVIVED
- 11. greater or equal to not equal → KILLED
- 12. Incremented (a++) integer local variable number 7 → KILLED
- 13. Incremented (a++) integer local variable number 5 → KILLED
- 14. Decrementd (a--) integer local variable number 7 → KILLED

15. Decrementd (a--) integer local variable number 5 → KILLED
 16. Incremented (++a) integer local variable number 7 → KILLED
 17. Incremented (++a) integer local variable number 5 → KILLED
 18. Decrementd (--a) integer local variable number 7 → KILLED
 19. Decrementd (--a) integer local variable number 5 → KILLED
 1. removed call to org/jfree/data/Values2D::getValue → KILLED
 2. Negated integer local variable number 7 → KILLED
 3. Negated integer local variable number 1 → SURVIVED
 4. Incremented (a++) integer local variable number 7 → SURVIVED
 5. Incremented (a++) integer local variable number 1 → KILLED
 156 6. Decrementd (a--) integer local variable number 7 → SURVIVED
 7. Decrementd (a--) integer local variable number 1 → KILLED
 8. Incremented (++a) integer local variable number 7 → KILLED
 9. Incremented (++a) integer local variable number 1 → KILLED
 10. Decrementd (--a) integer local variable number 7 → KILLED
 11. Decrementd (--a) integer local variable number 1 → KILLED
 1. negated conditional → KILLED
 157 2. removed conditional - replaced equality check with false → KILLED
 3. removed conditional - replaced equality check with true → KILLED
 4. equal to not equal → KILLED
 1. Replaced double addition with subtraction → KILLED
 2. removed call to java/lang/Number::doubleValue → KILLED
 3. Negated double local variable number 3 → SURVIVED
 4. Replaced double operation with first member → KILLED
 5. Replaced double operation by second member → SURVIVED
 6. Replaced double addition with subtraction → KILLED
 158 7. Replaced double addition with multiplication → KILLED
 8. Replaced double addition with division → KILLED
 9. Replaced double addition with modulus → KILLED
 10. Incremented (a++) double local variable number 3 → SURVIVED
 11. Decrementd (a--) double local variable number 3 → SURVIVED
 12. Incremented (++a) double local variable number 3 → KILLED
 13. Decrementd (--a) double local variable number 3 → KILLED
 1. replaced double return with 0.0d for
 org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
 2. replaced return of double value with -(x + 1) for
 org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
 162 3. Negated double local variable number 3 → KILLED
 4. Incremented (a++) double local variable number 3 → SURVIVED
 5. Decrementd (a--) double local variable number 3 → SURVIVED
 6. Incremented (++a) double local variable number 3 → KILLED
 7. Decrementd (--a) double local variable number 3 → KILLED
 175 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → SURVIVED
 1. Substituted 0.0 with 1.0 → KILLED
 2. Substituted 0.0 with 1.0 → KILLED
 176 3. Substituted 0.0 with -1.0 → KILLED
 4. Substituted 0.0 with 1.0 → KILLED
 5. Substituted 0.0 with -1.0 → KILLED
 177 1. removed call to org/jfree/data/Values2D::getColumnCount → KILLED
 178 1. changed conditional boundary → KILLED
 2. Changed increment from 1 to -1 → KILLED
 3. Substituted 0 with 1 → KILLED
 4. negated conditional → KILLED
 5. removed conditional - replaced comparison check with false → KILLED
 6. removed conditional - replaced comparison check with true → KILLED
 7. Negated integer local variable number 5 → KILLED
 8. Negated integer local variable number 4 → KILLED
 9. Substituted 0 with 1 → KILLED
 10. Substituted 0 with -1 → KILLED
 11. Substituted 0 with 1 → KILLED
 12. Substituted 0 with -1 → KILLED
 13. Less than to less or equal → KILLED
 14. Less than to greater than → KILLED
 15. Less than to greater or equal → KILLED

16. Less than to equal → KILLED
 17. Less than to not equal → SURVIVED
 18. Incremented (a++) integer local variable number 5 → KILLED
 19. Incremented (a++) integer local variable number 4 → KILLED
 20. Decrementd (a--) integer local variable number 5 → KILLED
 21. Decrementd (a--) integer local variable number 4 → KILLED
 22. Incremented (++) integer local variable number 5 → KILLED
 23. Incremented (++) integer local variable number 4 → KILLED
 24. Decrementd (--a) integer local variable number 5 → KILLED
 25. Decrementd (--a) integer local variable number 4 → KILLED
 1. removed call to org/jfree/data/Values2D::getValue → KILLED
 2. Negated integer local variable number 1 → KILLED
 3. Negated integer local variable number 5 → KILLED
 4. Incremented (a++) integer local variable number 1 → KILLED
 5. Incremented (a++) integer local variable number 5 → KILLED
 179 6. Decrementd (a--) integer local variable number 1 → KILLED
 7. Decrementd (a--) integer local variable number 5 → KILLED
 8. Incremented (++) integer local variable number 1 → KILLED
 9. Incremented (++) integer local variable number 5 → KILLED
 10. Decrementd (--a) integer local variable number 1 → KILLED
 11. Decrementd (--a) integer local variable number 5 → KILLED
 1. negated conditional → KILLED
 180 2. removed conditional - replaced equality check with false → KILLED
 3. removed conditional - replaced equality check with true → KILLED
 4. equal to not equal → KILLED
 1. Replaced double addition with subtraction → KILLED
 2. removed call to java/lang/Number::doubleValue → KILLED
 3. Negated double local variable number 2 → KILLED
 4. Replaced double operation with first member → KILLED
 5. Replaced double operation by second member → KILLED
 6. Replaced double addition with subtraction → KILLED
 181 7. Replaced double addition with multiplication → KILLED
 8. Replaced double addition with division → KILLED
 9. Replaced double addition with modulus → KILLED
 10. Incremented (a++) double local variable number 2 → SURVIVED
 11. Decrementd (a--) double local variable number 2 → SURVIVED
 12. Incremented (++) double local variable number 2 → KILLED
 13. Decrementd (--a) double local variable number 2 → KILLED
 1. replaced double return with 0.0d for
 org/jfree/data/DataUtilities::calculateRowTotal → KILLED
 2. replaced return of double value with -(x + 1) for
 org/jfree/data/DataUtilities::calculateRowTotal → KILLED
 184 3. Negated double local variable number 2 → KILLED
 4. Incremented (a++) double local variable number 2 → SURVIVED
 5. Decrementd (a--) double local variable number 2 → SURVIVED
 6. Incremented (++) double local variable number 2 → KILLED
 7. Decrementd (--a) double local variable number 2 → KILLED
 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →
 201 SURVIVED
 1. Substituted 0.0 with 1.0 → KILLED
 2. Substituted 0.0 with 1.0 → KILLED
 202 3. Substituted 0.0 with -1.0 → KILLED
 4. Substituted 0.0 with 1.0 → KILLED
 5. Substituted 0.0 with -1.0 → KILLED
 1. removed call to org/jfree/data/Values2D::getColumnCount → KILLED
 203 1. changed conditional boundary → KILLED
 204 2. Changed increment from 1 to -1 → KILLED
 3. Substituted 0 with 1 → SURVIVED
 4. negated conditional → KILLED
 5. removed conditional - replaced comparison check with false → KILLED
 6. removed conditional - replaced comparison check with true → KILLED
 7. Negated integer local variable number 6 → KILLED
 8. Substituted 0 with 1 → SURVIVED
 9. Substituted 0 with -1 → KILLED
 10. Substituted 0 with 1 → SURVIVED

- 11. Substituted 0 with -1 → KILLED
- 12. Less than to less or equal → KILLED
- 13. Less than to greater than → KILLED
- 14. Less than to greater or equal → KILLED
- 15. Less than to equal → KILLED
- 16. Less than to not equal → SURVIVED
- 17. Incremented (a++) integer local variable number 6 → SURVIVED
- 18. Decrementd (a--) integer local variable number 6 → KILLED
- 19. Incremented (++) integer local variable number 6 → SURVIVED
- 20. Decrementd (--a) integer local variable number 6 → KILLED
- 1. Negated integer local variable number 6 → KILLED
- 2. Negated integer array field → KILLED
- 3. Incremented (a++) integer local variable number 6 → KILLED
- 4. Incremented (a++) integer array field → SURVIVED
- 5. Decrementd (a--) integer local variable number 6 → KILLED
- 6. Decrementd (a--) integer array field → SURVIVED
- 7. Incremented (++) integer local variable number 6 → SURVIVED
- 8. Incremented (++) integer array field → KILLED
- 9. Decrementd (--a) integer local variable number 6 → KILLED
- 10. Decrementd (--a) integer array field → KILLED
- 1. changed conditional boundary → SURVIVED
- 2. negated conditional → KILLED
- 3. removed conditional - replaced comparison check with false → KILLED
- 4. removed conditional - replaced comparison check with true → SURVIVED
- 5. Negated integer local variable number 7 → SURVIVED
- 6. Negated integer local variable number 5 → KILLED
- 7. greater or equal to less than → KILLED
- 8. greater or equal to less or equal → KILLED
- 9. greater or equal to greater than → SURVIVED
- 10. greater or equal to equal → SURVIVED
- 11. greater or equal to not equal → KILLED
- 12. Incremented (a++) integer local variable number 7 → KILLED
- 13. Incremented (a++) integer local variable number 5 → SURVIVED
- 14. Decrementd (a--) integer local variable number 7 → KILLED
- 15. Decrementd (a--) integer local variable number 5 → KILLED
- 16. Incremented (++) integer local variable number 7 → KILLED
- 17. Incremented (++) integer local variable number 5 → SURVIVED
- 18. Decrementd (--a) integer local variable number 7 → KILLED
- 19. Decrementd (--a) integer local variable number 5 → KILLED
- 1. removed call to org/jfree/data/Values2D::getValue → KILLED
- 2. Negated integer local variable number 1 → SURVIVED
- 3. Negated integer local variable number 7 → KILLED
- 4. Incremented (a++) integer local variable number 1 → KILLED
- 5. Incremented (a++) integer local variable number 7 → SURVIVED
- 6. Decrementd (a--) integer local variable number 1 → KILLED
- 7. Decrementd (a--) integer local variable number 7 → SURVIVED
- 8. Incremented (++) integer local variable number 1 → KILLED
- 9. Incremented (++) integer local variable number 7 → KILLED
- 10. Decrementd (--a) integer local variable number 1 → KILLED
- 11. Decrementd (--a) integer local variable number 7 → KILLED
- 1. negated conditional → KILLED
- 2. removed conditional - replaced equality check with false → KILLED
- 3. removed conditional - replaced equality check with true → KILLED
- 4. equal to not equal → KILLED
- 1. Replaced double addition with subtraction → KILLED
- 2. removed call to java/lang/Number::doubleValue → KILLED
- 3. Negated double local variable number 3 → SURVIVED
- 4. Replaced double operation with first member → KILLED
- 5. Replaced double operation by second member → SURVIVED
- 6. Replaced double addition with subtraction → KILLED
- 7. Replaced double addition with multiplication → KILLED
- 8. Replaced double addition with division → KILLED
- 9. Replaced double addition with modulus → KILLED
- 10. Incremented (a++) double local variable number 3 → SURVIVED
- 11. Decrementd (a--) double local variable number 3 → SURVIVED

- 12. Incremented (++a) double local variable number 3 → KILLED
- 13. Decrementd (--a) double local variable number 3 → KILLED
- 1. replaced double return with 0.0d for
org/jfree/data/DataUtilities::calculateRowTotal → KILLED
- 2. replaced return of double value with -(x + 1) for
org/jfree/data/DataUtilities::calculateRowTotal → KILLED
- [213](#) 3. Negated double local variable number 3 → KILLED
- 4. Incremented (a++) double local variable number 3 → SURVIVED
- 5. Decrementd (a--) double local variable number 3 → SURVIVED
- 6. Incremented (++a) double local variable number 3 → KILLED
- 7. Decrementd (--a) double local variable number 3 → KILLED
- [225](#) 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → KILLED
- 1. changed conditional boundary → KILLED
- 2. Substituted 0 with 1 → KILLED
- 3. negated conditional → KILLED
- 4. removed conditional - replaced comparison check with false → KILLED
- 5. removed conditional - replaced comparison check with true → KILLED
- 6. Negated integer local variable number 2 → KILLED
- 7. Substituted 0 with 1 → KILLED
- 8. Substituted 0 with -1 → KILLED
- 9. Substituted 0 with 1 → KILLED
- [227](#) 10. Substituted 0 with -1 → KILLED
- 11. Less than to less or equal → KILLED
- 12. Less than to greater than → KILLED
- 13. Less than to greater or equal → KILLED
- 14. Less than to equal → KILLED
- 15. Less than to not equal → SURVIVED
- 16. Incremented (a++) integer local variable number 2 → KILLED
- 17. Decrementd (a--) integer local variable number 2 → KILLED
- 18. Incremented (++a) integer local variable number 2 → KILLED
- 19. Decrementd (--a) integer local variable number 2 → KILLED
- 1. removed call to java/lang/Double::<init> → KILLED
- 2. Negated integer local variable number 2 → KILLED
- 3. Negated integer local variable number 2 → KILLED
- 4. Negated double array field → KILLED
- 5. Incremented (a++) integer local variable number 2 → KILLED
- 6. Incremented (a++) integer local variable number 2 → KILLED
- 7. Incremented (a++) double array field → SURVIVED
- [228](#) 8. Decrementd (a--) integer local variable number 2 → KILLED
- 9. Decrementd (a--) integer local variable number 2 → TIMED_OUT
- 10. Decrementd (a--) double array field → SURVIVED
- 11. Incremented (++a) integer local variable number 2 → KILLED
- 12. Incremented (++a) integer local variable number 2 → KILLED
- 13. Incremented (++a) double array field → KILLED
- 14. Decrementd (--a) integer local variable number 2 → KILLED
- 15. Decrementd (--a) integer local variable number 2 → KILLED
- 16. Decrementd (--a) double array field → KILLED
- 1. replaced return value with null for
org/jfree/data/DataUtilities::createNumberArray → KILLED
- [230](#) 2. mutated return of Object value for
org/jfree/data/DataUtilities::createNumberArray to (if (x != null) null else
throw new RuntimeException) → KILLED
- [242](#) 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → KILLED
- 1. Negated integer local variable number 1 → KILLED
- 2. Incremented (a++) integer local variable number 1 → KILLED
- [244](#) 3. Decrementd (a--) integer local variable number 1 → KILLED
- 4. Incremented (++a) integer local variable number 1 → KILLED
- 5. Decrementd (--a) integer local variable number 1 → KILLED
- [245](#) 1. changed conditional boundary → KILLED
- 2. Changed increment from 1 to -1 → KILLED
- 3. Substituted 0 with 1 → KILLED
- 4. negated conditional → KILLED
- 5. removed conditional - replaced comparison check with false → KILLED
- 6. removed conditional - replaced comparison check with true → KILLED
- 7. Negated integer local variable number 3 → KILLED

8. Negated integer local variable number 1 → KILLED
 9. Substituted 0 with 1 → KILLED
 10. Substituted 0 with -1 → KILLED
 11. Substituted 0 with 1 → KILLED
 12. Substituted 0 with -1 → KILLED
 13. Less than to less or equal → KILLED
 14. Less than to greater than → KILLED
 15. Less than to greater or equal → KILLED
 16. Less than to equal → KILLED
 17. Less than to not equal → SURVIVED
 18. Incremented (a++) integer local variable number 3 → KILLED
 19. Incremented (a++) integer local variable number 1 → KILLED
 20. Decrementd (a--) integer local variable number 3 → KILLED
 21. Decrementd (a--) integer local variable number 1 → KILLED
 22. Incremented (++a) integer local variable number 3 → KILLED
 23. Incremented (++a) integer local variable number 1 → KILLED
 24. Decrementd (--a) integer local variable number 3 → KILLED
 25. Decrementd (--a) integer local variable number 1 → KILLED
 1. removed call to org/jfree/data/DataUtilities::createNumberArray → KILLED
 2. Negated integer local variable number 3 → KILLED
 3. Negated integer local variable number 3 → KILLED
 4. Incremented (a++) integer local variable number 3 → KILLED
 5. Incremented (a++) integer local variable number 3 → KILLED
 246 6. Decrementd (a--) integer local variable number 3 → KILLED
 7. Decrementd (a--) integer local variable number 3 → TIMED_OUT
 8. Incremented (++a) integer local variable number 3 → KILLED
 9. Incremented (++a) integer local variable number 3 → KILLED
 10. Decrementd (--a) integer local variable number 3 → KILLED
 11. Decrementd (--a) integer local variable number 3 → KILLED
 1. replaced return value with null for
 org/jfree/data/DataUtilities::createNumberArray2D → KILLED
 248 2. mutated return of Object value for
 org/jfree/data/DataUtilities::createNumberArray2D to (if (x != null) null else
 throw new RuntimeException) → KILLED
 1. removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →
 262 SURVIVED
 1. removed call to org/jfree/data/DefaultKeyedValues::<init> → KILLED
 263 1. Substituted 0.0 with 1.0 → KILLED
 2. Substituted 0.0 with 1.0 → KILLED
 264 3. Substituted 0.0 with -1.0 → KILLED
 4. Substituted 0.0 with 1.0 → KILLED
 5. Substituted 0.0 with -1.0 → KILLED
 1. changed conditional boundary → KILLED
 2. Substituted 0 with 1 → KILLED
 3. negated conditional → KILLED
 4. removed call to org/jfree/data/KeyedValues::getItemCount → KILLED
 5. removed conditional - replaced comparison check with false → KILLED
 6. removed conditional - replaced comparison check with true → KILLED
 7. Negated integer local variable number 4 → KILLED
 8. Substituted 0 with 1 → KILLED
 9. Substituted 0 with -1 → KILLED
 265 10. Substituted 0 with 1 → KILLED
 11. Substituted 0 with -1 → KILLED
 12. Less than to less or equal → KILLED
 13. Less than to greater than → KILLED
 14. Less than to greater or equal → KILLED
 15. Less than to equal → KILLED
 16. Less than to not equal → SURVIVED
 17. Incremented (a++) integer local variable number 4 → KILLED
 18. Decrementd (a--) integer local variable number 4 → KILLED
 19. Incremented (++a) integer local variable number 4 → KILLED
 20. Decrementd (--a) integer local variable number 4 → KILLED
 266 1. removed call to org/jfree/data/KeyedValues::getValue → KILLED
 2. Negated integer local variable number 4 → KILLED
 3. Incremented (a++) integer local variable number 4 → KILLED

- 4. Decrementd (a--) integer local variable number 4 → TIMED_OUT
- 5. Incremented (++) integer local variable number 4 → KILLED
- 6. Decrementd (--a) integer local variable number 4 → KILLED
- 267
 - 1. negated conditional → KILLED
 - 2. removed conditional - replaced equality check with false → KILLED
 - 3. removed conditional - replaced equality check with true → SURVIVED
 - 4. equal to not equal → KILLED
- 268
 - 1. Replaced double addition with subtraction → KILLED
 - 2. removed call to java/lang/Number::doubleValue → KILLED
 - 3. Negated double local variable number 2 → KILLED
 - 4. Replaced double operation with first member → KILLED
 - 5. Replaced double operation by second member → KILLED
 - 6. Replaced double addition with subtraction → KILLED
 - 7. Replaced double addition with multiplication → KILLED
 - 8. Replaced double addition with division → KILLED
 - 9. Replaced double addition with modulus → KILLED
 - 10. Incremented (a++) double local variable number 2 → SURVIVED
 - 11. Decrementd (a--) double local variable number 2 → SURVIVED
 - 12. Incremented (++) double local variable number 2 → KILLED
 - 13. Decrementd (--a) double local variable number 2 → KILLED
- 271
 - 1. Substituted 0.0 with 1.0 → KILLED
 - 2. Substituted 0.0 with 1.0 → KILLED
 - 3. Substituted 0.0 with -1.0 → KILLED
 - 4. Substituted 0.0 with 1.0 → KILLED
 - 5. Substituted 0.0 with -1.0 → KILLED
- 272
 - 1. changed conditional boundary → KILLED
 - 2. Substituted 0 with 1 → KILLED
 - 3. negated conditional → KILLED
 - 4. removed call to org/jfree/data/KeyedValues::getItemCount → KILLED
 - 5. removed conditional - replaced comparison check with false → KILLED
 - 6. removed conditional - replaced comparison check with true → KILLED
 - 7. Negated integer local variable number 6 → KILLED
 - 8. Substituted 0 with 1 → KILLED
 - 9. Substituted 0 with -1 → KILLED
 - 10. Substituted 0 with 1 → KILLED
 - 11. Substituted 0 with -1 → KILLED
 - 12. Less than to less or equal → KILLED
 - 13. Less than to greater than → KILLED
 - 14. Less than to greater or equal → KILLED
 - 15. Less than to equal → KILLED
 - 16. Less than to not equal → SURVIVED
 - 17. Incremented (a++) integer local variable number 6 → KILLED
 - 18. Decrementd (a--) integer local variable number 6 → KILLED
 - 19. Incremented (++) integer local variable number 6 → KILLED
 - 20. Decrementd (--a) integer local variable number 8 → KILLED
- 273
 - 1. removed call to org/jfree/data/KeyedValues::getValue → KILLED
 - 2. Negated integer local variable number 6 → KILLED
 - 3. Incremented (a++) integer local variable number 6 → KILLED
 - 4. Decrementd (a--) integer local variable number 6 → KILLED
 - 5. Incremented (++) integer local variable number 6 → KILLED
 - 6. Decrementd (--a) integer local variable number 8 → KILLED
- 274
 - 1. negated conditional → KILLED
 - 2. removed conditional - replaced equality check with false → KILLED
 - 3. removed conditional - replaced equality check with true → SURVIVED
 - 4. equal to not equal → KILLED
- 275
 - 1. Replaced double addition with subtraction → KILLED
 - 2. removed call to java/lang/Number::doubleValue → KILLED
 - 3. Negated double local variable number 4 → KILLED
 - 4. Replaced double operation with first member → KILLED
 - 5. Replaced double operation by second member → KILLED
 - 6. Replaced double addition with subtraction → KILLED
 - 7. Replaced double addition with multiplication → KILLED
 - 8. Replaced double addition with division → KILLED
 - 9. Replaced double addition with modulus → KILLED
 - 10. Incremented (a++) double local variable number 4 → SURVIVED


```

11. Decrementd (a--) double local variable number 4 → SURVIVED
12. Incremented (++a) double local variable number 4 → KILLED
13. Decrementd (--a) double local variable number 6 → KILLED
1. removed call to java/lang/Double::<init> → KILLED
2. Replaced double division with multiplication → KILLED
3. removed call to org/jfree/data/KeyedValues::getKey → KILLED
4. removed call to org/jfree/data/DefaultKeyedValues::addValue → KILLED
5. Negated integer local variable number 6 → KILLED
6. Negated double local variable number 4 → KILLED
7. Negated double local variable number 2 → KILLED
8. Replaced double operation with first member → KILLED
9. Replaced double operation by second member → KILLED
10. Replaced double division with multiplication → KILLED
11. Replaced double division with modulus → KILLED
12. Replaced double division with addition → KILLED
277 13. Replaced double division with subtraction → KILLED
14. Incremented (a++) integer local variable number 6 → KILLED
15. Incremented (a++) double local variable number 4 → KILLED
16. Incremented (a++) double local variable number 2 → KILLED
17. Decrementd (a--) integer local variable number 6 → TIMED_OUT
18. Decrementd (a--) double local variable number 4 → KILLED
19. Decrementd (a--) double local variable number 2 → KILLED
20. Incremented (++a) integer local variable number 6 → KILLED
21. Incremented (++a) double local variable number 4 → KILLED
22. Incremented (++a) double local variable number 2 → KILLED
23. Decrementd (--a) integer local variable number 8 → KILLED
24. Decrementd (--a) double local variable number 6 → KILLED
25. Decrementd (--a) double local variable number 2 → KILLED
1. replaced return value with null for
org/jfree/data/DataUtilities::getCumulativePercentages → KILLED
279 2. mutated return of Object value for
org/jfree/data/DataUtilities::getCumulativePercentages to ( if (x != null) null
else throw new RuntimeException ) → KILLED

```

Active mutators

- ABS_MUTATOR
- AOD_1_MUTATOR
- AOD_2_MUTATOR
- AOR_1_MUTATOR
- AOR_2_MUTATOR
- AOR_3_MUTATOR
- AOR_4_MUTATOR
- ARGUMENT_PROPAGATION_MUTATOR
- BOOLEAN_FALSE_RETURN
- BOOLEAN_TRUE_RETURN
- CONDITIONALS_BOUNDARY_MUTATOR
- CONSTRUCTOR_CALL_MUTATOR
- CRCR_1_MUTATOR
- CRCR_2_MUTATOR
- CRCR_3_MUTATOR
- CRCR_4_MUTATOR
- CRCR_5_MUTATOR
- CRCR_6_MUTATOR
- EMPTY_RETURN_VALUES
- EXPERIMENTAL_BIGINTEGER_MUTATOR
- EXPERIMENTAL_MEMBER_VARIABLE_MUTATOR
- EXPERIMENTAL_REMOVE_SWITCH_MUTATOR_[0-99]
- EXPERIMENTAL_SWITCH_MUTATOR
- INCREMENTS_MUTATOR
- INLINE_CONSTANT_MUTATOR
- INVERT_NEGS_MUTATOR
- MATH_MUTATOR
- NAKED_RECEIVER
- NEGATE_CONDITIONALS_MUTATOR

- NON_VOID_METHOD_CALL_MUTATOR
- NULL_RETURN_VALUES
- OBBN_1_MUTATOR
- OBBN_2_MUTATOR
- OBBN_3_MUTATOR
- PRIMITIVE_RETURN_VALS_MUTATOR
- REMOVE_CONDITIONALS_EQUAL_ELSE_MUTATOR
- REMOVE_CONDITIONALS_EQUAL_IF_MUTATOR
- REMOVE_CONDITIONALS_ORDER_ELSE_MUTATOR
- REMOVE_CONDITIONALS_ORDER_IF_MUTATOR
- REMOVE_INCREMENTS_MUTATOR
- RETURN_VALS_MUTATOR
- ROR_1_MUTATOR
- ROR_2_MUTATOR
- ROR_3_MUTATOR
- ROR_4_MUTATOR
- ROR_5_MUTATOR
- UOI_1_MUTATOR
- UOI_2_MUTATOR
- UOI_3_MUTATOR
- UOI_4_MUTATOR
- VOID_METHOD_CALL_MUTATOR

Tests examined

- org.jfree.data.DataUtilitiesTest.equalFor1By1ArrayTest(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalForTwoValues(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.equalForSecondValueNull(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArrayForNULL(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.equalForBothValuesNull(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.cloneFor1By1ArrayTest(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.notEqualFor10By10ArrayTest(org.jfree.data.DataUtilitiesTest) (2 ms)
- org.jfree.data.DataUtilitiesTest.calculateRowTotalValidColumnsForNullValue(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArray2DFor1By10Array(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.equalFor10By1ArrayTest(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.equalForInequalRowLengths(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalForNullValues(org.jfree.data.DataUtilitiesTest) (2 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalForZeroValues(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.calculateRowTotalForNullValue(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArray2DFor1By1Array(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalForOneValues(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalForNegativeValues(org.jfree.data.DataUtilitiesTest) (62 ms)
- org.jfree.data.DataUtilitiesTest.notCloneFor10By10ArrayTest(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.cloneFor1By10ArrayTest(org.jfree.data.DataUtilitiesTest) (2 ms)
- org.jfree.data.DataUtilitiesTest.cloneFor10By1ArrayTest(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalValidRowsForInvalidInput(org.jfree.data.DataUtilitiesTest) (4 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArrayOfSize1(org.jfree.data.DataUtilitiesTest) (2 ms)
- org.jfree.data.DataUtilitiesTest.calculateRowTotalForNegativeValues(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArrayOfSize10(org.jfree.data.DataUtilitiesTest) (2 ms)
- org.jfree.data.DataUtilitiesTest.cloneForRowNullArrayTest(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.calculateRowTotalForOneValues(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.equalForFirstValueNull(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.equalFor1By10ArrayTest(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArray2DFor10By10Array(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.getCumulativePercentagesForThreeValues(org.jfree.data.DataUtilitiesTest) (21 ms)
- org.jfree.data.DataUtilitiesTest.getCumulativePercentagesForZeroValues(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.calculateRowTotalForZeroValues(org.jfree.data.DataUtilitiesTest) (9 ms)
- org.jfree.data.DataUtilitiesTest.cloneForRowNullArrayTest(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArray2DFor10By1Array(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.equalForInequalRowLengthsAndUnequalData(org.jfree.data.DataUtilitiesTest) (1 ms)

- org.jfree.data.DataUtilitiesTest.equalForInequalColumnLengthsAndUnequalData(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.createNumberArray2DForNULL(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.calculateRowTotalForTwoValues(org.jfree.data.DataUtilitiesTest) (1 ms)
- org.jfree.data.DataUtilitiesTest.cloneFor10By10ArrayTest(org.jfree.data.DataUtilitiesTest) (3 ms)
- org.jfree.data.DataUtilitiesTest.equalForInequalColumnLengths(org.jfree.data.DataUtilitiesTest) (0 ms)
- org.jfree.data.DataUtilitiesTest.equalFor10By10ArrayTest(org.jfree.data.DataUtilitiesTest) (2 ms)
- org.jfree.data.DataUtilitiesTest.calculateColumnTotalValidRowsForNullValue(org.jfree.data.DataUtilitiesTest) (4 ms)

Report generated by [PIT](#) 1.4.11