DataUtilities.java

```
1
     2
      * JFreeChart : a free chart library for the Java(tm) platform
3
      * -----
4
5
      * (C) Copyright 2000-2013, by Object Refinery Limited and Contributors.
6
7
      * Project Info: http://www.jfree.org/jfreechart/index.html
8
9
      * This library is free software; you can redistribute it and/or modify it
10
      * under the terms of the GNU Lesser General Public License as published by
11
      * the Free Software Foundation; either version 2.1 of the License, or
12
      * (at your option) any later version.
13
14
      * This library is distributed in the hope that it will be useful, but
15
      * WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
16
      * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public
17
      * License for more details.
18
      * You should have received a copy of the GNU Lesser General Public
19
      * License along with this library; if not, write to the Free Software
20
21
      * Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301,
      * USA.
22
23
      * [Oracle and Java are registered trademarks of Oracle and/or its affiliates.
24
      * Other names may be trademarks of their respective owners.]
25
26
27
28
      * DataUtilities.java
29
30
      * (C) Copyright 2003-2013, by Object Refinery Limited and contributors.
31
      * Original Author: David Gilbert (for Object Refinery Limited);
32
33
      * Contributor(s): Peter Kolb (patch 2511330);
34
35
      * Changes
36
37
      * 05-Mar-2003 : Version 1 (DG);
38
      * 03-Mar-2005 : Moved createNumberArray() and createNumberArray2D() methods
39
                     from the DatasetUtilities class (DG);
40
      * 17-May-2005 : Added calculateColumnTotal() and calculateRowTotal()
41
                     methods (DG);
      * 28-Jan-2009 : Added equal(double[][], double[][]) method (DG);
42
43
      * 28-Jan-2009 : Added clone(double[][]) method (DG);
44
      * 04-Feb-2009 : Added calculateColumnTotal/RowTotal variants (PK);
45
      * 03-Jul-2013 : Use ParamChecks (DG);
46
47
      */
48
49
     package org.jfree.data;
```

```
50
51
      import java.util.Arrays;
      import org.jfree.chart.util.ParamChecks;
52
53
      import org.jfree.data.general.DatasetUtilities;
54
55
56
       * Utility methods for use with some of the data classes (but not the datasets,
57
       * see {@link DatasetUtilities}).
58
59
      public abstract class DataUtilities {
60
          /**
61
62
           * Tests two arrays for equality. To be considered equal, the arrays must
63
           * have exactly the same dimensions, and the values in each array must also
           * match (two values that gre both NaN or both INF are considered equal
64
65
           * in this test).
66
67
           * @param a the first array (<code>null</code> permitted).
           * @param b the second array (<code>null</code> permitted).
68
69
           * @return A boolean.
70
71
           * @since 1.0.13
72
73
74
          public static boolean equal(double[][] a, double[][] b) {
75 4
              if (a == null) {
76 19
                  return (b == null);
77
              }
              if (b == null) {
78 4
79 <u>7</u>
                  return false; // already know 'a' isn't null
80
              if (a.length != b.length) {
81 8
82 7
                  return false;
83
              for (int i = 0; i < a.length; i++) {
84 19
                  if (!Arrays.equals(a[i], b[i])) {
85 19
86 <u>7</u>
                      return false;
87
                  }
88
89 8
              return true;
90
          }
91
          /**
92
93
           * Returns a clone of the specified array.
94
           * @param source the source array (<code>null</code> not permitted).
95
96
97
           * @return A clone of the array.
98
99
           * @since 1.0.13
100
          public static double[][] clone(double[][] source) {
101
              ParamChecks.nullNotPermitted(source, "source");
102 <u>1</u>
```

```
103
               double[][] clone = new double[source.length][];
               for (int i = 0; i < source.length; i++) {</pre>
104 <del>19</del>
105 9
                   if (source[i] != null) {
                        double[] row = new double[source[i].length];
106 <u>5</u>
107 <u>21</u>
                        System.arraycopy(source[i], 0, row, 0, source[i].length);
                        clone[i] = row;
108 5
                   }
109
110
               }
               return clone;
111 <sup>2</sup>
112
           }
113
           /**
114
115
            * Returns the total of the values in one column of the supplied data
            * table.
116
117
           * @param data the table of values (<code>null</code> not permitted).
118
            * @param column the column index (zero-based).
119
120
121
            * @return The total of the values in the specified column.
122
           */
123
          public static double calculateColumnTotal(Values2D data, int column) {
               ParamChecks.nullNotPermitted(data, "data");
124 <u>1</u>
125 5
               double total = 0.0;
126 <u>1</u>
               int rowCount = data.getRowCount();
127 25
               for (int r = 0; r < rowCount; r++) {
128 <u>11</u>
                   Number n = data.getValue(r, column);
129 4
                   if (n != null) {
130 13
                       total += n.doubleValue();
131
132
               }
133 7
               return total;
134
           }
135
           /**
136
           * Returns the total of the values in one column of the supplied data
137
           * table by taking only the row numbers in the array into account.
138
139
           * @param data the table of values (<code>null</code> not permitted).
140
141
            * @param column the column index (zero-based).
            * @param validRows the array with valid rows (zero-based).
142
143
144
           * @return The total of the valid values in the specified column.
145
           * @since 1.0.13
146
147
           */
148
          public static double calculateColumnTotal(Values2D data, int column,
149
                    int[] validRows) {
150 <u>1</u>
               ParamChecks.nullNotPermitted(data, "data");
151 <u>5</u>
               double total = 0.0;
               int rowCount = data.getRowCount();
152 <u>1</u>
153 20
               for (int v = 0; v < validRows.length; v++) {
                   int row = validRows[v];
154 <u>10</u>
155 <u>19</u>
                   if (row < rowCount) {</pre>
```

```
156 11
                        Number n = data.getValue(row, column);
                        if (n != null) {
157 4
158 13
                            total += n.doubleValue();
159
                        }
160
                   }
               }
161
162<sub>7</sub>
               return total;
163
           }
164
165
           /**
166
            * Returns the total of the values in one row of the supplied data
            * table.
167
168
            * @param data the table of values (<code>null</code> not permitted).
169
            * @param row the row index (zero-based).
170
171
172
            * @return The total of the values in the specified row.
173
174
           public static double calculateRowTotal(Values2D data, int row) {
175 <u>1</u>
               ParamChecks.nullNotPermitted(data, "data");
176 5
               double total = 0.0;
               int columnCount = data.getColumnCount();
177 <u>1</u>
178 <u>25</u>
               for (int c = 0; c < columnCount; c++) {</pre>
179 11
                   Number n = data.getValue(row, c);
                   if (n != null) {
180 4
181 <u>13</u>
                        total += n.doubleValue();
182
                   }
               }
183
184 7
               return total;
185
           }
186
           /**
187
188
            * Returns the total of the values in one row of the supplied data
            * table by taking only the column numbers in the array into account.
189
190
            * @param data the table of values (<code>null</code> not permitted).
191
192
            * @param row the row index (zero-based).
193
            * @param validCols the array with valid cols (zero-based).
194
            * @return The total of the valid values in the specified row.
195
196
            * @since 1.0.13
197
            */
198
199
           public static double calculateRowTotal(Values2D data, int row,
200
                     int[] validCols) {
201 <u>1</u>
               ParamChecks.nullNotPermitted(data, "data");
202 5
               double total = 0.0;
203 <u>1</u>
               int colCount = data.getColumnCount();
204 <u>20</u>
               for (int v = 0; v < validCols.length; v++) {</pre>
                   int col = validCols[v];
205 <u>10</u>
206 <u>19</u>
                   if (col < colCount) {</pre>
                       Number n = data.getValue(row, col);
207 <u>11</u>
                        if (n != null) {
208 <u>4</u>
```

```
209 13
                          total += n.doubleValue();
210
                      }
                  }
211
212
              }
213 7
              return total;
          }
214
215
216
217
           * Constructs an array of <code>Number</code> objects from an array of
218
           * <code>double</code> primitives.
219
           * @param data the data (<code>null</code> not permitted).
220
221
222
           * @return An array of <code>Double</code>.
           */
223
224
          public static Number[] createNumberArray(double[] data) {
              ParamChecks.nullNotPermitted(data, "data");
225 1
226
              Number[] result = new Number[data.length];
227 19
              for (int i = 0; i < data.length; i++) {</pre>
228 16
                  result[i] = new Double(data[i]);
229
              }
230 2
              return result;
231
          }
232
          /**
233
234
           * Constructs an array of arrays of <code>Number</code> objects from a
235
           * corresponding structure containing <code>double</code> primitives.
236
237
           * @param data the data (<code>null</code> not permitted).
238
239
           * @return An array of <code>Double</code>.
240
241
          public static Number[][] createNumberArray2D(double[][] data) {
              ParamChecks.nullNotPermitted(data, "data");
242 1
              int l1 = data.length;
243
              Number[][] result = new Number[11][];
244 5
245 <u>25</u>
              for (int i = 0; i < 11; i++) {
                  result[i] = createNumberArray(data[i]);
246 11
247
248 2
              return result;
249
          }
250
          /**
251
252
           * Returns a {@link KeyedValues} instance that contains the cumulative
253
           * percentage values for the data in another {@link KeyedValues} instance.
254
           * The percentages are values between 0.0 and 1.0 (where 1.0 = 100%).
255
256
257
             @param data the data (<code>null</code> not permitted).
258
259
           * @return The cumulative percentages.
260
261
          public static KeyedValues getCumulativePercentages(KeyedValues data) {
```

```
262 1
               ParamChecks.nullNotPermitted(data, "data");
               DefaultKeyedValues result = new DefaultKeyedValues();
263 1
264 5
                double total = 0.0;
                for (int i = 0; i < data.getItemCount(); i++) {</pre>
265 <u>20</u>
266 6
                    Number v = data.getValue(i);
                    if (v != null&& (int)v>=0) {
267 14
                         total = total + v.doubleValue();
268 13
269
                    }
270
                }
271 5
                double runningTotal = 0.0;
272 20
                for (int i = 0; i < data.getItemCount(); i++) {</pre>
                    Number v = data.getValue(i);
273 6
274 14
                    if (v != null&& (int)v>=0) {
                         runningTotal = runningTotal + v.doubleValue();
275 <u>13</u>
276
                    result.addValue(data.getKey(i), new Double(runningTotal / total));
277 25
278
279 2
               return result;
280
281
282
      }
      Mutations

    negated conditional → KILLED

       2. removed conditional - replaced equality check with false 
ightarrow KILLED
75
       3. removed conditional - replaced equality check with true → KILLED
      4. not equal to equal → KILLED

    replaced boolean return with false for org/jfree/data/DataUtilities::equal →

      KILLED
      replaced boolean return with true for org/jfree/data/DataUtilities::equal →
      KILLED
       3. Substituted 1 with 0 \rightarrow KILLED
      4. Substituted 0 with 1 → KILLED
       5. negated conditional → KILLED
      6. removed conditional - replaced equality check with false \rightarrow KILLED 7. removed conditional - replaced equality check with true \rightarrow KILLED
      8. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED 9. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
76
      10. Substituted 0 with 1 → KILLED
       11. Substituted 1 with 0 → KILLED
       12. Substituted 1 with -1 → SURVIVED
       13. Substituted 0 with -1 → KILLED
       14. Substituted 1 with -1 → SURVIVED
       15. Substituted 1 with 2 → KILLED
       16. Substituted 0 with 1 → KILLED
       17. Substituted 1 with 0 \rightarrow KILLED
      18. Substituted 0 with -1 → KILLED
      19. not equal to equal → KILLED

    negated conditional → KILLED

       removed conditional - replaced equality check with false → KILLED
78
       3. removed conditional - replaced equality check with true → KILLED
      4. not equal to equal → KILLED
79

    replaced boolean return with true for org/jfree/data/DataUtilities::equal →

      KILLED
       2. Substituted 0 with 1 → KILLED
       3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      4. Substituted 0 with 1 → KILLED
       Substituted 0 with -1 → KILLED
```

```
6. Substituted 0 with 1 → KILLED
      7. Substituted 0 with -1 → KILLED
      1. negated conditional → KILLED

    removed conditional - replaced equality check with false → KILLED

      3. removed conditional - replaced equality check with true → KILLED
      equal to less than → KILLED
81
      5. equal to less or equal → KILLED
      6. equal to greater than → KILLED
      7. equal to greater or equal → SURVIVED
      8. equal to not equal → KILLED

    replaced boolean return with true for org/jfree/data/DataUtilities::equal →

      KILLED
      2. Substituted 0 with 1 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
82
      4. Substituted 0 with 1 → KILLED
      Substituted 0 with -1 → KILLED
      6. Substituted 0 with 1 → KILLED

 Substituted 0 with -1 → KILLED

    changed conditional boundary → KILLED

      Substituted 0 with 1 → KILLED
      negated conditional → KILLED
      4. removed conditional - replaced comparison check with false → KILLED
      5. removed conditional - replaced comparison check with true \rightarrow KILLED
      6. Negated integer local variable number 2 → KILLED
      7. Substituted 0 with 1 → KILLED
      Substituted 0 with -1 → KILLED
      Substituted 0 with 1 → KILLED
84
      10. Substituted 0 with -1 → KILLED

 Less than to less or equal → KILLED

      12. Less than to greater than → KILLED
      13. Less than to greater or equal → KILLED
      14. Less than to equal → KILLED
      15. Less than to not equal → SURVIVED
      16. Incremented (a++) integer local variable number 2 → KILLED
      17. Decremented (a--) integer local variable number 2 → KILLED
      18. Incremented (++a) integer local variable number 2 → KILLED
      19. Decremented (--a) integer local variable number 2 → KILLED

    negated conditional → KILLED

      removed call to java/util/Arrays::equals → KILLED

    removed conditional - replaced equality check with false → KILLED

    removed conditional - replaced equality check with true → KILLED

 Negated integer local variable number 2 → KILLED

      6. Negated integer local variable number 2 → KILLED
      7. not equal to less than → KILLED
      not equal to less or equal → KILLED
      9. not equal to greater than → SURVIVED
85

 not equal to greater or equal → KILLED

      11. not equal to equal → KILLED
      12. Incremented (a++) integer local variable number 2 → KILLED
13. Incremented (a++) integer local variable number 2 → SURVIVED
14. Decremented (a--) integer local variable number 2 → KILLED
15. Decremented (a--) integer local variable number 2 → TIMED_OUT
16. Incremented (++a) integer local variable number 2 → KILLED
      17. Incremented (++a) integer local variable number 2 → KILLED
      18. Decremented (--a) integer local variable number 2 → KILLED
      19. Decremented (--a) integer local variable number 2 → KILLED

    replaced boolean return with true for org/jfree/data/DataUtilities::equal →

      KILLED
      2. Substituted 0 with 1 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
86
      4. Substituted 0 with 1 → KILLED
      Substituted 0 with -1 → KILLED
      Substituted 0 with 1 → KILLED

 Substituted 0 with -1 → KILLED

89
```

```
    replaced boolean return with false for org/jfree/data/DataUtilities::equal →

      KILLED
      2. Substituted 1 with 0 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED

 Substituted 1 with 0 → KILLED

      Substituted 1 with -1 → SURVIVED
      Substituted 1 with -1 → SURVIVED
      7. Substituted 1 with 2 → KILLED
      8. Substituted 1 with 0 → KILLED
102

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → KILLED

      1. changed conditional boundary → KILLED
      2. Substituted 0 with 1 → KILLED
      negated conditional → KILLED
      4. removed conditional - replaced comparison check with false → KILLED
      5. removed conditional - replaced comparison check with true → KILLED

 Negated integer local variable number 2 → KILLED

      7. Substituted 0 with 1 → KILLED
      Substituted 0 with -1 → KILLED
      9. Substituted 0 with 1 → KILLED
104
      10. Substituted 0 with -1 → KILLED

 Less than to less or equal → KILLED

      12. Less than to greater than → KILLED
      13. Less than to greater or equal → KILLED
      14. Less than to equal → KILLED
      15. Less than to not equal → SURVIVED
      16. Incremented (a++) integer local variable number 2 → KILLED
      17. Decremented (a--) integer local variable number 2 → KILLED
      18. Incremented (++a) integer local variable number 2 → KILLED
      19. Decremented (--a) integer local variable number 2 → KILLED

    negated conditional → KILLED

      2. removed conditional - replaced equality check with false → KILLED
      3. removed conditional - replaced equality check with true \rightarrow SURVIVED
      4. Negated integer local variable number 2 → KILLED
      5. equal to not equal → KILLED
105
      6. Incremented (a++) integer local variable number 2 → KILLED
      7. Decremented (a--) integer local variable number 2 → KILLED
      8. Incremented (++a) integer local variable number 2 → KILLED
      9. Decremented (--a) integer local variable number 2 → KILLED

    Negated integer local variable number 2 → KILLED

      2. Incremented (a++) integer local variable number 2 → KILLED
      3. Decremented (a--) integer local variable number 2 → KILLED
106

    Incremented (++a) integer local variable number 2 → KILLED

    Decremented (--a) integer local variable number 2 → KILLED

      1. Substituted 0 with 1 → KILLED
      2. Substituted 0 with 1 → KILLED
      3. removed call to java/lang/System::arraycopy → KILLED4. Negated integer local variable number 2 → KILLED
      5. Negated integer local variable number 2 → KILLED
      6. Substituted 0 with 1 → KILLED

 Substituted 0 with 1 → KILLED

      Substituted 0 with -1 → KILLED
      9. Substituted 0 with -1 → KILLED
      10. Substituted 0 with 1 → KILLED
107

 Substituted 0 with 1 → KILLED

      12. Substituted 0 with -1 → KILLED
      13. Substituted 0 with -1 → KILLED
      14. Incremented (a++) integer local variable number 2 → KILLED 15. Incremented (a++) integer local variable number 2 → KILLED 16. Decremented (a--) integer local variable number 2 → KILLED
      17. Decremented (a--) integer local variable number 2 → KILLED
      18. Incremented (++a) integer local variable number 2 → KILLED
      19. Incremented (++a) integer local variable number 2 → KILLED
      20. Decremented (--a) integer local variable number 2 → KILLED
      21. Decremented (--a) integer local variable number 2 → KILLED
      1. Negated integer local variable number 2 → KILLED
108
```

```
    Incremented (a++) integer local variable number 2 → KILLED
    Decremented (a--) integer local variable number 2 → TIMED_OUT

       4. Incremented (++a) integer local variable number 2 → KILLED

    Decremented (--a) integer local variable number 2 → KILLED

    replaced return value with null for org/jfree/data/DataUtilities::clone →

       KILLED
111
       mutated return of Object value for org/jfree/data/DataUtilities::clone to
       ( if (x != null) null else throw new RuntimeException ) → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

124
      SURVIVED

    Substituted 0.0 with 1.0 → KILLED

       Substituted 0.0 with 1.0 → KILLED
125
       Substituted 0.0 with -1.0 → KILLED
       4. Substituted 0.0 with 1.0 → KILLED
       5. Substituted 0.0 with -1.0 → KILLED
126

    removed call to org/jfree/data/Values2D::getRowCount → KILLED

       1. changed conditional boundary → KILLED
       Changed increment from 1 to -1 → KILLED

 Substituted 0 with 1 → KILLED

 negated conditional → KILLED

       5. removed conditional - replaced comparison check with false → KILLED
       6. removed conditional - replaced comparison check with true → KILLED
       7. Negated integer local variable number 5 → KILLED
       8. Negated integer local variable number 4 → KILLED
       9. Substituted 0 with 1 → KILLED
       10. Substituted 0 with -1 → KILLED
       11. Substituted 0 with 1 → KILLED
       12. Substituted 0 with -1 → KILLED
127
       13. Less than to less or equal → KILLED
       14. Less than to greater than → KILLED
       15. Less than to greater or equal → KILLED
       16. Less than to equal → KILLED
       17. Less than to not equal → SURVIVED
       18. Incremented (a++) integer local variable number 5 → KILLED
       19. Incremented (a++) integer local variable number 4 → KILLED
       20. Decremented (a--) integer local variable number 5 → KILLED
       21. Decremented (a--) integer local variable number 4 → KILLED
       22. Incremented (++a) integer local variable number 5 \rightarrow \text{KILLED} 23. Incremented (++a) integer local variable number 4 \rightarrow \text{KILLED}
       24. Decremented (--a) integer local variable number 5 → KILLED 25. Decremented (--a) integer local variable number 4 → KILLED

    removed call to org/jfree/data/Values2D::getValue → KILLED

    Negated integer local variable number 5 → KILLED

    Negated integer local variable number 1 → KILLED

       4. Incremented (a++) integer local variable number 5 → KILLED
       5. Incremented (a++) integer local variable number 1 → KILLED
      6. Decremented (a--) integer local variable number 5 → KILLED 7. Decremented (a--) integer local variable number 1 → KILLED 8. Incremented (++a) integer local variable number 5 → KILLED 9. Incremented (++a) integer local variable number 1 → KILLED
128
       10. Decremented (--a) integer local variable number 5 → KILLED 11. Decremented (--a) integer local variable number 1 → KILLED

    negated conditional → KILLED

       2. removed conditional - replaced equality check with false \rightarrow KILLED
129

    removed conditional - replaced equality check with true → KILLED

       equal to not equal → KILLED

    Replaced double addition with subtraction → KILLED

130
       removed call to java/lang/Number::doubleValue → KILLED

 Negated double local variable number 2 → KILLED

    Replaced double operation with first member → KILLED

    Replaced double operation by second member → KILLED

       Replaced double addition with subtraction → KILLED

    Replaced double addition with multiplication → KILLED

       Replaced double addition with division → KILLED
       Replaced double addition with modulus → KILLED
```

```
10. Incremented (a++) double local variable number 2 \rightarrow SURVIVED
       11. Decremented (a--) double local variable number 2 → SURVIVED
       12. Incremented (++a) double local variable number 2 → KILLED
       13. Decremented (--a) double local variable number 2 → KILLED

    replaced double return with 0.0d for

       org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
       2. replaced return of double value with -(x + 1) for
       org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
<u>133</u>

 Negated double local variable number 2 → KILLED

    Incremented (a++) double local variable number 2 → SURVIVED

    5. Decremented (a--) double local variable number 2 → SURVIVED
    6. Incremented (++a) double local variable number 2 → KILLED
    7. Decremented (--a) double local variable number 2 → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

150
       SURVIVED

    Substituted 0.0 with 1.0 → KILLED

       2. Substituted 0.0 with 1.0 → KILLED
151
       Substituted 0.0 with -1.0 → KILLED
       4. Substituted 0.0 with 1.0 → KILLED
       Substituted 0.0 with -1.0 → KILLED
152

    removed call to org/jfree/data/Values2D::getRowCount → KILLED

    changed conditional boundary → KILLED

       2. Changed increment from 1 to -1 → KILLED
       3. Substituted 0 with 1 → KILLED

 negated conditional → KILLED

       5. removed conditional - replaced comparison check with false 
ightarrow KILLED
       6. removed conditional - replaced comparison check with true → KILLED
       7. Negated integer local variable number 6 → KILLED
       8. Substituted 0 with 1 → KILLED
       9. Substituted 0 with -1 → KILLED
       10. Substituted 0 with 1 → KILLED
153
       11. Substituted 0 with -1 → KILLED
       12. Less than to less or equal → KILLED
       13. Less than to greater than → KILLED
       14. Less than to greater or equal → KILLED
       15. Less than to equal → KILLED
       16. Less than to not equal → SURVIVED
       17. Incremented (a++) integer local variable number 6 \rightarrow \text{KILLED} 18. Decremented (a--) integer local variable number 6 \rightarrow \text{KILLED}
       19. Incremented (++a) integer local variable number 6 → KILLED 20. Decremented (--a) integer local variable number 6 → KILLED

    Negated integer local variable number 6 → KILLED

    Negated integer array field → KILLED

       3. Incremented (a++) integer local variable number 6 → KILLED
       4. Incremented (a++) integer array field → SURVIVED
       5. Decremented (a--) integer local variable number 6 → KILLED 6. Decremented (a--) integer array field → SURVIVED 7. Incremented (++a) integer local variable number 6 → KILLED 8. Incremented (++a) integer array field → KILLED 9. Decremented (--a) integer local variable number 6 → KILLED
154
       10. Decremented (--a) integer array field → KILLED
155

    changed conditional boundary → SURVIVED

       negated conditional → KILLED
       3. removed conditional - replaced comparison check with false → KILLED
       4. removed conditional - replaced comparison check with true → KILLED

    5. Negated integer local variable number 7 → KILLED
    6. Negated integer local variable number 5 → KILLED

       greater or equal to less than → KILLED
       8. greater or equal to less or equal → KILLED
       9. greater or equal to greater than → SURVIVED
       10. greater or equal to equal → KILLED
       11. greater or equal to not equal → KILLED
       12. Incremented (a++) integer local variable number 7 → KILLED
       13. Incremented (a++) integer local variable number 5 → SURVIVED
       14. Decremented (a--) integer local variable number 7 → KILLED
```

```
15. Decremented (a--) integer local variable number 5 → KILLED
       16. Incremented (++a) integer local variable number 7 \rightarrow KILLED
       17. Incremented (++a) integer local variable number 5 → SURVIVED 18. Decremented (--a) integer local variable number 7 → KILLED
       19. Decremented (--a) integer local variable number 5 → KILLED

    removed call to org/jfree/data/Values2D::getValue → KILLED

    Negated integer local variable number 7 → KILLED

    Negated integer local variable number 1 → KILLED

    4. Incremented (a++) integer local variable number 7 → SURVIVED
    5. Incremented (a++) integer local variable number 1 → KILLED

      6. Decremented (a--) integer local variable number 7 → SURVIVED 7. Decremented (a--) integer local variable number 1 → KILLED 8. Incremented (++a) integer local variable number 7 → KILLED 9. Incremented (++a) integer local variable number 1 → KILLED 10. Decremented (--a) integer local variable number 7 → KILLED 11. Decremented (--a) integer local variable number 1 → KILLED
156

    negated conditional → KILLED

       2. removed conditional - replaced equality check with false 
ightarrow KILLED
157

    removed conditional - replaced equality check with true → SURVIVED

       equal to not equal → KILLED

    Replaced double addition with subtraction → KILLED

       removed call to java/lang/Number::doubleValue → KILLED

 Negated double local variable number 3 → KILLED

    Replaced double operation with first member → KILLED

       5. Replaced double operation by second member → KILLED
       Replaced double addition with subtraction → KILLED
158

    Replaced double addition with multiplication → KILLED

 Replaced double addition with division → KILLED

    Replaced double addition with modulus → KILLED

       10. Incremented (a++) double local variable number 3 → SURVIVED
       11. Decremented (a--) double local variable number 3 → SURVIVED
       12. Incremented (++a) double local variable number 3 → KILLED
       13. Decremented (--a) double local variable number 3 → KILLED
       1. replaced double return with 0.0d for
       org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
       2. replaced return of double value with -(x + 1) for
       org/jfree/data/DataUtilities::calculateColumnTotal → KILLED
       3. Negated double local variable number 3 → KILLED
162
       4. Incremented (a++) double local variable number 3 → SURVIVED
       5. Decremented (a--) double local variable number 3 → SURVIVED

 Incremented (++a) double local variable number 3 → KILLED

    Decremented (--a) double local variable number 3 → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

175
      SURVIVED
       1. Substituted 0.0 with 1.0 → KILLED
       Substituted 0.0 with 1.0 → KILLED
       3. Substituted 0.0 with -1.0 → KILLED
176
       4. Substituted 0.0 with 1.0 → KILLED
       Substituted 0.0 with -1.0 → KILLED
177

    removed call to org/jfree/data/Values2D::getColumnCount → KILLED

178

    changed conditional boundary → KILLED

       2. Changed increment from 1 to -1 → KILLED
       3. Substituted 0 with 1 → KILLED

 negated conditional → KILLED

       5. removed conditional - replaced comparison check with false → KILLED
       6. removed conditional - replaced comparison check with true 
ightarrow KILLED

    Negated integer local variable number 5 → KILLED

 Negated integer local variable number 4 → KILLED

       9. Substituted 0 with 1 → KILLED
       10. Substituted 0 with -1 → KILLED
       11. Substituted 0 with 1 \rightarrow KILLED
       12. Substituted 0 with -1 → KILLED
       13. Less than to less or equal → KILLED
       14. Less than to greater than → KILLED
       15. Less than to greater or equal → KILLED
```

```
16. Less than to equal → KILLED
       17. Less than to not equal → SURVIVED
       18. Incremented (a++) integer local variable number 5 → KILLED
       19. Incremented (a++) integer local variable number 4 → KILLED
       20. Decremented (a--) integer local variable number 5 → KILLED 21. Decremented (a--) integer local variable number 4 → KILLED 22. Incremented (++a) integer local variable number 5 → KILLED 23. Incremented (++a) integer local variable number 4 → KILLED 24. Decremented (--a) integer local variable number 5 → KILLED 24. Decremented (--a) integer local variable number 5 → KILLED 25.
       25. Decremented (--a) integer local variable number 4 → KILLED

    removed call to org/jfree/data/Values2D::getValue → KILLED

    Negated integer local variable number 1 → KILLED

    Negated integer local variable number 5 → KILLED

    4. Incremented (a++) integer local variable number 1 → KILLED
    5. Incremented (a++) integer local variable number 5 → KILLED

    6. Decremented (a--) integer local variable number 1 → KILLED
    7. Decremented (a--) integer local variable number 5 → KILLED

179
       8. Incremented (++a) integer local variable number 1 → KILLED
       9. Incremented (++a) integer local variable number 5 → KILLED
       10. Decremented (--a) integer local variable number 1 \rightarrow \text{KILLED}
       11. Decremented (--a) integer local variable number 5 → KILLED

    negated conditional → KILLED

       removed conditional - replaced equality check with false → KILLED
180
       3. removed conditional - replaced equality check with true → KILLED
       4. equal to not equal → KILLED
       1. Replaced double addition with subtraction \rightarrow KILLED
       removed call to java/lang/Number::doubleValue → KILLED

    Negated double local variable number 2 → KILLED

       4. Replaced double operation with first member → KILLED
       5. Replaced double operation by second member → KILLED
       6. Replaced double addition with subtraction → KILLED
181
       7. Replaced double addition with multiplication → KILLED
       8. Replaced double addition with division → KILLED

    Replaced double addition with modulus → KILLED

       10. Incremented (a++) double local variable number 2 \rightarrow SURVIVED

    Decremented (a--) double local variable number 2 → SURVIVED

       12. Incremented (++a) double local variable number 2 → KILLED
       13. Decremented (--a) double local variable number 2 → KILLED
       1. replaced double return with 0.0d for
       org/jfree/data/DataUtilities::calculateRowTotal → KILLED
       2. replaced return of double value with -(x + 1) for
       org/jfree/data/DataUtilities::calculateRowTotal → KILLED
184

    Negated double local variable number 2 → KILLED

    Incremented (a++) double local variable number 2 → SURVIVED

       5. Decremented (a--) double local variable number 2 → SURVIVED
       6. Incremented (++a) double local variable number 2 → KILLED

    Decremented (--a) double local variable number 2 → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

201
       SURVIVED

    Substituted 0.0 with 1.0 → KILLED

       Substituted 0.0 with 1.0 → KILLED
       3. Substituted 0.0 with -1.0 → KILLED
202
       4. Substituted 0.0 with 1.0 → KILLED
       Substituted 0.0 with -1.0 → KILLED

    removed call to org/jfree/data/Values2D::getColumnCount → KILLED

203
204

    changed conditional boundary → KILLED

 Changed increment from 1 to -1 → KILLED

       3. Substituted 0 with 1 → KILLED
       negated conditional → KILLED
       5. removed conditional - replaced comparison check with false \rightarrow KILLED
       6. removed conditional - replaced comparison check with true 
ightarrow KILLED

    Negated integer local variable number 6 → KILLED

       Substituted 0 with 1 → KILLED
       Substituted 0 with -1 → KILLED
       10. Substituted 0 with 1 → KILLED
```

```
11. Substituted 0 with -1 → KILLED
        Less than to less or equal → KILLED
        13. Less than to greater than → KILLED
        14. Less than to greater or equal → KILLED
        Less than to equal → KILLED
        16. Less than to not equal → SURVIVED
       17. Incremented (a++) integer local variable number 6 → KILLED 18. Decremented (a--) integer local variable number 6 → KILLED 19. Incremented (++a) integer local variable number 6 → KILLED
        20. Decremented (--a) integer local variable number 6 → KILLED

    Negated integer local variable number 6 → KILLED

    Negated integer array field → KILLED

    Incremented (a++) integer local variable number 6 → KILLED
    Incremented (a++) integer array field → SURVIVED
    Decremented (a--) integer local variable number 6 → KILLED

    6. Decremented (a--) integer array field → SURVIVED
    7. Incremented (++a) integer local variable number 6 → KILLED

       8. Incremented (++a) integer array field → KILLED
       9. Decremented (--a) integer local variable number 6 → KILLED
        10. Decremented (--a) integer array field → KILLED

    changed conditional boundary → KILLED

        negated conditional → KILLED
        3. removed conditional - replaced comparison check with false → KILLED
        4. removed conditional - replaced comparison check with true → KILLED
        5. Negated integer local variable number 7 → KILLED
        6. Negated integer local variable number 5 → KILLED
        greater or equal to less than → KILLED
        greater or equal to less or equal → KILLED
       9. greater or equal to greater than → KILLED
206
       10. greater or equal to equal → KILLED
        11. greater or equal to not equal → KILLED
        12. Incremented (a++) integer local variable number 7 \rightarrow KILLED
       13. Incremented (a++) integer local variable number 7 → KILLED
14. Decremented (a--) integer local variable number 7 → KILLED
15. Decremented (a--) integer local variable number 7 → KILLED
16. Incremented (++a) integer local variable number 7 → KILLED
17. Incremented (++a) integer local variable number 7 → KILLED
18. Decremented (--a) integer local variable number 7 → KILLED
19. Decremented (--a) integer local variable number 5 → KILLED

    removed call to org/jfree/data/Values2D::getValue → KILLED

        2. Negated integer local variable number 1 \rightarrow KILLED

    Negated integer local variable number 7 → KILLED

    4. Incremented (a++) integer local variable number 1 → KILLED
    5. Incremented (a++) integer local variable number 7 → SURVIVED
    6. Decremented (a--) integer local variable number 1 → KILLED

       7. Decremented (a--) integer local variable number 7 \rightarrow SURVIVED
       8. Incremented (++a) integer local variable number 1 → KILLED
        9. Incremented (++a) integer local variable number 7 → KILLED
        10. Decremented (--a) integer local variable number 1 → KILLED
        11. Decremented (--a) integer local variable number 7 → KILLED

    negated conditional → KILLED

        removed conditional - replaced equality check with false → KILLED
208
        3. removed conditional - replaced equality check with true → SURVIVED
       4. equal to not equal → KILLED
209

    Replaced double addition with subtraction → KILLED

    removed call to java/lang/Number::doubleValue → KILLED

 Negated double local variable number 3 → KILLED

    Replaced double operation with first member → KILLED

    Replaced double operation by second member → KILLED

       6. Replaced double addition with subtraction → KILLED
       7. Replaced double addition with multiplication → KILLED
       8. Replaced double addition with division → KILLED

    Replaced double addition with modulus → KILLED

        10. Incremented (a++) double local variable number 3 \rightarrow SURVIVED

    Decremented (a--) double local variable number 3 → SURVIVED
```

```
12. Incremented (++a) double local variable number 3 → KILLED
       13. Decremented (--a) double local variable number 3 → KILLED
       1. replaced double return with 0.0d for
       org/jfree/data/DataUtilities::calculateRowTotal → KILLED
       2. replaced return of double value with -(x + 1) for
       org/jfree/data/DataUtilities::calculateRowTotal → KILLED
213

    Negated double local variable number 3 → KILLED

       4. Incremented (a++) double local variable number 3 \rightarrow SURVIVED 5. Decremented (a--) double local variable number 3 \rightarrow SURVIVED
       6. Incremented (++a) double local variable number 3 → KILLED
       7. Decremented (--a) double local variable number 3 → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

225
       SURVIVED

    changed conditional boundary → KILLED

       2. Substituted 0 with 1 → KILLED
       negated conditional → KILLED
       4. removed conditional - replaced comparison check with false 
ightarrow KILLED
       5. removed conditional - replaced comparison check with true \rightarrow KILLED
       6. Negated integer local variable number 2 → KILLED
       7. Substituted 0 with 1 → KILLED
       Substituted 0 with -1 → KILLED
       9. Substituted 0 with 1 → KILLED
227
       10. Substituted 0 with -1 → KILLED
       11. Less than to less or equal → KILLED
       12. Less than to greater than → KILLED
       13. Less than to greater or equal \rightarrow KILLED
       14. Less than to equal → KILLED
       15. Less than to not equal → SURVIVED
       16. Incremented (a++) integer local variable number 2 → KILLED 17. Decremented (a--) integer local variable number 2 → KILLED 18. Incremented (++a) integer local variable number 2 → KILLED 19. Decremented (--a) integer local variable number 2 → KILLED

    removed call to java/lang/Double::<init> → KILLED
    Negated integer local variable number 2 → KILLED

       3. Negated integer local variable number 2 → KILLED4. Negated double array field → KILLED

    Incremented (a++) integer local variable number 2 → KILLED
    Incremented (a++) integer local variable number 2 → KILLED

       7. Incremented (a++) double array field → SURVIVED
       8. Decremented (a--) integer local variable number 2 → KILLED
228
       9. Decremented (a--) integer local variable number 2 → TIMED_OUT
       10. Decremented (a--) double array field → SURVIVED
       11. Incremented (++a) integer local variable number 2 → KILLED
       12. Incremented (++a) integer local variable number 2 → KILLED
       13. Incremented (++a) double array field → KILLED
       14. Decremented (--a) integer local variable number 2 → KILLED 15. Decremented (--a) integer local variable number 2 → KILLED 16. Decremented (--a) double array field → KILLED

    replaced return value with null for

       org/jfree/data/DataUtilities::createNumberArray → KILLED
230
       mutated return of Object value for
       org/jfree/data/DataUtilities::createNumberArray to ( if (x != null) null else
       throw new RuntimeException ) → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

242

    Negated integer local variable number 1 → KILLED

    Incremented (a++) integer local variable number 1 → KILLED
    Decremented (a--) integer local variable number 1 → KILLED
    Incremented (++a) integer local variable number 1 → KILLED

244
       5. Decremented (--a) integer local variable number 1 → KILLED
245

    changed conditional boundary → KILLED

 Changed increment from 1 to -1 → KILLED

       Substituted 0 with 1 → KILLED

 negated conditional → KILLED

       5. removed conditional - replaced comparison check with false → KILLED
```

```
6. removed conditional - replaced comparison check with true → KILLED
      7. Negated integer local variable number 3 → KILLED
      8. Negated integer local variable number 1 → KILLED
      Substituted 0 with 1 → KILLED
      10. Substituted 0 with -1 → KILLED
      11. Substituted 0 with 1 → KILLED
      12. Substituted 0 with -1 → KILLED
      13. Less than to less or equal → KILLED
      14. Less than to greater than → KILLED
      15. Less than to greater or equal → KILLED
      16. Less than to equal → KILLED
      17. Less than to not equal → SURVIVED
      18. Incremented (a++) integer local variable number 3 → KILLED
      19. Incremented (a++) integer local variable number 1 → KILLED
      20. Decremented (a--) integer local variable number 3 → KILLED
      21. Decremented (a--) integer local variable number 1 → KILLED
      22. Incremented (++a) integer local variable number 3 → KILLED
      23. Incremented (++a) integer local variable number 1 → KILLED 24. Decremented (--a) integer local variable number 3 → KILLED
      25. Decremented (--a) integer local variable number 1 → KILLED

    removed call to org/jfree/data/DataUtilities::createNumberArray → KILLED

    Negated integer local variable number 3 → KILLED

    Negated integer local variable number 3 → KILLED

      4. Incremented (a++) integer local variable number 3 → KILLED
      5. Incremented (a++) integer local variable number 3 → KILLED
      6. Decremented (a--) integer local variable number 3 → KILLED
7. Decremented (a--) integer local variable number 3 → TIMED_OUT
8. Incremented (++a) integer local variable number 3 → KILLED
9. Incremented (++a) integer local variable number 3 → KILLED
246
      10. Decremented (--a) integer local variable number 3 → KILLED 11. Decremented (--a) integer local variable number 3 → KILLED

    replaced return value with null for

      org/jfree/data/DataUtilities::createNumberArray2D → KILLED
248
      mutated return of Object value for
      org/jfree/data/DataUtilities::createNumberArray2D to ( if (x != null) null else
      throw new RuntimeException ) → KILLED
262

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted → KILLED

    removed call to org/jfree/data/DefaultKeyedValues::<init> → KILLED

263

    Substituted 0.0 with 1.0 → KILLED

      Substituted 0.0 with 1.0 → KILLED
264
      3. Substituted 0.0 with -1.0 → KILLED

 Substituted 0.0 with 1.0 → KILLED

      Substituted 0.0 with -1.0 → KILLED

    changed conditional boundary → KILLED

      2. Substituted 0 with 1 → SURVIVED
      negated conditional → KILLED
      4. removed call to org/jfree/data/KeyedValues::getItemCount → KILLED
      5. removed conditional - replaced comparison check with false → KILLED
      removed conditional - replaced comparison check with true → KILLED

    Negated integer local variable number 4 → KILLED

      Substituted 0 with 1 → SURVIVED
      9. Substituted 0 with -1 → KILLED
      10. Substituted 0 with 1 → SURVIVED
265
      11. Substituted 0 with -1 → KILLED
      12. Less than to less or equal → KILLED
      13. Less than to greater than → KILLED
      14. Less than to greater or equal → KILLED
      15. Less than to equal → KILLED
      16. Less than to not equal → SURVIVED
      17. Incremented (a++) integer local variable number 4 \rightarrow KILLED
      18. Decremented (a--) integer local variable number 4 → KILLED
      19. Incremented (++a) integer local variable number 4 → KILLED
      20. Decremented (--a) integer local variable number 4 \rightarrow KILLED
266

    removed call to org/jfree/data/KeyedValues::getValue → KILLED

      2. Negated integer local variable number 4 → KILLED
```

```
    Incremented (a++) integer local variable number 4 → KILLED
    Decremented (a--) integer local variable number 4 → TIMED_OUT

      5. Incremented (++a) integer local variable number 4 \rightarrow \text{KILLED} 6. Decremented (--a) integer local variable number 4 \rightarrow \text{KILLED}

    changed conditional boundary → SURVIVED

      negated conditional → KILLED
      negated conditional → KILLED
      4. removed call to java/lang/Integer::intValue → KILLED
      5. removed conditional - replaced equality check with false → KILLED
      6. removed conditional - replaced equality check with true \rightarrow KILLED
      7. removed conditional - replaced comparison check with false \rightarrow KILLED
267
      8. removed conditional - replaced comparison check with true → KILLED
      Less than to less or equal → SURVIVED
      Less than to greater than → KILLED
      11. Less than to greater or equal → KILLED
      12. Less than to equal → KILLED
      13. equal to not equal → KILLED
      14. Less than to not equal → KILLED

    Replaced double addition with subtraction → KILLED

    removed call to java/lang/Number::doubleValue → KILLED

    Negated double local variable number 2 → SURVIVED

      4. Replaced double operation with first member → KILLED
      5. Replaced double operation by second member → SURVIVED
      6. Replaced double addition with subtraction → KILLED
268
      7. Replaced double addition with multiplication → KILLED
      8. Replaced double addition with division → KILLED
      9. Replaced double addition with modulus → KILLED

    Incremented (a++) double local variable number 2 → SURVIVED

    Decremented (a--) double local variable number 2 → SURVIVED

      12. Incremented (++a) double local variable number 2 
ightarrow SURVIVED
      13. Decremented (--a) double local variable number 2 → KILLED

    Substituted 0.0 with 1.0 → KILLED

      2. Substituted 0.0 with 1.0 → KILLED
271
      3. Substituted 0.0 with -1.0 → KILLED
      4. Substituted 0.0 with 1.0 → KILLED
      Substituted 0.0 with -1.0 → KILLED

    changed conditional boundary → KILLED

      2. Substituted 0 with 1 → KILLED
      negated conditional → KILLED
      4. removed call to org/jfree/data/KeyedValues::getItemCount → KILLED
      5. removed conditional - replaced comparison check with false → KILLED
      removed conditional - replaced comparison check with true → KILLED
      7. Negated integer local variable number 8 → KILLED
      8. Substituted 0 with 1 → KILLED
      9. Substituted 0 with -1 → KILLED
      10. Substituted 0 with 1 → KILLED
272
      11. Substituted 0 with -1 → KILLED
      12. Less than to less or equal → KILLED
      13. Less than to greater than → KILLED
      14. Less than to greater or equal \rightarrow KILLED
      15. Less than to equal → KILLED
      16. Less than to not equal → SURVIVED
      17. Incremented (a++) integer local variable number 6 → KILLED
      18. Decremented (a--) integer local variable number 8 → KILLED
      19. Incremented (++a) integer local variable number 8 → KILLED
      20. Decremented (--a) integer local variable number 6 → KILLED

    removed call to org/jfree/data/KeyedValues::getValue → SURVIVED

      2. Negated integer local variable number 8 → KILLED
      3. Incremented (a++) integer local variable number 6 → KILLED
<u>273</u>
      4. Decremented (a--) integer local variable number 8 → KILLED
      5. Incremented (++a) integer local variable number 8 → KILLED
      6. Decremented (--a) integer local variable number 6 → KILLED
274

    changed conditional boundary → SURVIVED

      negated conditional → KILLED
      negated conditional → KILLED
```

```
 removed call to java/lang/Integer::intValue → KILLED

      5. removed conditional - replaced equality check with false \rightarrow SURVIVED
      6. removed conditional - replaced equality check with true → KILLED
      7. removed conditional - replaced comparison check with false 
ightarrow SURVIVED
      8. removed conditional - replaced comparison check with true \rightarrow KILLED
      Less than to less or equal → SURVIVED
      10. Less than to greater than → KILLED

 Less than to greater or equal → KILLED

      12. Less than to equal → KILLED
      13. equal to not equal → KILLED
      14. Less than to not equal → SURVIVED
      1. Replaced double addition with subtraction → KILLED
      removed call to java/lang/Number::doubleValue → SURVIVED

    Negated double local variable number 6 → SURVIVED

    Replaced double operation with first member → SURVIVED

      5. Replaced double operation by second member → SURVIVED
      6. Replaced double addition with subtraction → KILLED
275
      7. Replaced double addition with multiplication → SURVIVED
      8. Replaced double addition with division → SURVIVED
      9. Replaced double addition with modulus → SURVIVED
      10. Incremented (a++) double local variable number 4 \rightarrow SURVIVED

    Decremented (a--) double local variable number 6 → SURVIVED

      12. Incremented (++a) double local variable number 6 → KILLED
      13. Decremented (--a) double local variable number 4 \rightarrow SURVIVED

    removed call to java/lang/Double::<init> → KILLED

    Replaced double division with multiplication → KILLED

      3. removed call to org/jfree/data/KeyedValues::getKey → KILLED
      4. removed call to org/jfree/data/DefaultKeyedValues::addValue → KILLED
      5. Negated integer local variable number 8 → KILLED

 Negated double local variable number 6 → KILLED

      7. Negated double local variable number 2 → KILLED
      8. Replaced double operation with first member → KILLED
      9. Replaced double operation by second member → KILLED

    Replaced double division with multiplication → KILLED

    Replaced double division with modulus → SURVIVED

    Replaced double division with addition → KILLED

277
      13. Replaced double division with subtraction → KILLED
      14. Incremented (a++) integer local variable number 6 → SURVIVED
      15. Incremented (a++) double local variable number 4 → KILLED
      16. Incremented (a++) double local variable number 2 → SURVIVED
      17. Decremented (a--) integer local variable number 8 → TIMED_OUT
      18. Decremented (a--) double local variable number 6 → KILLED
      19. Decremented (a--) double local variable number 2 → KILLED
      20. Incremented (++a) integer local variable number 8 → KILLED
      21. Incremented (++a) double local variable number 6 → KILLED
      22. Incremented (++a) double local variable number 2 → KILLED
      23. Decremented (--a) integer local variable number 6 → KILLED 24. Decremented (--a) double local variable number 4 → KILLED 25. Decremented (--a) double local variable number 2 → KILLED

    replaced return value with null for

      org/jfree/data/DataUtilities::getCumulativePercentages → KILLED
279
      mutated return of Object value for
      org/jfree/data/DataUtilities::getCumulativePercentages to ( if (x != null) null
      else throw new RuntimeException ) → KILLED
```

Active mutators

- ABS MUTATOR
- AOD_1_MUTATOR

- AOD 2 MUTATOR
 AOR 1 MUTATOR
 AOR 2 MUTATOR
 AOR 3 MUTATOR
 AOR 4 MUTATOR

- ARGŪMENT PROPAGATION MUTATOR

- BOOLEAN FALSE RETURN
- BOOLEAN_TRUE_RETURN
- CONDITIONALS_BOUNDARY_MUTATOR
- CONSTRUCTOR CALL MUTATOR
- CRCR_1_MUTATORCRCR_2_MUTATORCRCR_3_MUTATOR

- CRCR_4_MUTATORCRCR_5_MUTATOR
- CRCR 6 MUTATOR
- EMPTY RETURN VALUES
- EXPERIMENTAL BIGINTEGER MUTATOR
- EXPERIMENTAL_MEMBER_VARIABLE MUTATOR EXPERIMENTAL_REMOVE_SWITCH_MUTATOR_[0-99]
- EXPERIMENTAL SWITCH MUTATOR
- INCREMENTS_MUTATOR
- INLINE CONSTANT MUTATOR
 INVERT NEGS MUTATOR

- MATH MUTATORNAKED_RECEIVER
- NEGATE_CONDITIONALS_MUTATOR
- NON VOĪD METHOD CALL MUTATOR
- NULL RETURN VALUES
- OBBN 1 MUTATOR
- OBBN_2_MUTATOROBBN_3_MUTATOR
- PRIMITIVE RETURN VALS MUTATOR
- REMOVE CONDITIONALS EQUAL ELSE MUTATOR
- REMOVE CONDITIONALS EQUAL IF MUTATOR
- REMOVE CONDITIONALS ORDER ELSE MUTATOR
- REMOVE CONDITIONALS ORDER IF MUTATOR
- REMOVE INCREMENTS MUTATOR
 RETURN VALS MUTATOR
- ROR 1 MUTATOR
 ROR 2 MUTATOR
 ROR 3 MUTATOR
 ROR 4 MUTATOR
 ROR 5 MUTATOR
 UOI 1 MUTATOR

- UOI 2 MUTATOR
- UOI 3 MUTATOR UOI 4 MUTATOR
- VOID METHOD CALL MUTATOR

Tests examined

- org.jfree.data.test.createNumberArr2DTest.testZzero(org.jfree.data.test.createNumberArr2DTest) (1 ms)
- org.jfree.data.test.createNumberArr2DTest.testEmpty2D(org.jfree.data.test.createNumberArr2DTest) (1 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calculateRowTotalOnBoundary (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (3 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calcRowNullTest (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (1 ms)
- org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest.testCCTAEmptyValidRows (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (2 ms)
- org.jfree.data.test.createNumberArr2DTest.testValid2D(org.jfree.data.test.createNumberArr2DTest) (1 ms)
- org.jfree.data.test.TestDataUtilitiesCumulativePercentages.testNonSequentialList (org.jfree.data.test.TestDataUtilitiesCumulativePercentages) (1 ms)
- org.jfree.data.test.DataUtilitiesClone.testNull(org.jfree.data.test.DataUtilitiesClone) (1 ms)
- org.jfree.data.test.TestDataUtilitiesCumulativePercentages.testSequentialListWithNegativeValues (org.jfree.data.test.TestDataUtilitiesCumulativePercentages) (2 ms)
- org.jfree.data.test.TestDataUtilitiesCumulativePercentages.testNullDataReturn (org.jfree.data.test.TestDataUtilitiesCumulativePercentages) (1 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calculateRowTotalOutOfBounds (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (2 ms)
- org.jfree.data.test.DataUtilitiesTestEqual.testABNull(org.jfree.data.test.DataUtilitiesTestEqual) (0 ms)
- org.jfree.data.test.testColumnTotal.nullColTest(org.jfree.data.test.testColumnTotal) (1 ms)

- org.jfree.data.test.testColumnTotal.testBoundary(org.jfree.data.test.testColumnTotal) (1 ms)
- org.jfree.data.test.testColumnTotal.nullCell(org.jfree.data.test.testColumnTotal) (1 ms)
- org.jfree.data.test.testColumnTotal.testOutsideBoundary(org.jfree.data.test.testColumnTotal) (2 ms)
- org.jfree.data.test.DataUtilitiesClone.testSymmetrical(org.jfree.data.test.DataUtilitiesClone) (0 ms)
- org.jfree.data.test.rowTotalWithArray.negativeValidCols(org.jfree.data.test.rowTotalWithArray) (1 ms)
- org., free.data.test.createNumberArr2DTest.testPartialEmpty2D(org., free.data.test.createNumberArr2DTest) (1
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calculateRowTotalNegativeRows (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (1 ms)
- org.jfree.data.test.createNumberArrayTest.zeroTest(org.jfree.data.test.createNumberArrayTest) (1 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.testNullEntry (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (2 ms)
- org.jfree.data.test.TestDataUtilitiesCumulativePercentages.testSequentialList (org.jfree.data.test.TestDataUtilitiesCumulativePercentages) (2 ms)
- org.jfree.data.test.testColumnTotal.testValidParameters(org.jfree.data.test.testColumnTotal) (2 ms)
- org.jfree.data.test.rowTotalWithArray.allValid(org.jfree.data.test.rowTotalWithArray) (1 ms)
- org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest.testCCTAValid (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (0 ms)
- org.jfree.data.test.createNumberArrayTest.PositiveTest(org.jfree.data.test.createNumberArrayTest) (1 ms)
- org.jfree.data.test.rowTotalWithArray.emptyValidCols(org.jfree.data.test.rowTotalWithArray) (2 ms)
 org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest.testCCTAExtraValidRows (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (1 ms)
- org.jfree.data.test.createNumberArr2DTest.testNull2D(org.jfree.data.test.createNumberArr2DTest) (1 ms)
- $\bullet \ \ org.j free. data. test. Data Utilities Calculate Column Total Array Test. test CCTAE Negative Valid Values$ (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (1 ms)
- org.jfree.data.test.DataUtilitiesTestEqual.testEqualSimple(org.jfree.data.test.DataUtilitiesTestEqual) (1 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calcRowNoValues (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (37 ms)
- org.jfree.data.test.DataUtilitiesTestEqual.testNotEqualSimple(org.jfree.data.test.DataUtilitiesTestEqual) (1 ms)
- org.jfree.data.test.testColumnTotal.testEmpty(org.jfree.data.test.testColumnTotal) (1 ms)
- org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest.testCCTANullData (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (1 ms)
- org.jfree.data.test.rowTotalWithArray.nullTest(org.jfree.data.test.rowTotalWithArray) (1 ms)
- org.jfree.data.test.DataUtilitiesTestEqual.testANuII(org.jfree.data.test.DataUtilitiesTestEqual) (0 ms)
- org.jfree.data.test.createNumberArrayTest.nullTester(org.jfree.data.test.createNumberArrayTest) (1 ms)
- org.jfree.data.test.testColumnTotal.testNegative(org.jfree.data.test.testColumnTotal) (1 ms)
- org.jfree.data.test.DataUtilitiesClone.testAssymetrical(org.jfree.data.test.DataUtilitiesClone) (5 ms)
- org.jfree.data.test.rowTotalWithArray.nullValidCols(org.jfree.data.test.rowTotalWithArray) (1 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calculateRowTotalTwoValids (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (2 ms)
- org.jfree.data.test.TestDataUtilitiesCumulativePercentages.testDataThrowsUnexpectedException (org.jfree.data.test.TestDataUtilitiesCumulativePercentages) (13 ms)
- org.jfree.data.test.rowTotalWithArray.greaterValidCols(org.jfree.data.test.rowTotalWithArray) (1 ms)
- org.jfree.data.test.createNumberArr2DTest.testValid2DNegatives(org.jfree.data.test.createNumberArr2DTest) (1
- org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest.testCCTAOutOfBoundsColumn (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (1 ms)
- org.jfree.data.test.DataUtilitiesCalcRowTotalTest.calcRowTotalWithNegatives (org.jfree.data.test.DataUtilitiesCalcRowTotalTest) (1 ms)
- org.jfree.data.test.rowTotalWithArray.onBound(org.jfree.data.test.rowTotalWithArray) (2 ms)
 org.jfree.data.test.DataUtilitiesTestEqual.testBNull(org.jfree.data.test.DataUtilitiesTestEqual) (1 ms)
- org.jfree.data.test.DataUtilitiesTestEqual.testLengthsUnequal(org.jfree.data.test.DataUtilitiesTestEqual) (1 ms)
- $\bullet \ \ org.j free. data. test. Data Utilities Calculate Column Total Array Test. test CCT A Boundary Column Total Column$ (org.jfree.data.test.DataUtilitiesCalculateColumnTotalArrayTest) (1 ms)
- org.jfree.data.test.TestDataUtilitiesCumulativePercentages.testNullArgPassed (org.jfree.data.test.TestDataUtilitiesCumulativePercentages) (0 ms)
- org.jfree.data.test.rowTotalWithArray.negativeRowCalc(org.jfree.data.test.rowTotalWithArray) (1 ms)
- org.jfree.data.test.createNumberArrayTest.negativeTest(org.jfree.data.test.createNumberArrayTest) (1 ms)

Report generated by PIT 1.4.11