Range.java

```
1
     2
      * JFreeChart : a free chart library for the Java(tm) platform
3
      * -----
4
5
      * (C) Copyright 2000-2014, by Object Refinery Limited and Contributors.
6
7
      * Project Info: http://www.jfree.org/jfreechart/index.html
8
9
      * This library is free software; you can redistribute it and/or modify it
10
      * under the terms of the GNU Lesser General Public License as published by
11
      * the Free Software Foundation; either version 2.1 of the License, or
12
      * (at your option) any later version.
13
14
      * This library is distributed in the hope that it will be useful, but
15
      * WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
16
      * or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public
17
      * License for more details.
18
      * You should have received a copy of the GNU Lesser General Public
19
      * License along with this library; if not, write to the Free Software
20
21
      * Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301,
      * USA.
22
23
      * [Oracle and Java are registered trademarks of Oracle and/or its affiliates.
24
25
      * Other names may be trademarks of their respective owners.]
26
27
      * ______
28
      * Range.java
29
30
      * (C) Copyright 2002-2014, by Object Refinery Limited and Contributors.
31
32
      * Original Author: David Gilbert (for Object Refinery Limited);
33
      * Contributor(s):
                         Chuanhao Chiu;
34
                         Bill Kelemen;
35
                         Nicolas Brodu;
36
                         Sergei Ivanov;
37
38
      * Changes (from 23-Jun-2001)
39
      * ______
      * 22-Apr-2002 : Version 1, loosely based by code by Bill Kelemen (DG);
40
41
      * 30-Apr-2002 : Added getLength() and getCentralValue() methods. Changed
42
                     argument check in constructor (DG);
43
      * 13-Jun-2002 : Added contains(double) method (DG);
44
      * 22-Aug-2002 : Added fix to combine method where both ranges are null, thanks
45
                     to Chuanhao Chiu for reporting and fixing this (DG);
46
      * 07-Oct-2002 : Fixed errors reported by Checkstyle (DG);
47
      * 26-Mar-2003 : Implemented Serializable (DG);
48
      * 14-Aug-2003 : Added equals() method (DG);
49
      * 27-Aug-2003 : Added toString() method (BK);
```

```
50
       * 11-Sep-2003 : Added Clone Support (NB);
51
       * 23-Sep-2003 : Fixed Checkstyle issues (DG);
52
       * 25-Sep-2003 : Oops, Range immutable, clone not necessary (NB);
53
       * 05-May-2004 : Added constrain() and intersects() methods (DG);
54
       * 18-May-2004 : Added expand() method (DG);
55
       * ----- JFreeChart 1.0.x ------
56
       * 11-Jan-2006 : Added new method expandToInclude(Range, double) (DG);
57
       * 18-Dec-2007 : New methods intersects(Range) and scale(...) thanks to Sergei
58
                       Ivanov (DG);
59
       * 08-Jan-2012 : New method combineIgnoringNaN() (DG);
60
       * 23-Feb-2014 : Added isNaNRange() method (DG);
61
62
       */
63
      package org.jfree.data;
64
65
66
      import java.io.Serializable;
67
      import org.jfree.chart.util.ParamChecks;
68
69
      /**
       * Represents an immutable range of values.
70
71
72
      public strictfp class Range implements Serializable {
73
74
          /** For serialization. */
75
          private static final long serialVersionUID = -906333695431863380L;
76
77
          /** The lower bound of the range. */
78
          private double lower;
79
          /** The upper bound of the range. */
80
81
          private double upper;
82
          /**
83
84
           * Creates a new range.
85
           * @param lower the lower bound (must be <= upper bound).
86
87
           * @param upper the upper bound (must be >= lower bound).
88
89
          public Range(double lower, double upper) {
90 19
              if (lower > upper) {
91 <u>9</u>
                  String msg = "Range(double, double): require lower (" + lower
                      + ") <= upper (" + --upper + ").";
92 24
93 <u>1</u>
                  throw new IllegalArgumentException(msg);
94
              }
95 <u>6</u>
              this.lower = lower;
              this.upper = upper;
96 6
97
          }
98
          /**
99
100
           * Returns the lower bound for the range.
101
102
           * @return The lower bound.
```

```
103
           */
          public double getLowerBound() {
104
105 7
              return this.lower;
106
          }
107
          /**
108
109
           * Returns the upper bound for the range.
110
           * @return The upper bound.
111
112
113
          public double getUpperBound() {
              return this.upper;
114 7
115
          }
116
          /**
117
118
           * Returns the length of the range.
119
           * @return The length.
120
121
           */
122
          public double getLength() {
123 19
              return this.upper - this.lower;
124
          }
125
          /**
126
           * Returns the central value for the range.
127
128
129
           * @return The central value.
           */
130
          public double getCentralValue() {
131
              return this.lower / 2.0 + this.upper / 2.0;
132 <del>47</del>
133
          }
134
          /**
135
           * Returns <code>true</code> if the range contains the specified value and
136
           * <code>false</code> otherwise.
137
138
           * @param value the value to lookup.
139
140
141
           * @return <code>true</code> if the range contains the specified value.
           */
142
143
          public boolean contains(double value) {
144 53
              return (value >= this.lower && value<= this.upper);</pre>
145
          }
146
          /**
147
148
           * Returns <code>true</code> if the range intersects with the specified
           * range, and <code>false</code> otherwise.
149
150
151
           * @param b0 the lower bound (should be <= b1).
152
           * @param b1 the upper bound (should be >= b0).
153
           * @return A boolean.
154
           */
155
```

```
156
          public boolean intersects(double b0, double b1) {
              if (b0 <= this.lower) {</pre>
157 19
158 34
                  return (b1 > this.lower);
159
              }
160
              else {
                  return (b0 < this.upper && b1 >= b0);
161 53
              }
162
          }
163
164
165
          /**
166
           * Returns <code>true</code> if the range intersects with the specified
           * range, and <code>false</code> otherwise.
167
168
           * @param range another range (<code>null</code> not permitted).
169
170
171
           * @return A boolean.
172
           * @since 1.0.9
173
174
           */
175
          public boolean intersects(Range range) {
176 6
              return intersects(range.getLowerBound(), range.getUpperBound());
177
          }
178
          /**
179
180
           * Returns the value within the range that is closest to the specified
181
           * value.
182
           * @param value the value.
183
184
           * @return The constrained value.
185
186
          public double constrain(double value) {
187
188 <del>5</del>
              double result = value;
              if (!contains(value)) {
189 14
                  if (value > this.upper) {
190 <del>19</del>
                       result = this.upper;
191 5
192
193 19
                  else if (value < this.lower) {</pre>
194 5
                       result = this.lower;
195
                  }
196
              }
197 7
              return result;
198
          }
199
          /**
200
201
           * Creates a new range by combining two existing ranges.
202
           * <P>
203
           * Note that:
204
           * 
205
               <ii>>either range can be <code>null</code>, in which case the other
206
                    range is returned;
207
               if both ranges are <code>null</code> the return value is
208
                   <code>null</code>.
```

```
* 
209
210
           * @param range1 the first range (<code>null</code> permitted).
211
212
           * @param range2 the second range (<code>null</code> permitted).
213
214
           * @return A new range (possibly <code>null</code>).
215
216
          public static Range combine(Range range1, Range range2) {
217 4
              if (range1 == null) {
218 <sup>2</sup>
                   return range2;
219
              }
220 4
              if (range2 == null) {
221 2
                   return range1;
222
              double 1 = Math.min(range1.getLowerBound(), range2.getLowerBound());
223 4
224 4
              double u = Math.max(range1.getUpperBound()), range2.getUpperBound());
              return new Range(1, u);
225 13
226
          }
227
228
          /**
229
           * Returns a new range that spans both <code>range1</code> and
230
           * <code>range2</code>. This method has a special handling to ignore
231
           * Double.NaN values.
232
233
           * @param range1 the first range (<code>null</code> permitted).
234
           * @param range2 the second range (<code>null</code> permitted).
235
           * @return A new range (possibly <code>null</code>).
236
237
           * @since 1.0.15
238
239
          public static Range combineIgnoringNaN(Range range1, Range range2) {
240
241 4
              if (range1 == null) {
                   if (range2 != null && range2.isNaNRange()) {
242 13
243 1
                       return null;
244
245 2
                   return range2;
246
              }
247 4
              if (range2 == null) {
                   if (range1.isNaNRange()) {
248 9
249 <u>1</u>
                       return null;
250
                   }
251 <sup>2</sup>
                   return range1;
252
253 4
              double 1 = min(range1.getLowerBound(), range2.getLowerBound());
254 <u>4</u>
              double u = max(range1.getUpperBound(), range2.getUpperBound());
              if (Double.isNaN(1) && Double.isNaN(u)) {
255 28
256 <u>1</u>
                   return null;
257
258 <u>13</u>
              return new Range(1, u);
259
          }
260
          /**
261
```

```
262
           * Returns the minimum value. If either value is NaN, the other value is
263
            * returned. If both are NaN, NaN is returned.
264
           * @param d1 value 1.
265
            * @param d2 value 2.
266
267
268
           * @return The minimum of the two values.
269
          private static double min(double d1, double d2) {
270
271 14
               if (Double.isNaN(d1)) {
272 <u>7</u>
                   return d2;
273
               if (Double.isNaN(d2)) {
274 14
275 <u>7</u>
                   return d1;
276
               }
277 14
              return Math.min(d1, d2);
          }
278
279
280
          private static double max(double d1, double d2) {
281 14
               if (Double.isNaN(d1)) {
282 7
                   return d2;
283
               if (Double.isNaN(d2)) {
284 <u>14</u>
285 7
                   return d1;
286
               }
287 14
              return Math.max(d1, d2);
288
          }
289
          /**
290
           * Returns a range that includes all the values in the specified
291
292
           * <code>range</code> AND the specified <code>value</code>.
293
294
           * @param range the range (<code>null</code> permitted).
295
            * @param value the value that must be included.
296
297
           * @return A range.
298
299
           * @since 1.0.1
300
          public static Range expandToInclude(Range range, double value) {
301
302 4
               if (range == null) {
303 13
                   return new Range(value, value);
304
              if (value < range.getLowerBound()) {</pre>
305 15
306 9
                   return new Range(value, range.getUpperBound());
307
              else if (value > range.getUpperBound()) {
308 15
309 9
                   return new Range(range.getLowerBound(), value);
310
              }
              else {
311
312 <sup>2</sup>
                   return range;
               }
313
314
          }
```

```
315
          /**
316
           * Creates a new range by adding margins to an existing range.
317
318
           * @param range the range (<code>null</code> not permitted).
319
           * @param lowerMargin the lower margin (expressed as a percentage of the
320
321
                                  range length).
322
           * @param upperMargin the upper margin (expressed as a percentage of the
323
                                  range length).
324
           * @return The expanded range.
325
           */
326
327
          public static Range expand(Range range,
328
                                      double lowerMargin, double upperMargin) {
              ParamChecks.nullNotPermitted(range, "range");
329 1
330 1
              double length = range.getLength();
331 <u>25</u>
              double lower = range.getLowerBound() - length * lowerMargin;
              double upper = range.getUpperBound() + length * upperMargin;
332 25
333 19
              if (lower > upper) {
334 45
                  lower = lower / 2.0 + upper / 2.0;
335 5
                  upper = lower;
336
              return new Range(lower, upper);
337 13
338
          }
339
340
          /**
341
           * Shifts the range by the specified amount.
342
           * @param base the base range (<code>null</code> not permitted).
343
           * @param delta the shift amount.
344
345
346
           * @return A new range.
           */
347
348
          public static Range shift(Range base, double delta) {
              return shift(base, delta, false);
349 14
350
          }
351
          /**
352
353
           * Shifts the range by the specified amount.
354
355
           * @param base the base range (<code>null</code> not permitted).
356
           * @param delta the shift amount.
357
           * @param allowZeroCrossing a flag that determines whether or not the
358
                                        bounds of the range are allowed to cross
359
                                        zero after adjustment.
360
361
           * @return A new range.
           */
362
363
          public static Range shift(Range base, double delta,
364
                                     boolean allowZeroCrossing) {
365 1
              ParamChecks.nullNotPermitted(base, "base");
              if (allowZeroCrossing) {
366 <u>13</u>
367 <u>16</u>
                  return new Range(base.getLowerBound() + delta,
```

```
368 13
                           base.getUpperBound() + delta);
369
              }
370
              else {
                   return new Range(shiftWithNoZeroCrossing(base.getLowerBound(),
371 <u>6</u>
3728
                           delta), shiftWithNoZeroCrossing(base.getUpperBound(),
                           delta));
373 5
374
              }
375
          }
376
377
          /**
378
           * Returns the given <code>value</code> adjusted by <code>delta</code> but
           * with a check to prevent the result from crossing <code>0.0</code>.
379
380
           * @param value the value.
381
           * @param delta the adjustment.
382
383
           * @return The adjusted value.
384
385
386
          private static double shiftWithNoZeroCrossing(double value, double delta) {
387 19
              if (value > 0.0) {
388 26
                   return Math.max(value + delta, 0.0);
389
390 <u>19</u>
              else if (value < 0.0) {
391 <u>26</u>
                   return Math.min(value + delta, 0.0);
392
              }
393
              else {
394 19
                   return value + delta;
              }
395
396
          }
397
          /**
398
399
           * Scales the range by the specified factor.
400
           * @param base the base range (<code>null</code> not permitted).
401
           * @param factor the scaling factor (must be non-negative).
402
403
           * @return A new range.
404
405
406
           * @since 1.0.9
           */
407
408
          public static Range scale(Range base, double factor) {
409 1
              ParamChecks.nullNotPermitted(base, "base");
410 <del>19</del>
              if (factor < 0) {</pre>
                   throw new IllegalArgumentException("Negative 'factor' argument.");
411 1
412
              }
413 <u>16</u>
              return new Range(base.getLowerBound() * factor,
                       base.getUpperBound() * factor);
414 13
415
          }
416
          /**
417
418
           * Tests this object for equality with an arbitrary object.
419
           * @param obj the object to test against (<code>null</code> permitted).
420
```

```
421
422
            * @return A boolean.
           */
423
424
          @Override
425
          public boolean equals(Object obj) {
4268
               if (!(obj instanceof Range)) {
427 <u>7</u>
                   return false;
428
               }
429
              Range range = (Range) obj;
430 18
               if (!(this.lower == range.lower)) {
431 <u>7</u>
                   return false;
432
              if (!(this.upper == range.upper)) {
433 18
434 <u>7</u>
                   return false;
435
               }
4368
              return true;
437
          }
438
439
          /**
440
           * Returns <code>true</code> if both the lower and upper bounds are
441
           * <code>Double.NaN</code>, and <code>false</code> otherwise.
442
           * @return A boolean.
443
444
445
           * @since 1.0.18
446
447
          public boolean isNaNRange() {
               return Double.isNaN(this.lower) && Double.isNaN(this.upper);
448 43
449
          }
450
          /**
451
452
           * Returns a hash code.
453
454
           * @return A hash code.
           */
455
456
          @Override
          public int hashCode() {
457
458
              int result;
459
               long temp;
460 6
              temp = Double.doubleToLongBits(this.lower);
461 <u>19</u>
               result = (int) (temp ^ (temp >>> 32));
462 <u>6</u>
              temp = Double.doubleToLongBits(this.upper);
               result = 29 * result + (int) (temp ^ (temp >>> 32));
463 45
464 7
              return result;
465
          }
466
          /**
467
468
           * Returns a string representation of this Range.
469
470
           * @return A String "Range[lower,upper]" where lower=lower range and
471
                      upper=upper range.
472
           */
473
          @Override
```

```
474
          public String toString() {
475 <u>22</u>
               return ("Range[" + this.lower + "," + this.upper + "]");
476
477
478
      }
      Mutations

    changed conditional boundary → KILLED

      negated conditional → KILLED

    removed conditional - replaced comparison check with false → KILLED

      4. removed conditional - replaced comparison check with true → KILLED
      5. Negated double local variable number 1 → KILLED
      6. Negated double local variable number 3 → KILLED
      Less or equal to less than → KILLED
      Less or equal to greater than → KILLED
      9. Less or equal to greater or equal → KILLED
90
      Less or equal to equal → KILLED
      11. Less or equal to not equal → KILLED
      12. Incremented (a++) double local variable number 1 \rightarrow KILLED 13. Incremented (a++) double local variable number 3 \rightarrow KILLED
      14. Decremented (a--) double local variable number 1 → KILLED
      15. Decremented (a--) double local variable number 3 → KILLED
      16. Incremented (++a) double local variable number 1 → KILLED
      17. Incremented (++a) double local variable number 3 → KILLED
      18. Decremented (--a) double local variable number 1 → KILLED
      19. Decremented (--a) double local variable number 3 → KILLED

    removed call to java/lang/StringBuilder::<init> → KILLED

    removed call to java/lang/StringBuilder::append → KILLED

    removed call to java/lang/StringBuilder::toString → SURVIVED

      4. replaced call to java/lang/StringBuilder::append with receiver → SURVIVED
91
      5. Negated double local variable number 1 → SURVIVED

    Incremented (a++) double local variable number 1 → SURVIVED

      7. Decremented (a--) double local variable number 1 → SURVIVED

 Incremented (++a) double local variable number 1 → SURVIVED

      9. Decremented (--a) double local variable number 1 → SURVIVED

    Substituted 1.0 with 2.0 → SURVIVED

    Replaced double subtraction with addition → SURVIVED

 removed call to java/lang/StringBuilder::append → KILLED

 removed call to java/lang/StringBuilder::append → KILLED

      5. removed call to java/lang/StringBuilder::append → KILLED
      replaced call to java/lang/StringBuilder::append with receiver → SURVIVED
      7. replaced call to java/lang/StringBuilder::append with receiver → SURVIVED
      8. replaced call to java/lang/StringBuilder::append with receiver → SURVIVED
      9. Negated double local variable number 3 → SURVIVED

    Replaced double operation with first member → SURVIVED

    Replaced double operation by second member → SURVIVED

    Replaced double subtraction with addition → SURVIVED

92

    Replaced double subtraction with multiplication → SURVIVED

      14. Replaced double subtraction with division → SURVIVED
      15. Replaced double subtraction with modulus → SURVIVED
      16. Substituted 1.0 with 0.0 → SURVIVED
      17. Substituted 1.0 with -1.0 → SURVIVED
      18. Substituted 1.0 with -1.0 → SURVIVED
      19. Substituted 1.0 with 2.0 → SURVIVED
      20. Substituted 1.0 with 0.0 → SURVIVED
      21. Incremented (a++) double local variable number 3 → SURVIVED
      22. Decremented (a--) double local variable number 3 → SURVIVED
      23. Incremented (++a) double local variable number 3 → SURVIVED 24. Decremented (--a) double local variable number 3 → SURVIVED
93

    removed call to java/lang/IllegalArgumentException::<init> → KILLED

95

    Removed assignment to member variable lower → KILLED

    Negated double local variable number 1 → KILLED
```

```
    Incremented (a++) double local variable number 1 → SURVIVED

      4. Decremented (a--) double local variable number 1 → SURVIVED
       5. Incremented (++a) double local variable number 1 → KILLED
      6. Decremented (--a) double local variable number 1 \rightarrow KILLED

    Removed assignment to member variable upper → KILLED

    Negated double local variable number 3 → KILLED

    Incremented (a++) double local variable number 3 → SURVIVED

96

    Decremented (a--) double local variable number 3 → SURVIVED

      5. Incremented (++a) double local variable number 3 → KILLED6. Decremented (--a) double local variable number 3 → KILLED

    replaced double return with 0.0d for org/jfree/data/Range::getLowerBound →

      KILLED
       2. replaced return of double value with -(x + 1) for
      org/jfree/data/Range::getLowerBound → KILLED
105
       Negated double field lower → KILLED
      4. Incremented (a++) double field lower → KILLED

    Decremented (a--) double field lower → KILLED

      6. Incremented (++a) double field lower → KILLED7. Decremented (--a) double fieldlower → KILLED

    replaced double return with 0.0d for org/jfree/data/Range::getUpperBound →

      KILLED
       2. replaced return of double value with -(x + 1) for
      org/jfree/data/Range::getUpperBound → KILLED
114
      3. Negated double field upper → KILLED

4. Incremented (a++) double field upper → KILLED
5. Decremented (a--) double field upper → KILLED
6. Incremented (++a) double field upper → KILLED
7. Decremented (--a) double fieldupper → KILLED

    Replaced double subtraction with addition → KILLED

    replaced double return with 0.0d for org/jfree/data/Range::getLength →

      KILLED
       3. replaced return of double value with -(x + 1) for
      org/jfree/data/Range::getLength → KILLED

    Negated double field upper → KILLED
    Negated double field lower → KILLED

      6. Replaced double operation with first member → KILLED
      7. Replaced double operation by second member → KILLED
      8. Replaced double subtraction with addition → KILLED
123
      9. Replaced double subtraction with multiplication → KILLED

    Replaced double subtraction with division → KILLED

       11. Replaced double subtraction with modulus → KILLED
       12. Incremented (a++) double field upper → KILLED
       13. Incremented (a++) double field lower → KILLED
       14. Decremented (a--) double field upper → KILLED
       15. Decremented (a--) double field lower → KILLED
       16. Incremented (++a) double field upper → KILLED
      17. Incremented (++a) double field lower → KILLED 18. Decremented (--a) double fieldupper → KILLED
       19. Decremented (--a) double fieldlower → KILLED
132
      1. Substituted 2.0 with 1.0 → KILLED
       2. Substituted 2.0 with 1.0 → KILLED

    Replaced double division with multiplication → KILLED

    Replaced double division with multiplication → KILLED

       Replaced double addition with subtraction → KILLED
       6. replaced double return with 0.0d for org/jfree/data/Range::getCentralValue →
       KILLED
       7. replaced return of double value with -(x + 1) for
       org/jfree/data/Range::getCentralValue → KILLED
       8. Negated double field lower → KILLED
      9. Negated double field upper → KILLED

    Replaced double operation with first member → KILLED

       11. Replaced double operation with first member → KILLED
       12. Replaced double operation with first member → KILLED

    Replaced double operation by second member → KILLED

       14. Replaced double operation by second member → KILLED
```

```
    Replaced double operation by second member → KILLED

      16. Replaced double division with multiplication → KILLED
      17. Replaced double division with multiplication → KILLED
      18. Replaced double addition with subtraction 
ightarrow KILLED
      19. Replaced double division with modulus → KILLED

 Replaced double division with modulus → KILLED

      21. Replaced double addition with multiplication → KILLED
      22. Replaced double division with addition → KILLED
      23. Replaced double division with addition → KILLED
      24. Replaced double addition with division → KILLED
      25. Replaced double division with subtraction → KILLED
      26. Replaced double division with subtraction → KILLED
      27. Replaced double addition with modulus → KILLED
      28. Substituted 2.0 with 1.0 → KILLED
      29. Substituted 2.0 with 1.0 → KILLED
      30. Substituted 2.0 with 0.0 → KILLED
      31. Substituted 2.0 with 0.0 → KILLED
      32. Substituted 2.0 with -1.0 → KILLED
      33. Substituted 2.0 with -1.0 → KILLED
      34. Substituted 2.0 with -2.0 → KILLED
      35. Substituted 2.0 with -2.0 → KILLED
      36. Substituted 2.0 with 3.0 → KILLED
      37. Substituted 2.0 with 3.0 → KILLED
      38. Substituted 2.0 with 1.0 → KILLED
      39. Substituted 2.0 with 1.0 → KILLED
      40. Incremented (a++) double field lower → SURVIVED
      41. Incremented (a++) double field upper → SURVIVED
      42. Decremented (a--) double field lower → SURVIVED
      43. Decremented (a--) double field upper → SURVIVED
      44. Incremented (++a) double field lower → KILLED
      45. Incremented (++a) double field upper → KILLED
      46. Decremented (--a) double fieldlower → KILLED
      47. Decremented (--a) double fieldupper → KILLED
144

    replaced boolean return with false for org/jfree/data/Range::contains →

     KILLED
      replaced boolean return with true for org/jfree/data/Range::contains →
     KILLED
      changed conditional boundary → KILLED

    changed conditional boundary → KILLED

      5. Substituted 1 with 0 → KILLED
      Substituted 0 with 1 → KILLED

 negated conditional → KILLED

      negated conditional → KILLED
      9. removed conditional - replaced comparison check with false → KILLED
      10. removed conditional - replaced comparison check with false \rightarrow KILLED
      11. removed conditional - replaced comparison check with true → KILLED
      12. removed conditional - replaced comparison check with true \rightarrow KILLED
      13. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      14. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      15. Negated double local variable number 1 → KILLED

 Negated double field lower → KILLED

      17. Negated double local variable number 1 → KILLED
      18. Negated double field upper → KILLED
      19. Substituted 0 with 1 → KILLED
      20. Substituted 1 with 0 → KILLED
      21. Substituted 1 with -1 → SURVIVED
      22. Substituted 0 with -1 → KILLED
      23. Substituted 1 with -1 → SURVIVED
      24. Substituted 1 with 2 → KILLED
      25. Substituted 0 with 1 → KILLED
      26. Substituted 1 with 0 → KILLED
      27. Substituted 0 with -1 → KILLED
      28. Less than to less or equal → KILLED
      29. greater than to less than → KILLED
      Less than to greater than → KILLED
      31. greater than to less or equal → KILLED
```

```
32. Less than to greater or equal → KILLED
      33. greater than to greater or equal → KILLED
      34. Less than to equal → KILLED
      35. greater than to equal → KILLED
      36. Less than to not equal → KILLED
      37. greater than to not equal → KILLED
38. Incremented (a++) double local variable number 1 → KILLED
39. Incremented (a++) double field lower → KILLED
      40. Incremented (a++) double local variable number 1 → SURVIVED
      41. Incremented (a++) double field upper → KILLED
      42. Decremented (a--) double local variable number 1 → KILLED
      43. Decremented (a--) double field lower → KILLED
      44. Decremented (a--) double local variable number 1 \rightarrow SURVIVED
      45. Decremented (a--) double field upper → KILLED
      46. Incremented (++a) double local variable number 1 → KILLED
      47. Incremented (++a) double field lower → KILLED
      48. Incremented (++a) double local variable number 1 → KILLED
      49. Incremented (++a) double field upper → KILLED
      50. Decremented (--a) double local variable number 1 → KILLED
      51. Decremented (--a) double fieldlower → KILLED
52. Decremented (--a) double local variable number 1 → KILLED
53. Decremented (--a) double fieldupper → KILLED

    changed conditional boundary → SURVIVED

      negated conditional → KILLED
      3. removed conditional - replaced comparison check with false \rightarrow KILLED
      4. removed conditional - replaced comparison check with true 
ightarrow KILLED
      5. Negated double local variable number 1 \rightarrow KILLED
      Negated double field lower → KILLED
      7. greater than to less than → KILLED
      8. greater than to less or equal → KILLED
      9. greater than to greater or equal \rightarrow SURVIVED
157
      10. greater than to equal → KILLED
      11. greater than to not equal → KILLED
      12. Incremented (a++) double local variable number 1 → KILLED
      13. Incremented (a++) double field lower → KILLED
      14. Decremented (a--) double local variable number 1 → KILLED
      15. Decremented (a--) double field lower → KILLED
      16. Incremented (++a) double local variable number 1 → KILLED
      17. Incremented (++a) double field lower → KILLED
      18. Decremented (--a) double local variable number 1 → KILLED
      19. Decremented (--a) double fieldlower → KILLED
158

    replaced boolean return with false for org/jfree/data/Range::intersects →

      KILLED
      replaced boolean return with true for org/jfree/data/Range::intersects →
      KILLED
      changed conditional boundary → KILLED

 Substituted 1 with 0 → KILLED

      Substituted 0 with 1 → KILLED
      6. negated conditional → KILLED
      7. removed conditional - replaced comparison check with false \rightarrow KILLED 8. removed conditional - replaced comparison check with true \rightarrow KILLED
      9. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      10. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      11. Negated double local variable number 3 → KILLED
      12. Negated double field lower → KILLED
      13. Substituted 0 with 1 → KILLED
      14. Substituted 1 with 0 → KILLED
      15. Substituted 1 with -1 → SURVIVED
      16. Substituted 0 with -1 → KILLED
      17. Substituted 1 with -1 → SURVIVED
      18. Substituted 1 with 2 → KILLED
      19. Substituted 0 with 1 → KILLED
      20. Substituted 1 with 0 → KILLED
      21. Substituted 0 with -1 → KILLED
      22. Less or equal to less than → KILLED
      23. Less or equal to greater than → KILLED
```

```
24. Less or equal to greater or equal → KILLED
      25. Less or equal to equal → KILLED
      26. Less or equal to not equal → KILLED
      27. Incremented (a++) double local variable number 3 → SURVIVED
      28. Incremented (a++) double field lower → KILLED
29. Decremented (a--) double local variable number 3 → SURVIVED
30. Decremented (a--) double field lower → KILLED
      31. Incremented (++a) double local variable number 3 → KILLED
      32. Incremented (++a) double field lower → KILLED
      33. Decremented (--a) double local variable number 3 → KILLED
      34. Decremented (--a) double fieldlower → KILLED

    replaced boolean return with false for org/jfree/data/Range::intersects →

      KILLED
      replaced boolean return with true for org/jfree/data/Range::intersects →
      KILLED
      changed conditional boundary → KILLED

    changed conditional boundary → SURVIVED

      5. Substituted 1 with 0 → KILLED
      Substituted 0 with 1 → KILLED

 negated conditional → KILLED

      negated conditional → KILLED
      9. removed conditional - replaced comparison check with false 
ightarrow KILLED
      10. removed conditional - replaced comparison check with false 
ightarrow KILLED
      11. removed conditional - replaced comparison check with true 
ightarrow KILLED
      12. removed conditional - replaced comparison check with true 
ightarrow KILLED
      13. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      14. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      15. Negated double local variable number 1 → KILLED
      16. Negated double field upper → KILLED
      17. Negated double local variable number 3 → KILLED
      18. Negated double local variable number 1 → KILLED
      19. Substituted 0 with 1 → KILLED
      20. Substituted 1 with 0 → KILLED
      21. Substituted 1 with -1 → SURVIVED
      22. Substituted 0 with -1 → KILLED
      23. Substituted 1 with -1 → SURVIVED
      24. Substituted 1 with 2 → KILLED
      25. Substituted 0 with 1 → KILLED
161
      26. Substituted 1 with 0 → KILLED
      27. Substituted 0 with -1 → KILLED
      28. greater or equal to less than → KILLED
      29. Less than to less or equal → SURVIVED
      30. greater or equal to less or equal → KILLED
      31. Less than to greater than → KILLED
      32. greater or equal to greater than \rightarrow KILLED
      33. Less than to greater or equal → KILLED
      34. greater or equal to equal → KILLED
      35. Less than to equal → KILLED
      36. greater or equal to not equal → KILLED
      37. Less than to not equal → KILLED
      38. Incremented (a++) double local variable number 1 → KILLED
      39. Incremented (a++) double field upper → KILLED
      40. Incremented (a++) double local variable number 3 → SURVIVED
      41. Incremented (a++) double local variable number 1 \rightarrow SURVIVED
      42. Decremented (a--) double local variable number 1 → KILLED
      43. Decremented (a--) double field upper → KILLED
      44. Decremented (a--) double local variable number 3 → SURVIVED 45. Decremented (a--) double local variable number 1 → SURVIVED 46. Incremented (++a) double local variable number 1 → KILLED
      47. Incremented (++a) double field upper → KILLED
      48. Incremented (++a) double local variable number 3 → KILLED
      49. Incremented (++a) double local variable number 1 → KILLED
      50. Decremented (--a) double local variable number 1 → KILLED
      51. Decremented (--a) double fieldupper → KILLED
      52. Decremented (--a) double local variable number 3 → KILLED
      53. Decremented (--a) double local variable number 1 → KILLED
```

```
176

    replaced boolean return with false for org/jfree/data/Range::intersects →

       KILLED
       replaced boolean return with true for org/jfree/data/Range::intersects →
       SURVIVED
       3. removed call to org/jfree/data/Range::getLowerBound → SURVIVED

    4. removed call to org/jfree/data/Range::getUpperBound → KILLED
    5. removed call to org/jfree/data/Range::intersects → KILLED
    6. replaced return of integer sized value with (x == 0 ? 1 : 0) → KILLED

    Negated double local variable number 1 → KILLED

       2. Incremented (a++) double local variable number 1 \rightarrow KILLED
       3. Decremented (a--) double local variable number 1 \rightarrow KILLED
188

    Incremented (++a) double local variable number 1 → KILLED
    Decremented (--a) double local variable number 1 → KILLED

    negated conditional → KILLED

       2. removed call to org/jfree/data/Range::contains → SURVIVED
       3. removed conditional - replaced equality check with false → KILLED
       4. removed conditional - replaced equality check with true \rightarrow SURVIVED
       5. Negated double local variable number 1 → KILLED
       6. not equal to less than → SURVIVED
       7. not equal to less or equal → KILLED
189
       8. not equal to greater than → SURVIVED
       9. not equal to greater or equal → KILLED
       10. not equal to equal → KILLED
       11. Incremented (a++) double local variable number 1 → KILLED
       12. Decremented (a--) double local variable number 1 \rightarrow KILLED
       13. Incremented (++a) double local variable number 1 → KILLED
       14. Decremented (--a) double local variable number 1 → KILLED

    changed conditional boundary → SURVIVED

       negated conditional → KILLED
       3. removed conditional - replaced comparison check with false 
ightarrow KILLED
       4. removed conditional - replaced comparison check with true 
ightarrow KILLED
       5. Negated double local variable number 1 → KILLED
       6. Negated double field upper → KILLED
       Less or equal to less than → SURVIVED
       8. Less or equal to greater than → KILLED
       9. Less or equal to greater or equal → KILLED
190
       10. Less or equal to equal → KILLED

 Less or equal to not equal → KILLED

       12. Incremented (a++) double local variable number 1 \rightarrow KILLED
       13. Incremented (a++) double field upper → KILLED
       14. Decremented (a--) double local variable number 1 → SURVIVED 15. Decremented (a--) double field upper → KILLED
       16. Incremented (++a) double local variable number 1 \rightarrow KILLED 17. Incremented (++a) double field upper \rightarrow KILLED
       18. Decremented (--a) double local variable number 1 → KILLED
       19. Decremented (--a) double fieldupper → KILLED

    Negated double field upper → KILLED

       2. Incremented (a++) double field upper \rightarrow KILLED

    Decremented (a--) double field upper → KILLED
    Incremented (++a) double field upper → KILLED
    Decremented (--a) double fieldupper → KILLED

191
193
       1. changed conditional boundary → SURVIVED
       negated conditional → KILLED
       3. removed conditional - replaced comparison check with false → KILLED
       4. removed conditional - replaced comparison check with true → KILLED
       5. Negated double local variable number 1 → KILLED6. Negated double field lower → KILLED
       greater or equal to less than → KILLED
       8. greater or equal to less or equal → KILLED
       9. greater or equal to greater than → SURVIVED
       10. greater or equal to equal → KILLED
       11. greater or equal to not equal → KILLED
       12. Incremented (a++) double local variable number 1 \rightarrow SURVIVED
       13. Incremented (a++) double field lower → KILLED
       14. Decremented (a--) double local variable number 1 \rightarrow SURVIVED
```

```
    Decremented (a--) double field lower → KILLED

       16. Incremented (++a) double local variable number 1 → KILLED
      17. Incremented (++a) double field lower → KILLED
18. Decremented (--a) double local variable number 1 → SURVIVED
       19. Decremented (--a) double fieldlower → KILLED

    Negated double field lower → KILLED

    Incremented (a++) double field lower → KILLED

194
      3. Decremented (a--) double field lower → KILLED

    Incremented (++a) double field lower → KILLED
    Decremented (--a) double fieldlower → KILLED

       1. replaced double return with 0.0d for org/jfree/data/Range::constrain →
      KILLED
       2. replaced return of double value with -(x + 1) for
       org/jfree/data/Range::constrain → KILLED
197

 Negated double local variable number 3 → KILLED

      4. Incremented (a++) double local variable number 3 \rightarrow SURVIVED
       5. Decremented (a--) double local variable number 3 → SURVIVED
      6. Incremented (++a) double local variable number 3 → KILLED7. Decremented (--a) double local variable number 3 → KILLED

    negated conditional → KILLED

       removed conditional - replaced equality check with false → KILLED
217
       3. removed conditional - replaced equality check with true → KILLED

 not equal to equal → KILLED

    replaced return value with null for org/jfree/data/Range::combine → KILLED

218
       mutated return of Object value for org/jfree/data/Range::combine to ( if
       (x != null) null else throw new RuntimeException ) → KILLED

    negated conditional → KILLED

      2. removed conditional - replaced equality check with false \rightarrow KILLED 3. removed conditional - replaced equality check with true \rightarrow KILLED
220
      4. not equal to equal → KILLED

    replaced return value with null for org/jfree/data/Range::combine → KILLED

221
       mutated return of Object value for org/jfree/data/Range::combine to ( if
       (x != null) null else throw new RuntimeException ) <math>\rightarrow KILLED

    replaced call to java/lang/Math::min with argument → KILLED

       removed call to org/jfree/data/Range::getLowerBound → KILLED
223
       3. removed call to org/jfree/data/Range::getLowerBound → KILLED
      4. removed call to java/lang/Math::min → KILLED

    replaced call to java/lang/Math::max with argument → KILLED

    removed call to org/jfree/data/Range::getUpperBound → KILLED
    removed call to org/jfree/data/Range::getUpperBound → KILLED

224
       4. removed call to java/lang/Math::max → KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

       2. replaced return value with null for org/jfree/data/Range::combine → KILLED
       mutated return of Object value for org/jfree/data/Range::combine to ( if
       (x != null) null else throw new RuntimeException ) → KILLED
       4. Negated double local variable number 2 → KILLED

    Negated double local variable number 4 → KILLED

      Incremented (a++) double local variable number 2 → SURVIVED
225

    Incremented (a++) double local variable number 4 → SURVIVED

       8. Decremented (a--) double local variable number 2 → SURVIVED
       9. Decremented (a--) double local variable number 4 → SURVIVED
      10. Incremented (++a) double local variable number 2 \rightarrow KILLED 11. Incremented (++a) double local variable number 4 \rightarrow KILLED
      12. Decremented (--a) double local variable number 2 \rightarrow KILLED 13. Decremented (--a) double local variable number 4 \rightarrow KILLED

    negated conditional → KILLED

       removed conditional - replaced equality check with false → KILLED
241

    removed conditional - replaced equality check with true → KILLED

      4. not equal to equal → KILLED
242

    negated conditional → KILLED

       2. negated conditional → KILLED
       3. removed call to org/jfree/data/Range::isNaNRange → KILLED
       4. removed conditional - replaced equality check with false → KILLED
       5. removed conditional - replaced equality check with false → KILLED
```

```
6. removed conditional - replaced equality check with true → KILLED
      7. removed conditional - replaced equality check with true → KILLED
      8. equal to less than → KILLED
      equal to less or equal → SURVIVED
      10. equal to greater than → KILLED

 equal to greater or equal → KILLED

      12. equal to not equal → KILLED
      13. equal to not equal → KILLED

    mutated return of Object value for org/jfree/data/Range::combineIgnoringNaN

243
      to ( if (x != null) null else throw new \bar{R}untimeException ) \rightarrow KILLED

    replaced return value with null for org/jfree/data/Range::combineIgnoringNaN

      → KILLED
245
      mutated return of Object value for org/jfree/data/Range::combineIgnoringNaN
      to ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED

    negated conditional → KILLED

    removed conditional - replaced equality check with false → KILLED

<u>247</u>
      3. removed conditional - replaced equality check with true → KILLED
      4. not equal to equal → KILLED

    negated conditional → KILLED

      removed call to org/jfree/data/Range::isNaNRange → SURVIVED
      3. removed conditional - replaced equality check with false \rightarrow SURVIVED 4. removed conditional - replaced equality check with true \rightarrow KILLED
248
      5. equal to less than → KILLED
      6. equal to less or equal → SURVIVED
      7. equal to greater than \rightarrow KILLED
      8. equal to greater or equal → SURVIVED
      9. equal to not equal → KILLED

    mutated return of Object value for org/jfree/data/Range::combineIgnoringNaN

249
      to ( if (x != null) null else throw new \bar{RuntimeException}) \rightarrow NO\_COVERAGE

    replaced return value with null for org/jfree/data/Range::combineIgnoringNaN

      → KILLED
251
      mutated return of Object value for org/jfree/data/Range::combineIgnoringNaN
      to ( if (x != null) null else throw new \bar{R}untimeException ) \rightarrow KILLED

    replaced call to org/jfree/data/Range::min with argument → KILLED

      removed call to org/jfree/data/Range::getLowerBound → KILLED
253
      3. removed call to org/jfree/data/Range::getLowerBound → KILLED
      4. removed call to org/jfree/data/Range::min → KILLED

    replaced call to org/jfree/data/Range::max with argument → KILLED

      2. removed call to org/jfree/data/Range::getUpperBound → KILLED
3. removed call to org/jfree/data/Range::getUpperBound → KILLED
254
      4. removed call to org/jfree/data/Range::max → KILLED

    negated conditional → KILLED

      2. negated conditional → KILLED
      removed call to java/lang/Double::isNaN → KILLED

 removed call to java/lang/Double::isNaN → KILLED

      5. removed conditional - replaced equality check with false → KILLED
      6. removed conditional - replaced equality check with false → KILLED
      7. removed conditional - replaced equality check with true → SURVIVED
      8. removed conditional - replaced equality check with true → SURVIVED
      9. Negated double local variable number 2 → SURVIVED
      10. Negated double local variable number 4 → SURVIVED
      11. equal to less than → SURVIVED
      equal to less than → SURVIVED

 equal to less or equal → SURVIVED

      14. equal to less or equal → SURVIVED
      15. equal to greater than → KILLED
      16. equal to greater than → KILLED
      17. equal to greater or equal → KILLED
      18. equal to greater or equal → KILLED
      19. equal to not equal → KILLED
      20. equal to not equal → KILLED
      21. Incremented (a++) double local variable number 2 → KILLED
      22. Incremented (a++) double local variable number 4 → SURVIVED
      23. Decremented (a--) double local variable number 2 → KILLED
```

```
24. Decremented (a--) double local variable number 4 → SURVIVED
       25. Incremented (++a) double local variable number 2 \rightarrow KILLED
       26. Incremented (++a) double local variable number 4 → SURVIVED 27. Decremented (--a) double local variable number 2 → KILLED
       28. Decremented (--a) double local variable number 4 \rightarrow SURVIVED

    mutated return of Object value for org/jfree/data/Range::combineIgnoringNaN

256
       to ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

       replaced return value with null for org/jfree/data/Range::combineIgnoringNaN
       → KILLED
       mutated return of Object value for org/jfree/data/Range::combineIgnoringNaN
       to ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED

    Negated double local variable number 2 → KILLED

       5. Negated double local variable number 4 → KILLED
       6. Incremented (a++) double local variable number 2 \rightarrow SURVIVED
258
       7. Incremented (a++) double local variable number 4 → SURVIVED
       8. Decremented (a--) double local variable number 2 → SURVIVED
       9. Decremented (a--) double local variable number 4 → SURVIVED
       10. Incremented (++a) double local variable number 2 → KILLED 11. Incremented (++a) double local variable number 4 → KILLED 12. Decremented (--a) double local variable number 2 → KILLED
       13. Decremented (--a) double local variable number 4 → KILLED

    negated conditional → KILLED

       2. removed call to java/lang/Double::isNaN → KILLED

    removed conditional - replaced equality check with false → KILLED

       4. removed conditional - replaced equality check with true 
ightarrow KILLED

    Negated double local variable number 0 → SURVIVED

       equal to less than → KILLED
       7. equal to less or equal → SURVIVED
271
       8. equal to greater than → KILLED
       9. equal to greater or equal → KILLED
       10. equal to not equal → KILLED

    Incremented (a++) double local variable number 0 → KILLED

       12. Decremented (a--) double local variable number 0 → KILLED
       13. Incremented (++a) double local variable number 0 → KILLED
       14. Decremented (--a) double local variable number 0 → KILLED

    replaced double return with 0.0d for org/jfree/data/Range::min → KILLED

    replaced return of double value with -(x + 1) for org/jfree/data/Range::min

       → KILLED
       3. Negated double local variable number 2 → KILLED
272
       4. Incremented (a++) double local variable number 2 → SURVIVED
       5. Decremented (a--) double local variable number 2 → SURVIVED
       Incremented (++a) double local variable number 2 → KILLED
       7. Decremented (--a) double local variable number 2 → KILLED

    negated conditional → KILLED

       removed call to java/lang/Double::isNaN → KILLED

    removed conditional - replaced equality check with false → KILLED

    removed conditional - replaced equality check with true → KILLED

    Negated double local variable number 2 → SURVIVED

       equal to less than → KILLED
       7. equal to less or equal → SURVIVED
274
       8. equal to greater than → KILLED
       9. equal to greater or equal → KILLED
       10. equal to not equal → KILLED
       11. Incremented (a++) double local variable number 2 → KILLED 12. Decremented (a--) double local variable number 2 → KILLED 13. Incremented (++a) double local variable number 2 → KILLED 14. Decremented (--a) double local variable number 2 → KILLED
275

    replaced double return with 0.0d for org/jfree/data/Range::min → KILLED

       2. replaced return of double value with -(x + 1) for org/jfree/data/Range::min
       → KILLED
       3. Negated double local variable number 0 → KILLED

4. Incremented (a++) double local variable number 0 → SURVIVED
5. Decremented (a--) double local variable number 0 → SURVIVED
6. Incremented (++a) double local variable number 0 → KILLED
```

```
7. Decremented (--a) double local variable number 0 → KILLED

    replaced call to java/lang/Math::min with argument → KILLED

      2. removed call to java/lang/Math::min → KILLED
      3. replaced double return with 0.0d for org/jfree/data/Range::min → KILLED
      4. replaced return of double value with -(x + 1) for org/jfree/data/Range::min

    Negated double local variable number 0 → KILLED

      6. Negated double local variable number 2 → KILLED
      7. Incremented (a++) double local variable number 0 \rightarrow SURVIVED
<u>277</u>
      8. Incremented (a++) double local variable number 2 → SURVIVED
      9. Decremented (a--) double local variable number 0 → SURVIVED
      10. Decremented (a--) double local variable number 2 → SURVIVED 11. Incremented (++a) double local variable number 0 → KILLED 12. Incremented (++a) double local variable number 2 → KILLED 13. Decremented (--a) double local variable number 0 → KILLED
      14. Decremented (--a) double local variable number 2 → KILLED

    negated conditional → KILLED

      removed call to java/lang/Double::isNaN → KILLED
      3. removed conditional - replaced equality check with false 
ightarrow KILLED
      4. removed conditional - replaced equality check with true → <code>KILLED</code>

 Negated double local variable number 0 → SURVIVED

      equal to less than → KILLED
      7. equal to less or equal → SURVIVED
281
      8. equal to greater than → KILLED
      9. equal to greater or equal → KILLED
      10. equal to not equal → KILLED
      11. Incremented (a++) double local variable number 0 → KILLED
      12. Decremented (a--) double local variable number 0 → KILLED
      13. Incremented (++a) double local variable number 0 → KILLED
      14. Decremented (--a) double local variable number 0 → KILLED

    replaced double return with 0.0d for org/jfree/data/Range::max → KILLED

      2. replaced return of double value with -(\bar{x} + 1) for org/jfree/data/Range::max
      3. Negated double local variable number 2 → KILLED
282
      4. Incremented (a++) double local variable number 2 → SURVIVED
      5. Decremented (a--) double local variable number 2 → SURVIVED
      6. Incremented (++a) double local variable number 2 → KILLED
      7. Decremented (--a) double local variable number 2 → KILLED

    negated conditional → KILLED

      removed call to java/lang/Double::isNaN → KILLED

    removed conditional - replaced equality check with false → KILLED

    removed conditional - replaced equality check with true → KILLED

    Negated double local variable number 2 → SURVIVED

      equal to less than → KILLED
      7. equal to less or equal → SURVIVED
284
      8. equal to greater than → KILLED
      9. equal to greater or equal → KILLED
      10. equal to not equal → KILLED
      11. Incremented (a++) double local variable number 2 → KILLED 12. Decremented (a--) double local variable number 2 → KILLED 13. Incremented (++a) double local variable number 2 → KILLED
      14. Decremented (--a) double local variable number 2 → KILLED

    replaced double return with 0.0d for org/jfree/data/Range::max → KILLED

      2. replaced return of double value with -(\bar{x} + 1) for org/jfree/data/Range::max
      → KILLED

    Negated double local variable number 0 → KILLED

285
      4. Incremented (a++) double local variable number 0 → SURVIVED5. Decremented (a--) double local variable number 0 → SURVIVED
      6. Incremented (++a) double local variable number 0 → KILLED
      7. Decremented (--a) double local variable number 0 → KILLED
      1. replaced call to java/lang/Math::max with argument → KILLED
287
      2. removed call to java/lang/Math::max → KILLED
      3. replaced double return with 0.0d for org/jfree/data/Range::max → KILLED
      4. replaced return of double value with -(x + 1) for org/jfree/data/Range::max
      → KILLED
```

```
 Negated double local variable number 0 → KILLED

      6. Negated double local variable number 2 → KILLED
      7. Incremented (a++) double local variable number 0 \rightarrow SURVIVED
      8. Incremented (a++) double local variable number 2 → SURVIVED
      9. Decremented (a--) double local variable number 0 → SURVIVED
      10. Decremented (a--) double local variable number 2 → SURVIVED 11. Incremented (++a) double local variable number 0 → KILLED 12. Incremented (++a) double local variable number 2 → KILLED 13. Decremented (--a) double local variable number 0 → KILLED
      14. Decremented (--a) double local variable number 2 → KILLED

    negated conditional → KILLED

      2. removed conditional - replaced equality check with false 
ightarrow KILLED
      3. removed conditional - replaced equality check with true → KILLED
      not equal to equal → KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

      replaced return value with null for org/jfree/data/Range::expandToInclude →
      KILLED
      mutated return of Object value for org/jfree/data/Range::expandToInclude to
       ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED

 Negated double local variable number 1 → KILLED

 Negated double local variable number 1 → KILLED

      6. Incremented (a++) double local variable number 1 \rightarrow KILLED 7. Incremented (a++) double local variable number 1 \rightarrow SURVIVED
303
      8. Decremented (a--) double local variable number 1 → KILLED
      9. Decremented (a--) double local variable number 1 → SURVIVED
      10. Incremented (++a) double local variable number 1 → KILLED
      11. Incremented (++a) double local variable number 1 → KILLED
      12. Decremented (--a) double local variable number 1 → KILLED
      13. Decremented (--a) double local variable number 1 → KILLED
      1. changed conditional boundary → SURVIVED
      negated conditional → KILLED
      3. removed call to org/jfree/data/Range::getLowerBound → KILLED
      4. removed conditional - replaced comparison check with false → KILLED
      5. removed conditional - replaced comparison check with true → KILLED

 Negated double local variable number 1 → KILLED

      7. greater or equal to less than → KILLED
305
      8. greater or equal to less or equal → KILLED
      9. greater or equal to greater than → SURVIVED
      10. greater or equal to equal → KILLED
      11. greater or equal to not equal → KILLED
      12. Incremented (a++) double local variable number 1 \rightarrow KILLED 13. Decremented (a--) double local variable number 1 \rightarrow KILLED
      14. Incremented (++a) double local variable number 1 \rightarrow KILLED 15. Decremented (--a) double local variable number 1 \rightarrow KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

      removed call to org/jfree/data/Range::getUpperBound → KILLED
      3. replaced return value with null for org/jfree/data/Range::expandToInclude →
      KILLED
      4. mutated return of Object value for org/jfree/data/Range::expandToInclude to
306
       ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED
      5. Negated double local variable number 1 → KILLED
      6. Incremented (a++) double local variable number 1 → SURVIVED
      7. Decremented (a--) double local variable number 1 → SURVIVED
      8. Incremented (++a) double local variable number 1 → KILLED
      9. Decremented (--a) double local variable number 1 → KILLED
308

    changed conditional boundary → SURVIVED

      negated conditional → KILLED
      3. removed call to org/jfree/data/Range::getUpperBound → KILLED
      4. removed conditional - replaced comparison check with false → KILLED
      5. removed conditional - replaced comparison check with true → KILLED
      6. Negated double local variable number 1 → KILLED
      7. Less or equal to less than → SURVIVED
      Less or equal to greater than → KILLED
      Less or equal to greater or equal → KILLED
      10. Less or equal to equal → KILLED
```

```
11. Less or equal to not equal → KILLED
       12. Incremented (a++) double local variable number 1 → KILLED
      13. Decremented (a--) double local variable number 1 \rightarrow KILLED 14. Incremented (++a) double local variable number 1 \rightarrow KILLED
       15. Decremented (--a) double local variable number 1 → KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

       removed call to org/jfree/data/Range::getLowerBound → KILLED
       3. replaced return value with null for org/jfree/data/Range::expandToInclude →
      KILLED
      4. mutated return of Object value for org/jfree/data/Range::expandToInclude to
       ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED
309
       5. Negated double local variable number 1 → KILLED

    6. Incremented (a++) double local variable number 1 → SURVIVED
    7. Decremented (a--) double local variable number 1 → SURVIVED
    8. Incremented (++a) double local variable number 1 → KILLED

       9. Decremented (--a) double local variable number 1 → KILLED

    replaced return value with null for org/jfree/data/Range::expandToInclude →

      KILLED
312
       mutated return of Object value for org/jfree/data/Range::expandToInclude to
       ( if (x != null) null else throw new RuntimeException ) \rightarrow KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

329
      SURVIVED
330

    removed call to org/jfree/data/Range::getLength → KILLED

    Replaced double multiplication with division → KILLED

    Replaced double subtraction with addition → KILLED

       3. removed call to org/jfree/data/Range::getLowerBound → KILLED
      4. Negated double local variable number 5 → KILLED5. Negated double local variable number 1 → KILLED

    Replaced double operation with first member → KILLED

      7. Replaced double operation with first member → KILLED
       8. Replaced double operation by second member → KILLED

    Replaced double operation by second member → KILLED

    Replaced double multiplication with division → KILLED

    Replaced double subtraction with addition → KILLED

    Replaced double multiplication with modulus → KILLED

331
      13. Replaced double subtraction with multiplication → KILLED
       14. Replaced double multiplication with addition → KILLED
       15. Replaced double subtraction with division → KILLED
       16. Replaced double multiplication with subtraction → KILLED
       17. Replaced double subtraction with modulus → KILLED
      18. Incremented (a++) double local variable number 5 → KILLED 19. Incremented (a++) double local variable number 1 → SURVIVED 20. Decremented (a--) double local variable number 5 → KILLED 21. Decremented (a--) double local variable number 1 → SURVIVED
       22. Incremented (++a) double local variable number 5 → KILLED
       23. Incremented (++a) double local variable number 1 → KILLED
       24. Decremented (--a) double local variable number 5 → KILLED
       25. Decremented (--a) double local variable number 1 → KILLED
332

    Replaced double multiplication with division → KILLED

    Replaced double addition with subtraction → KILLED

      3. removed call to org/jfree/data/Range::getUpperBound → KILLED4. Negated double local variable number 5 → KILLED
       5. Negated double local variable number 3 → KILLED
       6. Replaced double operation with first member → KILLED
       7. Replaced double operation with first member → KILLED
       Replaced double operation by second member → KILLED
       Replaced double operation by second member → KILLED
       10. Replaced double multiplication with division → KILLED

    Replaced double addition with subtraction → KILLED

       12. Replaced double multiplication with modulus → KILLED

    Replaced double addition with multiplication → KILLED

       14. Replaced double multiplication with addition → KILLED
       15. Replaced double addition with division → KILLED
       16. Replaced double multiplication with subtraction → KILLED
       17. Replaced double addition with modulus → KILLED
```

```
18. Incremented (a++) double local variable number 5 \rightarrow SURVIVED
      19. Incremented (a++) double local variable number 3 → SURVIVED
      20. Decremented (a--) double local variable number 5 → SURVIVED

    Decremented (a--) double local variable number 3 → SURVIVED

      22. Incremented (++a) double local variable number 5 → KILLED
      23. Incremented (++a) double local variable number 3 → KILLED 24. Decremented (--a) double local variable number 5 → KILLED 25. Decremented (--a) double local variable number 3 → KILLED

    changed conditional boundary → SURVIVED

      negated conditional → KILLED
      3. removed conditional - replaced comparison check with false \rightarrow KILLED
      4. removed conditional - replaced comparison check with true → KILLED
      5. Negated double local variable number 7 → KILLED
      6. Negated double local variable number 9 → KILLED
      7. Less or equal to less than → SURVIVED
      Less or equal to greater than → KILLED
      9. Less or equal to greater or equal → KILLED
333
      10. Less or equal to equal → KILLED
      11. Less or equal to not equal → KILLED
      12. Incremented (a++) double local variable number 7 \rightarrow KILLED
      13. Incremented (a++) double local variable number 9 → KILLED
      14. Decremented (a--) double local variable number 7 → KILLED
      15. Decremented (a--) double local variable number 9 → KILLED
      16. Incremented (++a) double local variable number 7 → KILLED
      17. Incremented (++a) double local variable number 9 → KILLED
      18. Decremented (--a) double local variable number 7 → KILLED
      19. Decremented (--a) double local variable number 9 → KILLED
334
      1. Substituted 2.0 with 1.0 → KILLED
      2. Substituted 2.0 with 1.0 → KILLED
      3. Replaced double division with multiplication \rightarrow KILLED

    Replaced double division with multiplication → KILLED

      Replaced double addition with subtraction → KILLED

 Negated double local variable number 7 → KILLED

    Negated double local variable number 9 → KILLED

      Replaced double operation with first member → KILLED
      9. Replaced double operation with first member → KILLED

    Replaced double operation with first member → KILLED

      11. Replaced double operation by second member → KILLED
      12. Replaced double operation by second member → KILLED
      13. Replaced double operation by second member → KILLED
      14. Replaced double division with multiplication → KILLED
      15. Replaced double division with multiplication → KILLED
      16. Replaced double addition with subtraction → KILLED

    Replaced double division with modulus → KILLED

    Replaced double division with modulus → KILLED

      19. Replaced double addition with multiplication → KILLED
      20. Replaced double division with addition → KILLED
      Replaced double division with addition → KILLED
      22. Replaced double addition with division → KILLED

 Replaced double division with subtraction → KILLED

      24. Replaced double division with subtraction → KILLED
      25. Replaced double addition with modulus → KILLED
      26. Substituted 2.0 with 1.0 → KILLED
      27. Substituted 2.0 with 1.0 → KILLED
      28. Substituted 2.0 with 0.0 → KILLED
      29. Substituted 2.0 with 0.0 → KILLED
      30. Substituted 2.0 with -1.0 → KILLED
      31. Substituted 2.0 with -1.0 → KILLED
      32. Substituted 2.0 with -2.0 → KILLED
      33. Substituted 2.0 with -2.0 → KILLED
      34. Substituted 2.0 with 3.0 → KILLED
      35. Substituted 2.0 with 3.0 → KILLED
      36. Substituted 2.0 with 1.0 → KILLED
      37. Substituted 2.0 with 1.0 → KILLED
      38. Incremented (a++) double local variable number 7 \rightarrow SURVIVED 39. Incremented (a++) double local variable number 9 \rightarrow SURVIVED
```

```
40. Decremented (a--) double local variable number 7 	o SURVIVED
      41. Decremented (a--) double local variable number 9 → SURVIVED
      42. Incremented (++a) double local variable number 7 \rightarrow KILLED
      43. Incremented (++a) double local variable number 9 → KILLED
      44. Decremented (--a) double local variable number 7 → KILLED 45. Decremented (--a) double local variable number 9 → KILLED

    Negated double local variable number 7 → KILLED

       2. Incremented (a++) double local variable number 7 → KILLED
      3. Decremented (a--) double local variable number 7 \rightarrow KILLED
<u>335</u>
      4. Incremented (++a) double local variable number 7 → KILLED
       5. Decremented (--a) double local variable number 7 → KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

       2. replaced return value with null for org/jfree/data/Range::expand → KILLED
       mutated return of Object value for org/jfree/data/Range::expand to ( if (x !
      = null) null else throw new RuntimeException ) → KILLED

    Negated double local variable number 7 → KILLED

    Negated double local variable number 9 → KILLED

    Incremented (a++) double local variable number 7 → SURVIVED
    Incremented (a++) double local variable number 9 → SURVIVED
    Decremented (a--) double local variable number 7 → SURVIVED
    Decremented (a--) double local variable number 9 → SURVIVED

      10. Incremented (++a) double local variable number 7 \rightarrow KILLED 11. Incremented (++a) double local variable number 9 \rightarrow KILLED
       12. Decremented (--a) double local variable number 7 → KILLED
      13. Decremented (--a) double local variable number 9 → KILLED
      1. replaced call to org/jfree/data/Range::shift with argument \rightarrow KILLED 2. Substituted 0 with 1 \rightarrow SURVIVED
       removed call to org/jfree/data/Range::shift → KILLED

    replaced return value with null for org/jfree/data/Range::shift → KILLED
    mutated return of Object value for org/jfree/data/Range::shift to ( if (x !=

      null) null else throw new RuntimeException ) → KILLED
      6. Negated double local variable number 1 → KILLED
349
      7. Substituted 0 with 1 → SURVIVED
       Substituted 0 with -1 → SURVIVED
       Substituted 0 with 1 → SURVIVED
       10. Substituted 0 with -1 → SURVIVED
       11. Incremented (a++) double local variable number 1 \rightarrow SURVIVED
       12. Decremented (a--) double local variable number 1 \rightarrow SURVIVED
       13. Incremented (++a) double local variable number 1 → KILLED
       14. Decremented (--a) double local variable number 1 → KILLED

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

365
      SURVIVED

    negated conditional → KILLED

       2. removed conditional - replaced equality check with false \rightarrow KILLED
       3. removed conditional - replaced equality check with true \rightarrow KILLED
       4. Negated integer local variable number 3 → SURVIVED
       equal to less than → KILLED
      6. equal to less or equal → SURVIVED
366
      7. equal to greater than → KILLED
       equal to greater or equal → KILLED
      9. equal to not equal → KILLED
       10. Incremented (a++) integer local variable number 3 → SURVIVED
       11. Decremented (a--) integer local variable number 3 → SURVIVED
       12. Incremented (++a) integer local variable number 3 → KILLED
      13. Decremented (--a) integer local variable number 3 → KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

       Replaced double addition with subtraction → KILLED
       3. removed call to org/jfree/data/Range::getLowerBound → KILLED
       4. replaced return value with null for org/jfree/data/Range::shift → KILLED
       5. mutated return of Object value for org/jfree/data/Range::shift to ( if (x !=
       null) null else throw new RuntimeException ) → KILLED

 Negated double local variable number 1 → KILLED

    Replaced double operation with first member → KILLED

       Replaced double operation by second member → KILLED
      Replaced double addition with subtraction → KILLED
```

```
10. Replaced double addition with multiplication → KILLED

    Replaced double addition with division → KILLED

    Replaced double addition with modulus → KILLED

      13. Incremented (a++) double local variable number 1 → KILLED
      14. Decremented (a--) double local variable number 1 → KILLED 15. Incremented (++a) double local variable number 1 → KILLED 16. Decremented (--a) double local variable number 1 → KILLED

    Replaced double addition with subtraction → KILLED

      removed call to org/jfree/data/Range::getUpperBound → KILLED

 Negated double local variable number 1 → KILLED

      4. Replaced double operation with first member → KILLED

    Replaced double operation by second member → KILLED

      Replaced double addition with subtraction → KILLED
368
      7. Replaced double addition with multiplication → KILLED
      8. Replaced double addition with division → KILLED
      Replaced double addition with modulus → KILLED
      10. Incremented (a++) double local variable number 1 → SURVIVED
      11. Decremented (a--) double local variable number 1 \rightarrow SURVIVED
      12. Incremented (++a) double local variable number 1 → KILLED
      13. Decremented (--a) double local variable number 1 \rightarrow KILLED

    replaced call to org/jfree/data/Range::shiftWithNoZeroCrossing with argument

      → KILLED
      removed call to org/jfree/data/Range::<init> → KILLED
      3. removed call to org/jfree/data/Range::getLowerBound → KILLED
371
      4. removed call to org/jfree/data/Range::shiftWithNoZeroCrossing → KILLED
      5. replaced return value with null for org/jfree/data/Range::shift → KILLED
      6. mutated return of Object value for org/jfree/data/Range::shift to ( if (x !=
      null) null else throw new RuntimeException ) → KILLED

    replaced call to org/jfree/data/Range::shiftWithNoZeroCrossing with argument

      → KILLED
      removed call to org/jfree/data/Range::getUpperBound → KILLED

    removed call to org/jfree/data/Range::shiftWithNoZeroCrossing → KILLED

      4. Negated double local variable number 1 → KILLED
372
      5. Incremented (a++) double local variable number 1 → KILLED
      6. Decremented (a--) double local variable number 1 → KILLED
      7. Incremented (++a) double local variable number 1 → KILLED
      8. Decremented (--a) double local variable number 1 → KILLED

    Negated double local variable number 1 → KILLED

      2. Incremented (a++) double local variable number 1 → SURVIVED
      3. Decremented (a--) double local variable number 1 → SURVIVED
373
      4. Incremented (++a) double local variable number 1 → KILLED

    Decremented (--a) double local variable number 1 → KILLED

    changed conditional boundary → SURVIVED

    Substituted 0.0 with 1.0 → SURVIVED

      negated conditional → KILLED
      4. removed conditional - replaced comparison check with false → KILLED
      5. removed conditional - replaced comparison check with true → KILLED
      6. Negated double local variable number 0 → KILLED
      7. Substituted 0.0 with 1.0 → SURVIVED
      Substituted 0.0 with -1.0 → SURVIVED
      9. Substituted 0.0 with 1.0 → SURVIVED
387
      10. Substituted 0.0 with -1.0 → SURVIVED
      11. Less or equal to less than → SURVIVED
      12. Less or equal to greater than → KILLED
      13. Less or equal to greater or equal \rightarrow KILLED
      14. Less or equal to equal → KILLED
      15. Less or equal to not equal → KILLED
      16. Incremented (a++) double local variable number 0 \rightarrow KILLED 17. Decremented (a--) double local variable number 0 \rightarrow KILLED
      18. Incremented (++a) double local variable number 0 → KILLED
      19. Decremented (--a) double local variable number 0 → KILLED
388

    replaced call to java/lang/Math::max with argument → KILLED

 Substituted 0.0 with 1.0 → KILLED

      Replaced double addition with subtraction → KILLED
      4. removed call to java/lang/Math::max → KILLED
```

```
5. replaced double return with 0.0d for
      org/jfree/data/Range::shiftWithNoZeroCrossing → KILLED
      6. replaced return of double value with -(x + 1) for
       org/jfree/data/Range::shiftWithNoZeroCrossing → KILLED

    Negated double local variable number 0 → KILLED

 Negated double local variable number 2 → KILLED

       Replaced double operation with first member → KILLED

    Replaced double operation by second member → KILLED

       11. Replaced double addition with subtraction \rightarrow KILLED
       12. Replaced double addition with multiplication → KILLED
       13. Replaced double addition with division → KILLED
       14. Replaced double addition with modulus → KILLED
       15. Substituted 0.0 with 1.0 → KILLED
       16. Substituted 0.0 with -1.0 → KILLED
       17. Substituted 0.0 with 1.0 → KILLED
       18. Substituted 0.0 with -1.0 → KILLED
       19. Incremented (a++) double local variable number 0 	o SURVIVED
       20. Incremented (a++) double local variable number 2 \rightarrow SURVIVED
       21. Decremented (a--) double local variable number 0 → SURVIVED
      22. Decremented (a--) double local variable number 2 → SURVIVED 23. Incremented (++a) double local variable number 0 → KILLED 24. Incremented (++a) double local variable number 2 → KILLED
       25. Decremented (--a) double local variable number 0 → KILLED
       26. Decremented (--a) double local variable number 2 → KILLED

    changed conditional boundary → SURVIVED

       2. Substituted 0.0 with 1.0 → SURVIVED
       negated conditional → KILLED
       4. removed conditional - replaced comparison check with false → KILLED
       5. removed conditional - replaced comparison check with true → SURVIVED
      6. Negated double local variable number 0 → KILLED
      7. Substituted 0.0 with 1.0 → SURVIVED
      8. Substituted 0.0 with -1.0 → SURVIVED
      9. Substituted 0.0 with 1.0 → SURVIVED
      10. Substituted 0.0 with -1.0 → SURVIVED
390

 greater or equal to less than → KILLED

       12. greater or equal to less or equal → KILLED

 greater or equal to greater than → SURVIVED

       14. greater or equal to equal → SURVIVED
       15. greater or equal to not equal → KILLED
       16. Incremented (a++) double local variable number 0 → KILLED
      17. Decremented (a--) double local variable number 0 \to \text{KILLED} 18. Incremented (++a) double local variable number 0 \to \text{KILLED} 19. Decremented (--a) double local variable number 0 \to \text{KILLED}
391

    replaced call to java/lang/Math::min with argument → KILLED

       2. Substituted 0.0 with 1.0 → KILLED

    Replaced double addition with subtraction → KILLED

       4. removed call to java/lang/Math::min → KILLED
       5. replaced double return with 0.0d for
       org/jfree/data/Range::shiftWithNoZeroCrossing → KILLED
       6. replaced return of double value with -(x + 1) for
      org/jfree/data/Range::shiftWithNoZeroCrossing → KILLED

    Negated double local variable number 0 → KILLED

       8. Negated double local variable number 2 → KILLED
      9. Replaced double operation with first member → KILLED
       10. Replaced double operation by second member → KILLED
       11. Replaced double addition with subtraction → KILLED

    Replaced double addition with multiplication → KILLED

 Replaced double addition with division → KILLED

       14. Replaced double addition with modulus → KILLED
       15. Substituted 0.0 with 1.0 → KILLED
       16. Substituted 0.0 with -1.0 → KILLED
       17. Substituted 0.0 with 1.0 → KILLED
       18. Substituted 0.0 with -1.0 → KILLED
      19. Incremented (a++) double local variable number 0 \rightarrow SURVIVED 20. Incremented (a++) double local variable number 2 \rightarrow SURVIVED 21. Decremented (a--) double local variable number 0 \rightarrow SURVIVED
```

```
22. Decremented (a--) double local variable number 2 → SURVIVED
      23. Incremented (++a) double local variable number 0 → KILLED
      24. Incremented (++a) double local variable number 2 → KILLED 25. Decremented (--a) double local variable number 0 → KILLED
      26. Decremented (--a) double local variable number 2 → KILLED

    Replaced double addition with subtraction → NO COVERAGE

      replaced double return with 0.0d for
      org/jfree/data/Range::shiftWithNoZeroCrossing → NO_COVERAGE
      3. replaced return of double value with -(x + 1) for
      org/jfree/data/Range::shiftWithNoZeroCrossing → NO_COVERAGE

    Negated double local variable number 0 → NO_COVERAGE

    Negated double local variable number 2 → NO_COVERAGE

      Replaced double operation with first member → NO_COVERAGE

    Replaced double operation by second member → NO_COVERAGE

      Replaced double addition with subtraction → NO_COVERAGE
394
      Replaced double addition with multiplication → NO_COVERAGE
      10. Replaced double addition with division → NO_COVERAGE

    Replaced double addition with modulus → NO_COVERAGE

      12. Incremented (a++) double local variable number 0 → NO COVERAGE

    Incremented (a++) double local variable number 2 → NO COVERAGE

      14. Decremented (a--) double local variable number 0 → NO_COVERAGE
      15. Decremented (a--) double local variable number 2 \rightarrow NO COVERAGE
      16. Incremented (++a) double local variable number 0 → NO_COVERAGE
      17. Incremented (++a) double local variable number 2 → NO_COVERAGE
      18. Decremented (--a) double local variable number 0 → NO_COVERAGE
      19. Decremented (--a) double local variable number 2 → NO_COVERAGE

    removed call to org/jfree/chart/util/ParamChecks::nullNotPermitted →

409
      SURVIVED

    changed conditional boundary → KILLED

      Substituted 0.0 with 1.0 → KILLED
      negated conditional → KILLED
      4. removed conditional - replaced comparison check with false 
ightarrow SURVIVED
      5. removed conditional - replaced comparison check with true → KILLED

 Negated double local variable number 1 → KILLED

      Substituted 0.0 with 1.0 → KILLED
      8. Substituted 0.0 with -1.0 → SURVIVED
      9. Substituted 0.0 with 1.0 → KILLED
410
      10. Substituted 0.0 with -1.0 → SURVIVED
      11. greater or equal to less than → KILLED
      12. greater or equal to less or equal \rightarrow KILLED
      13. greater or equal to greater than \rightarrow KILLED
      14. greater or equal to equal → KILLED
      15. greater or equal to not equal → KILLED
      16. Incremented (a++) double local variable number 1 \rightarrow KILLED 17. Decremented (a--) double local variable number 1 \rightarrow KILLED
      18. Incremented (++a) double local variable number 1 → KILLED
      19. Decremented (--a) double local variable number 1 → KILLED
411

    removed call to java/lang/IllegalArgumentException::<init> → KILLED

    removed call to org/jfree/data/Range::<init> → KILLED

    Replaced double multiplication with division → KILLED

    removed call to org/jfree/data/Range::getLowerBound → KILLED

      4. replaced return value with null for org/jfree/data/Range::scale → KILLED
      5. mutated return of Object value for org/jfree/data/Range::scale to ( if (x !=
      null) null else throw new RuntimeException ) → KILLED

 Negated double local variable number 1 → KILLED

      7. Replaced double operation with first member \rightarrow KILLED
      8. Replaced double operation by second member → KILLED
413
      9. Replaced double multiplication with division \rightarrow KILLED
      10. Replaced double multiplication with modulus → KILLED
      11. Replaced double multiplication with addition \rightarrow KILLED

    Replaced double multiplication with subtraction → KILLED

      13. Incremented (a++) double local variable number 1 → KILLED
      14. Decremented (a--) double local variable number 1 → KILLED
      15. Incremented (++a) double local variable number 1 → KILLED
      16. Decremented (--a) double local variable number 1 → KILLED
```

```
414
      1. Replaced double multiplication with division → KILLED
      2. removed call to org/jfree/data/Range::getUpperBound → KILLED
      3. Negated double local variable number 1 → KILLED

    Replaced double operation with first member → KILLED

    Replaced double operation by second member → KILLED

      Replaced double multiplication with division → KILLED
      7. Replaced double multiplication with modulus → KILLED
      Replaced double multiplication with addition → KILLED
      Replaced double multiplication with subtraction → KILLED
      10. Incremented (a++) double local variable number 1 → SURVIVED
      11. Decremented (a--) double local variable number 1 → SURVIVED
      12. Incremented (++a) double local variable number 1 → KILLED
      13. Decremented (--a) double local variable number 1 → KILLED

    negated conditional → KILLED

      2. removed conditional - replaced equality check with false → KILLED
      3. removed conditional - replaced equality check with true → KILLED
      4. not equal to less than → KILLED
426
      5. not equal to less or equal → KILLED
      6. not equal to greater than → SURVIVED

 not equal to greater or equal → KILLED

      not equal to equal → KILLED

    replaced boolean return with true for org/jfree/data/Range::equals → KILLED

      Substituted 0 with 1 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
427
      4. Substituted 0 with 1 → KILLED
      5. Substituted 0 with -1 → KILLED
      6. Substituted 0 with 1 → KILLED
      7. Substituted 0 with -1 → KILLED

    negated conditional → KILLED

      2. removed conditional - replaced equality check with false \rightarrow KILLED
      3. removed conditional - replaced equality check with true → KILLED
      4. Negated double field lower → KILLED
      5. Negated double field lower → KILLED
      6. equal to less than → KILLED
      7. equal to less or equal → KILLED
      8. equal to greater than → KILLED
      9. equal to greater or equal → KILLED
430
      10. equal to not equal → KILLED
      11. Incremented (a++) double field lower → KILLED
      12. Incremented (a++) double field lower \rightarrow KILLED
      13. Decremented (a--) double field lower → KILLED 14. Decremented (a--) double field lower → KILLED
      15. Incremented (++a) double field lower → KILLED 16. Incremented (++a) double field lower → KILLED
      17. Decremented (--a) double fieldlower → KILLED
      18. Decremented (--a) double fieldlower → KILLED

    replaced boolean return with true for org/jfree/data/Range::equals → KILLED

      2. Substituted 0 with 1 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
431

 Substituted 0 with 1 → KILLED

      Substituted 0 with -1 → KILLED
      6. Substituted 0 with 1 → KILLED
      7. Substituted 0 with -1 → KILLED
433

    negated conditional → KILLED

      2. removed conditional - replaced equality check with false 
ightarrow KILLED

    removed conditional - replaced equality check with true → KILLED

    Negated double field upper → KILLED

      5. Negated double field upper → KILLED
      6. equal to less than → KILLED
      7. equal to less or equal → KILLED
      8. equal to greater than → KILLED
      9. equal to greater or equal → KILLED
      10. equal to not equal → KILLED
      11. Incremented (a++) double field upper → KILLED
      12. Incremented (a++) double field upper → KILLED
```

```
 Decremented (a--) double field upper → KILLED

      14. Decremented (a--) double field upper → KILLED
      15. Incremented (++a) double field upper → KILLED
      16. Incremented (++a) double field upper → KILLED
      17. Decremented (--a) double fieldupper → KILLED 18. Decremented (--a) double fieldupper → KILLED

    replaced boolean return with true for org/jfree/data/Range::equals → KILLED

      Substituted 0 with 1 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
434
      4. Substituted 0 with 1 → KILLED
      5. Substituted 0 with -1 → KILLED
      6. Substituted 0 with 1 → KILLED

 Substituted 0 with -1 → KILLED

    replaced boolean return with false for org/jfree/data/Range::equals → KILLED

      2. Substituted 1 with 0 → KILLED
      3. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      4. Substituted 1 with 0 → KILLED
436
      5. Substituted 1 with -1 → SURVIVED
      6. Substituted 1 with -1 → SURVIVED

 Substituted 1 with 2 → KILLED

      8. Substituted 1 with 0 → KILLED

    replaced boolean return with false for org/jfree/data/Range::isNaNRange →

      KILLED
      replaced boolean return with true for org/jfree/data/Range::isNaNRange →
      KILLED
      Substituted 1 with 0 → KILLED

 Substituted 0 with 1 → KILLED

      negated conditional → KILLED
      negated conditional → KILLED
      7. removed call to java/lang/Double::isNaN → KILLED 8. removed call to java/lang/Double::isNaN → KILLED
      9. removed conditional - replaced equality check with false \rightarrow KILLED
      10. removed conditional - replaced equality check with false → KILLED
      11. removed conditional - replaced equality check with true 
ightarrow KILLED
      12. removed conditional - replaced equality check with true 
ightarrow KILLED
      13. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      14. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED
      15. Negated double field lower → SURVIVED

 Negated double field upper → SURVIVED

      17. Substituted 0 with 1 → KILLED
      18. Substituted 1 with 0 \rightarrow KILLED 19. Substituted 1 with -1 \rightarrow SURVIVED
      20. Substituted 0 with -1 → KILLED
448
      21. Substituted 1 with -1 → SURVIVED
      22. Substituted 1 with 2 → KILLED
      23. Substituted 0 with 1 → KILLED
      24. Substituted 1 with 0 → KILLED
      25. Substituted 0 with -1 → KILLED
      26. equal to less than → KILLED
      27. equal to less than → KILLED
      28. equal to less or equal → SURVIVED
      29. equal to less or equal → SURVIVED
      equal to greater than → KILLED
      31. equal to greater than → KILLED
      32. equal to greater or equal → KILLED
      33. equal to greater or equal → KILLED
      34. equal to not equal → KILLED
      35. equal to not equal → KILLED
      36. Incremented (a++) double field lower → KILLED 37. Incremented (a++) double field upper → SURVIVED
      38. Decremented (a--) double field lower → KILLED
      39. Decremented (a--) double field upper → SURVIVED
      40. Incremented (++a) double field lower → KILLED
      41. Incremented (++a) double field upper → SURVIVED
      42. Decremented (--a) double fieldlower → KILLED
      43. Decremented (--a) double fieldupper → SURVIVED
```

```
460

    removed call to java/lang/Double::doubleToLongBits → SURVIVED

    Negated double field lower → SURVIVED

      3. Incremented (a++) double field lower → KILLED
      4. Decremented (a--) double field lower → KILLED
      5. Incremented (++a) double field lower → KILLED6. Decremented (--a) double fieldlower → KILLED

    Substituted 32 with 33 → SURVIVED

      Replaced Unsigned Shift Right with Shift Left → SURVIVED
      3. Replaced XOR with AND → SURVIVED

    Negated long local variable number 2 → SURVIVED

      5. Negated long local variable number 2 → SURVIVED
      Substituted 32 with 1 → SURVIVED
         Substituted 32 with 0 → SURVIVED
         Substituted 32 with -1 → SURVIVED
      9. Substituted 32 with -32 → SURVIVED
      10. Substituted 32 with 33 → SURVIVED
<u>461</u>
      11. Substituted 32 with 31 → SURVIVED
      12. Incremented (a++) long local variable number 2 \rightarrow SURVIVED
      13. Incremented (a++) long local variable number 2 → SURVIVED
      14. Decremented (a--) long local variable number 2 → SURVIVED
      15. Decremented (a--) long local variable number 2 → SURVIVED
      16. Incremented (++a) long local variable number 2 → SURVIVED
      17. Incremented (++a) long local variable number 2 → SURVIVED
      18. Decremented (--a) long local variable number 1 → SURVIVED
      19. Decremented (--a) long local variable number 1 → SURVIVED

    removed call to java/lang/Double::doubleToLongBits → SURVIVED

    Negated double field upper → SURVIVED

      3. Incremented (a++) double field upper → KILLED
462
      4. Decremented (a--) double field upper → KILLED
      5. Incremented (++a) double field upper → KILLED
      6. Decremented (--a) double fieldupper → KILLED
463
      1. Substituted 29 with 30 → SURVIVED
      Substituted 32 with 33 → SURVIVED

    Replaced integer multiplication with division → KILLED

    Replaced Unsigned Shift Right with Shift Left → SURVIVED

      Replaced XOR with AND → SURVIVED
      Replaced integer addition with subtraction → SURVIVED
      7. Negated integer local variable number 1 \rightarrow SURVIVED

 Negated long local variable number 2 → SURVIVED

 Negated long local variable number 2 → SURVIVED

    Replaced integer operation with first member → SURVIVED

    Replaced integer operation with first member → SURVIVED

    Replaced integer operation by second member → SURVIVED

    Replaced integer operation by second member → SURVIVED

      14. Replaced integer multiplication with division \rightarrow KILLED
      15. Replaced integer addition with subtraction → SURVIVED
      16. Replaced integer multiplication with modulus → KILLED
      17. Replaced integer addition with multiplication → KILLED

    Replaced integer multiplication with addition → SURVIVED

      19. Replaced integer addition with division → KILLED
      20. Replaced integer multiplication with subtraction → KILLED
      21. Replaced integer addition with modulus → KILLED
      22. Substituted 29 with 1 → SURVIVED
      23. Substituted 32 with 1 → SURVIVED
      24. Substituted 29 with 0 → SURVIVED
      25. Substituted 32 with 0 → SURVIVED 26. Substituted 29 with -1 → KILLED
      27. Substituted 32 with -1 → SURVIVED
      28. Substituted 29 with -29 → SURVIVED
      29. Substituted 32 with -32 → SURVIVED
      30. Substituted 29 with 30 → SURVIVED
      31. Substituted 32 with 33 → SURVIVED
      32. Substituted 29 with 28 → SURVIVED
      33. Substituted 32 with 31 → SURVIVED
      34. Incremented (a++) integer local variable number 1 \rightarrow SURVIVED
      35. Incremented (a++) long local variable number 2 → SURVIVED
```

```
36. Incremented (a++) long local variable number 2 → SURVIVED
         37. Decremented (a--) integer local variable number 1 → SURVIVED
         38. Decremented (a--) long local variable number 2 → SURVIVED
         39. Decremented (a--) long local variable number 2 → SURVIVED
         40. Incremented (++a) integer local variable number 1 → SURVIVED 41. Incremented (++a) long local variable number 2 → SURVIVED 42. Incremented (++a) long local variable number 2 → SURVIVED 43. Decremented (--a) integer local variable number 3 → SURVIVED
         44. Decremented (--a) long local variable number 1 → SURVIVED
         45. Decremented (--a) long local variable number 1 → SURVIVED

    replaced int return with 0 for org/jfree/data/Range::hashCode → KILLED

         2. replaced return of integer sized value with (x == 0 ? 1 : 0) \rightarrow KILLED

    Negated integer local variable number 1 → SURVIVED

4. Incremented (a++) integer local variable number 1 → SURVIVED
5. Decremented (a--) integer local variable number 1 → SURVIVED
6. Incremented (++a) integer local variable number 1 → SURVIVED
7. Decremented (--a) integer local variable number 3 → SURVIVED

464

    removed call to java/lang/StringBuilder::<init> → KILLED
    replaced return value with "" for org/jfree/data/Range::toString → KILLED

         3. removed call to java/lang/StringBuilder::append → KILLED4. removed call to java/lang/StringBuilder::append → KILLED
         5. removed call to java/lang/StringBuilder::append → KILLED 6. removed call to java/lang/StringBuilder::append → KILLED 7. removed call to java/lang/StringBuilder::toString → KILLED
         8. mutated return of Object value for org/jfree/data/Range::toString to ( if
         (x != null) null else throw new RuntimeException ) → KILLED
         9. replaced call to java/lang/StringBuilder::append with receiver → KILLED
         10. replaced call to java/lang/StringBuilder::append with receiver → KILLED
11. replaced call to java/lang/StringBuilder::append with receiver → KILLED
475
         12. replaced call to java/lang/StringBuilder::append with receiver → KILLED
         13. Negated double field lower → KILLED
         14. Negated double field upper → KILLED
         15. Incremented (a++) double field lower → SURVIVED
         16. Incremented (a++) double field upper → SURVIVED 17. Decremented (a--) double field lower → SURVIVED 18. Decremented (a--) double field upper → SURVIVED
         19. Incremented (++a) double field lower → KILLED 20. Incremented (++a) double field upper → KILLED
         21. Decremented (--a) double fieldlower → KILLED
         22. Decremented (--a) double fieldupper → KILLED
```

Active mutators

- ABS MUTATOR
- AOD 1 MUTATOR
- AOD 2 MUTATOR
- AOR 1 MUTATOR
- AOR 2 MUTATOR
- AOR 3 MUTATOR
- AOR 4 MUTATOR
- ARGUMENT PROPAGATION MUTATOR
- BOOLEAN_FALSE_RETURNBOOLEAN_TRUE_RETURN
- CONDITIONALS_BOUNDARY_MUTATOR
- CONSTRUCTOR CALL MUTATOR
- CRCR_1_MUTATORCRCR_2_MUTATOR
- CRCR⁻3 MUTATOR
- CRCR 4 MUTATOR
- CRCR 5 MUTATOR
- CRCR 6 MUTATOR
- EMPTY RETURN VALUES
- EXPERIMENTAL BIGINTEGER MUTATOR
- EXPERIMENTAL MEMBER VARIABLE MUTATOR
- EXPERIMENTAL REMOVE SWITCH MUTATOR [0-99]

- EXPERIMENTAL SWITCH MUTATOR
- INCREMENTS_MUTATOR
- INLINE CONSTANT MUTATORINVERT NEGS MUTATOR
- MATH MUTATOR
- NAKED RECEIVER
- NEGATE_CONDITIONALS_MUTATOR
- NON_VOID_METHOD_CALL_MUTATOR
- NULL RETURN VALUES
- OBBN 1 MUTATOR
- OBBN 2 MUTATOR
- OBBN 3 MUTATOR
- PRIMITIVE RETURN VALS MUTATOR
- REMOVE CONDITIONALS EQUAL ELSE MUTATOR
- REMOVE CONDITIONALS EQUAL IF MUTATOR
- REMOVE_CONDITIONALS_ORDER_ELSE_MUTATOR
- REMOVE_CONDITIONALS_ORDER_IF_MŪTATOR REMOVE CONDITIONALS ORDER 1
 REMOVE INCREMENTS MUTATOR
 RETURN VALS MUTATOR
 ROR 1 MUTATOR
 ROR 2 MUTATOR
 ROR 3 MUTATOR
 ROR 4 MUTATOR
 ROR 5 MUTATOR
 LIOL 1 MUTATOR

- UOI 1 MUTATOR
- UOI 2 MUTATOR
- UOI 3 MUTATOR
- UOI 4 MUTATOR
- VOID METHOD CALL MUTATOR

Tests examined

- org.jfree.data.general.DatasetUtilitiesTest.testFindDomainBounds3(org.jfree.data.general.DatasetUtilitiesTest) (1
- org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest.testRemove (org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest) (3 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindRangeBounds CategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest.testGetRangeBounds (org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindStackedRangeBoundsForTableXYDataset1 (org.jfree.data.general.DatasetUtilitiesTest) (2 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest.testCloning (org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest) (1 ms)
- org.jfree.data.test.RangeTest (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds(org.jfree.data.general.DatasetUtilitiesTest) (2
- org.jfree.data.general.DatasetUtilitiesTest.testCumulativeRange3(org.jfree.data.general.DatasetUtilitiesTest) (2
- org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest.testGetRangeBounds2 (org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest) (2 ms)
- org.jfree.data.xy.DefaultOHLCDatasetTest.testDataRange(org.jfree.data.xy.DefaultOHLCDatasetTest) (0 ms)
- org. free.data.general.DatasetUtilitiesTest.testBug2849731(org. free.data.general.DatasetUtilitiesTest) (2 ms)
- org.jfree.data.RangeMutantTest.testContains(org.jfree.data.RangeMutantTest) (0 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest.testSerialization (org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest) (4 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds4(org.jfree.data.general.DatasetUtilitiesTest) (1
- org.jfree.data.general.DatasetUtilitiesTest.testCumulativeRange1(org.jfree.data.general.DatasetUtilitiesTest) (2
- org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest.testAdd (org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest) (1 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testGetColumnCount (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds2(org.jfree.data.general.DatasetUtilitiesTest) (0 ms)

- org.jfree.data.xy.XYSeriesCollectionTest.testGetDomainBounds(org.jfree.data.xy.XYSeriesCollectionTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateDomainBounds(org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest.testAdd (org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testBug2849731_2(org.jfree.data.general.DatasetUtilitiesTest) (11 ms)
- org.jfree.data.time.TimeSeriesCollectionTest.testGetRangeBounds2 (org.jfree.data.time.TimeSeriesCollectionTest) (1 ms)
- org.jfree.data.RangeMutantTest.testExpand(org.jfree.data.RangeMutantTest) (1 ms)
- org., free.data.RangeMutantTest.testCombineIgnoringNaN(org., free.data.RangeMutantTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateDomainBounds NaN (org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testGetRowCount (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (0 ms)
- org.jfree.data.RangeMutantTest.testCombine(org.jfree.data.RangeMutantTest) (1 ms)
- org.jfree.data.RangeMutantTest.testShift(org.jfree.data.RangeMutantTest) (4 ms)
- org.jfree.data.time.DateRangeTest.testClone(org.jfree.data.time.DateRangeTest) (2 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testSerialization (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (7 ms)
- org.jfree.data.RangeTest2 (12 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindMaximumDomainValue (org.jfree.data.general.DatasetUtilitiesTest) (5 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindStackedRangeBounds CategoryDataset3 (org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateToFindRangeBounds BoxAndWhiskerXYDataset (org.jfree.data.general.DatasetUtilitiesTest) (7 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindRangeBounds2(org.jfree.data.general.DatasetUtilitiesTest) (4
- org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest.test3072674 (org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest) (2 ms)
- org.jfree.data.time.DateRangeTest.testSerialization(org.jfree.data.time.DateRangeTest) (4 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds3 CategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- $\bullet \ org.j free. data.general. Dataset Utilities Test. test Find Stacked Range Bounds_Category Dataset 1\\$ (org.jfree.data.general.DatasetUtilitiesTest) (8 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds IntervalCategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateToFindRangeBounds StatisticalCategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (3 ms)
- org.jfree.data.time.TimeSeriesTest.testFindValueRange(org.jfree.data.time.TimeSeriesTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds CategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (3 ms)
- org.jfree.data.time.TimeSeriesCollectionTest.testGetRangeBounds(org.jfree.data.time.TimeSeriesCollectionTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateToFindRangeBounds1 XYDataset (org.jfree.data.general.DatasetUtilitiesTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds3(org.jfree.data.general.DatasetUtilitiesTest) (1
- org_ifree.data.time.TimeSeriesTest.testFindValueRange2(org_ifree.data.time.TimeSeriesTest) (1 ms)
- org.jfree.data.xy.XYSeriesCollectionTest.testBug3445507(org.jfree.data.xy.XYSeriesCollectionTest) (0 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testCloning (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindDomainBounds2(org.jfree.data.general.DatasetUtilitiesTest) (2
- org.jfree.data.general.DatasetUtilitiesTest.testCumulativeRange2(org.jfree.data.general.DatasetUtilitiesTest) (2
- org.jfree.data.general.DatasetUtilitiesTest.testFindDomainBounds(org.jfree.data.general.DatasetUtilitiesTest) (7
- org.jfree.data.general.DatasetUtilitiesTest.testIterateDomainBounds NaN2 (org.jfree.data.general.DatasetUtilitiesTest) (0 ms)
- org.jfree.data.RangeMutantTest.testHashCode(org.jfree.data.RangeMutantTest) (0 ms)
 org.jfree.data.general.DatasetUtilitiesTest.testBug2849731_3(org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindRangeBounds(org.jfree.data.general.DatasetUtilitiesTest) (6
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testGetValue (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (2 ms)

- org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest.testRemove (org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testStackedRangeWithMap(org.jfree.data.general.DatasetUtilitiesTest)
 (1 ms)
- org.jfree.data.time.TimePeriodValuesCollectionTest.testGetDomainBoundsWithInterval (org.jfree.data.time.TimePeriodValuesCollectionTest) (0 ms)
- org.jfree.data.RangeMutantTest.testScale(org.jfree.data.RangeMutantTest) (1 ms)
- org.jfree.data.RangeMutantTest.testIsNaNRange(org.jfree.data.RangeMutantTest) (0 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testAddValue (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateToFindRangeBounds_MultiValueCategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (4 ms)
- org.jfree.data.time.TimePeriodValuesCollectionTest.testGetDomainBoundsWithoutInterval (org.jfree.data.time.TimePeriodValuesCollectionTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindMinimumDomainValue (org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.time.TimeSeriesCollectionTest.testBug3445507(org.jfree.data.time.TimeSeriesCollectionTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateRangeBounds2_CategoryDataset (org.jfree.data.general.DatasetUtilitiesTest) (1 ms)
- org.jfree.data.RangeMutantTest.testSerialization(org.jfree.data.RangeMutantTest) (5 ms)
- org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest.testGetRangeBounds (org.jfree.data.statistics.DefaultStatisticalCategoryDatasetTest) (1 ms)
- org.jfree.data.time.DateRangeTest.testEquals(org.jfree.data.time.DateRangeTest) (0 ms)
- org.jfree.data.RangeMutantTest.testIntersects(org.jfree.data.RangeMutantTest) (2 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest.testEquals (org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest) (0 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindStackedRangeBounds_CategoryDataset2 (org.jfree.data.general.DatasetUtilitiesTest) (4 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest.testAddUpdatesCachedRange (org.jfree.data.statistics.DefaultBoxAndWhiskerCategoryDatasetTest) (2 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindStackedRangeBoundsForTableXYDataset2 (org.jfree.data.general.DatasetUtilitiesTest) (2 ms)
- org.jfree.data.RangeMutantTest.testConstrain(org.jfree.data.RangeMutantTest) (2 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testFindDomainBounds_NaN (org.jfree.data.general.DatasetUtilitiesTest) (0 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testEquals (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (2 ms)
- org.jfree.data.RangeMutantTest.testEquals(org.jfree.data.RangeMutantTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testIterateToFindRangeBounds2_XYDataset (org.jfree.data.general.DatasetUtilitiesTest) (2 ms)
- org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest.testGetValue2 (org.jfree.data.statistics.DefaultMultiValueCategoryDatasetTest) (1 ms)
- org.jfree.data.general.DatasetUtilitiesTest.testCumulativeRange_NaN(org.jfree.data.general.DatasetUtilitiesTest) (3 ms)
- org.jfree.data.time.DateRangeTest.testImmutable(org.jfree.data.time.DateRangeTest) (1 ms)
- org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest.testGetRangeBounds (org.jfree.data.statistics.DefaultBoxAndWhiskerXYDatasetTest) (1 ms)
- org.jfree.data.xy.XYSeriesCollectionTest.testGetRangeBounds(org.jfree.data.xy.XYSeriesCollectionTest) (0 ms)

Report generated by PIT 1.6.8