

**[SENG637A1-23] [System Fails to allow the user to check the Savings account](#)**

Created: 05/Feb/24 Updated: 05/Feb/24

<b>Status:</b>	Resolved
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Braden Tink</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Significant / Large
<b>Rank:</b>	0 i0003j:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Medium

**Comments**Comment by [Braden Tink](#) [ 05/Feb/24 ]

The system after selecting balance inquiry fails to allows the user to check the savings account. The system only shows the other two account's.

Initial state:

System allows the user to check balance inquiry. On selection the system shows two accounts missing the savings account.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter an incorrect PIN 'xxx'
5. Select "Balance Inquiry"

Expected behavior:

System should show three accounts for the user to inquire about.

Actual behavior:

The system shows two accounts for the user to select missing the savings account.

Test Case: 33 of the listed tests

[SENG637A1-22] [Typo on ATM display of withdrawal amounts.](#) Created:

04/Feb/24 Updated: 04/Feb/24 Resolved: 04/Feb/24

**Status:** Needs Review

**Project:** [SENG 637 Bug Tracking - \(A1\)](#)

**Components:** None

**Affects versions:** None

**Fix versions:** None

**Type:** Bug **Priority:** Low

**Reporter:** [Carissa Chung](#) **Assignee:** [Carissa Chung](#)


**Resolution:** Done **Votes:** 0

**Labels:** typo, withdraw

**Remaining Estimate:** Not Specified

**Time Spent:** Not Specified

**Original estimate:** Not Specified

**Attachments:**  typo.png

**Impact:** Extensive / Widespread

**Rank:** 0|i0003b:

**Found in version:** ATM System - Lab 1 Version 1.1

**Severity:** Low

### Description

TYPO Correction

After the withdrawal option is selected, there is a typo on the displayed withdrawal amounts. The display does not have a dollar sign in front of the amount for option 3, '3) 60'.

**[SENG637A1-21] [After one withdrawal transaction, system does not take keyboard input.](#)** Created: 04/Feb/24 Updated: 04/Feb/24 Resolved: 04/Feb/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">Carissa Chung</a>	<b>Assignee:</b>	<a href="#">Carissa Chung</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	withdraw		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 i00033:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Low

### Description

After one withdrawal transaction and the user is prompted whether they would like to make another, the keyboard input does not work. The user must click on the simulated keypad.

Initial state:

The ATM displays two options to the user, 1) Yes (to make another transaction) or 2) No (to not make another transaction).

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter the PIN '42' using the simulated keypad.
5. Select the withdraw option by clicking '1' on the simulated keypad.
6. Choose to withdrawal from checking account by clicking '1' again on the simulated keypad.

7. Select an amount that the system currently has and which is not greater than the account balance.
8. Attempt to press '1' or '2' on the keyboard when prompted about making another transaction.
9. Click '2' on the simulated keypad to conclude the session.
10. Power off the ATM by clicking the 'Off' button.

Expected behavior:

The system recognizes the keyboard input of '1' or '2' and either allows another transaction to be made or conclude the session, respectively.

Actual behavior:

The system does not recognize the keyboard input. The user must click on the '1' or '2' button on the simulated keypad to either make another transaction or end the session, respectively.

**[SENG637A1-20] [Wrong dollar amount withdrawn from the ATM; displays incorrectly on receipt and log](#)** Created: 04/Feb/24 Updated: 04/Feb/24 Resolved: 04/Feb/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Highest
<b>Reporter:</b>	<a href="#">Carissa Chung</a>	<b>Assignee:</b>	<a href="#">Carissa Chung</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	withdraw		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 i0002v:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Critical

**Description**

Example: Withdrawal of \$20 from checking account results in \$40 withdrawn from the ATM. Both the receipt and log record \$40 instead of \$20.

[SENG637A1-19] [The reentering of the pin does not get the user into the menu screen.](#) Created: 02/Feb/24 Updated: 05/Feb/24 Resolved: 02/Feb/24

Status:	Needs Review
Project:	<a href="#">SENG 637 Bug Tracking - (A1)</a>
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Medium
Reporter:	<a href="#">Braden Tink</a>	Assignee:	<a href="#">Braden Tink</a>
Resolution:	Done	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Impact:	Moderate / Limited
Rank:	0 i0002n:
Found in version:	ATM System - Lab 1 Version 1.0
Severity:	Low

### Description

The system after entering an incorrect pin asks the user to reenter the pin for that card. On entering the correct pin, the system asks the user to once again enter the pin. Then final the second time the system grants access.

Initial state:

The system is asking the user for the correct pin after entering it in wrong the first time.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter an incorrect PIN 'xxx'
5. Reenter the correct pin "42"
6. Reenter the correct pin "42"

Expected behavior:

After giving the correct pin the system should allow access.

Actual behavior:

The system asks the user twice for the correct pin before allowing access to the system.

Test Case: 37, 39, and 40 of the listed tests



**[SENG637A1-18] [Inquiry from Checking Account](#)** Created: 02/Feb/24 Updated: 04/Feb/24

<b>Status:</b>	Resolved
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Low
<b>Reporter:</b>	<a href="#">Braden Tink</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Rank:</b>	0 i0002f:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Low

**Description**

The system after selecting Money Account proceeds to show the saving account balance in the receipt.

Initial state:

The system asks the user for the account to inquire from, user selects “Checking”

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the “Click to insert card” button.
3. Input the card number ‘1’ and press Enter on your keyboard.
4. Enter an incorrect PIN ‘42’ using the simulated keypad.
5. Select the Balance require section “4”
6. Select Checking “1”

Expected behavior:

Account should show the balance on the receipt of the Checking account. Log file should show inquiry transaction.

Actual behavior:

No visual error seen on the screen. Saving account is shown with the saving account balance. Log file shows inquiry transaction.

Test Case: 34 of the listed tests

**[SENG637A1-17] [Balance Inquiry on Money Market Account](#)** Created: 02/Feb/24 Updated: 04/Feb/24 Resolved: 02/Feb/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	Low
<b>Reporter:</b>	<a href="#">Braden Tink</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Moderate / Limited
<b>Rank:</b>	0 i00027:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	High

#### Description

The system after selecting Money Market proceeds to show an unknown error display. Following 500.00\$ shows at the bottom of screen before showing the balance of the checking account.

Initial state:

The system asks the user for the account to inquire from, user selects “Money Market”

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the “Click to insert card” button.
3. Input the card number ‘1’ and press Enter on your keyboard.
4. Enter an incorrect PIN ‘42’ using the simulated keypad.
5. Select the Balance require section “4”
6. Select Money Market “2”

Expected behavior:

Then the receipt should show the money market account balance. Log file should show an inquiry transaction.

Actual behavior:

Error seen on the screen. No visual indication that \$500.00 is seen. Checking account shows account balance in the receipt. Log file shows success and that money was dispensed.

Test Case: 34 of the listed tests

**[SENG637A1-16] The system does not show the correct account names after money is transferred between accounts** Created: 31/Jan/24 Updated: 31/Jan/24 Resolved: 31/Jan/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	Medium
<b>Reporter:</b>	<a href="#">alton wong</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 i0001z:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.1
<b>Severity:</b>	Low

#### Description

After money is transferred from checking to saving, the ATM displays “TRANSFER FROM: SVGS TO: CHKG”.

Initial state:

After a successful transfer of funds.

Steps to reproduce:

1. Ensure the ATM is turned on and loaded.
2. Select “Click to insert card” button.
3. Input card number “1” and press Enter or Return on your keyboard.
4. Enter the PIN “42” using the ATM keyboard.
5. Select transaction type: “3) Transfer”.
6. Select the account to transfer from: “1) Checking”.
7. Select the account to transfer to: “2) Savings”.
8. Enter the amount to transfer: “5.00”.

9. Press enter on the keypad.

Expected behavior:

The ATM machine should display “TRANSFER FROM: CHKG TO: SVGS”.

Actual behavior:

The ATM machine displays “TRANSFER FROM: SVGS TO: CHKG”.

**[SENG637A1-15] [System does not transfer the accurate funds between accounts](#)**

Created: 31/Jan/24 Updated: 31/Jan/24 Resolved: 31/Jan/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	Highest
<b>Reporter:</b>	<a href="#">alton wong</a>	<b>Assignee:</b>	<a href="#">alton wong</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0j0001r:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	High

**Description**

The ATM machine does not accurately display the amount transferred between accounts.

Initial state:

The system is displaying a request for the user to enter a valid dollar amount.

Steps to Reproduce:

1. Ensure the ATM is turned on and loaded.
2. Select "Click to insert card" button.
3. Input card number "1" and press Enter or Return on your keyboard.
4. Enter the PIN "42" using the ATM keyboard.
5. Select transaction type: "3) Transfer".
6. Select the account to transfer from: "1) Checking".
7. Select the account to transfer to: "2) Savings".
8. Enter the amount to transfer: "5.00".

9. Press enter on the keypad.

Expected behavior:

The print display should show an amount of \$5.00 being transferred from chequing to savings.

Actual behavior:

The print display shows an amount of \$4.50 being transferred.



**[SENG637A1-14] [Logging into card number 1 shows 3 accounts instead of 2](#)**

Created: 31/Jan/24 Updated: 31/Jan/24 Resolved: 31/Jan/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	High
<b>Reporter:</b>	<a href="#">alton wong</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 i0001j:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Medium

**Description**

After logging into card #1, the available accounts are: checking, saving, and money market.

Initial state:

The system is logged into card #1.

Steps to reproduce:

1. Ensure the ATM is turned on and loaded.
2. Select "Click to insert card" button.
3. Input card number "1" and press Enter or Return on your keyboard.
4. Enter the PIN "42" using the ATM keyboard.
5. Selecting "Withdrawal", "Deposit", or "Transfer" will display 3 available accounts (checking, saving, and money market)

Expected behavior:

Only the accounts checking, and saving should be displayed.

Actual behavior:

Three accounts are displayed (checking, saving, and money market).

[SENG637A1-13] [Spelling Error in Display Screen Prompt](#) Created: 30/Jan/24 Updated: 05/Feb/24

<b>Status:</b>	Resolved
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Lowest
<b>Reporter:</b>	<a href="#">Benjamin Reid</a>	<b>Assignee:</b>	<a href="#">Benjamin Reid</a>
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Moderate / Limited
<b>Rank:</b>	0 i0001b:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Low

#### Description

When cancelling a transaction, the text says “Wood” instead of “Would”

Initial state:

The system has finished processing a deposit from the user.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the “Click to insert card” button.
3. Input the card number ‘1’ and press Enter on your keyboard.
4. Enter the PIN ‘42’ using the simulated keypad.
5. Select the deposit option by clicking ‘2’ on the simulated keypad.
6. Choose to transfer to savings by clicking ‘2’ again on the simulated keypad.
7. Enter the transaction amount of \$20.00 on the simulated keypad.
8. Insert an envelope by clicking the “Click to insert envelope” button.

Expected behavior:

The text should read “Would you like to do another transaction?”

Actual behavior:

The text reads “Wood you like to do another transaction?”

[SENG637A1-12] [Account 1 and 2 share the same balance info](#) Created: 30/Jan/24 Updated: 02/Feb/24

<b>Status:</b>	In Progress
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	None

<b>Type:</b>	Bug	<b>Priority:</b>	Highest
<b>Reporter:</b>	<a href="#">Benjamin Reid</a>	<b>Assignee:</b>	<a href="#">Benjamin Reid</a>
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 i00013:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Critical

### Description

Account 1 (with PIN 42), and account 2 (with PIN 1234) are linked to the same account balances. So depositing in one shows a balance increase in both accounts.

Initial state:

The system received an envelope from a user.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter the PIN '42' using the simulated keypad.
5. Select the deposit option by clicking '2' on the simulated keypad.
6. Choose to transfer to savings by clicking '2' again on the simulated keypad.
7. Enter the transaction amount of \$20.00 on the simulated keypad.
8. Insert an envelope by clicking the "Click to insert envelope" button.

9. Conclude the session by pressing '2' on the keypad.
10. Insert a card by clicking the "Click to insert card" button.
11. Input the card number '2' and press Enter on your keyboard.
12. Enter the PIN '1234' using the simulated keypad.
13. Select the balance inquiry option by clicking '4' on the simulated keypad.

Expected behavior:

The value in the account should be \$100 in checking for account 2 since nothing has been deposited.

Actual behavior:

The value in account 2 matches the value in account 1. The increase of \$20 to account 1 is reflected in account 2 as well.

**[SENG637A1-11] [Deposit Removes \\$10 From Checking/Savings Account](#)** Created:

30/Jan/24 Updated: 02/Feb/24

<b>Status:</b>	Resolved
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Highest
<b>Reporter:</b>	<a href="#">Benjamin Reid</a>	<b>Assignee:</b>	<a href="#">Benjamin Reid</a>
<b>Resolution:</b>	Unresolved	<b>Votes:</b>	0
<b>Labels:</b>	None		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 i0000v:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Critical

**Description**

When a user deposits money into their checking or savings account, \$10 is removed.

Initial state:

The user has deposited money into the ATM.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter the PIN '42' using the simulated keypad.
5. Select the deposit option by clicking '2' on the simulated keypad.
6. Choose to transfer to savings by clicking '2' again on the simulated keypad.
7. Enter the transaction amount of \$20.00 on the simulated keypad.
8. Insert an envelope by clicking the "Click to insert envelope" button.

Expected behavior:

The updated balance should be the old balance plus the transaction value, minus a fee of \$0.10.

Actual behavior:

The updated balance is the old balance plus the transaction value, minus a fee of \$10. If a user deposits less than \$10 they will be losing money.



**[SENG637A1-5] [System asks user to enter pin twice after failed attempt](#)** Created:

29/Jan/24 Updated: 03/Feb/24 Resolved: 29/Jan/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.0</a>

<b>Type:</b>	Bug	<b>Priority:</b>	High
<b>Reporter:</b>	<a href="#">Christian Valdez</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	pin		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Moderate / Limited
<b>Rank:</b>	0j0000n:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Medium

**Description**

The system asks the user to enter a pin twice after an incorrect pin.

Initial state:

The system asks the user to enter the correct pin.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter an incorrect PIN '6969' using the simulated keypad.
5. Enter the correct PIN '42' using the simulated keypad.
6. Enter the correct PIN '42' for the second time using the simulated keypad.

Expected behaviour:

After entering the correct PIN, I should see the transaction type dialogue.

Actual behaviour:

The system asks me to enter my PIN twice with different dialogues. Entering an incorrect pin 1/2 times will result in an invalid pin.

**[SENG637A1-3] [Printer display does not clear after session or by turningoff](#)****ATM** Created: 27/Jan/24 Updated: 29/Jan/24 Resolved: 27/Jan/24

<b>Status:</b>	Needs Review
<b>Project:</b>	<a href="#">SENG 637 Bug Tracking - (A1)</a>
<b>Components:</b>	None
<b>Affects versions:</b>	None
<b>Fix versions:</b>	<a href="#">ATM System - Lab 1 Version 1.1</a>

<b>Type:</b>	Bug	<b>Priority:</b>	Highest
<b>Reporter:</b>	<a href="#">Christian Valdez</a>	<b>Assignee:</b>	<a href="#">Braden Tink</a>
<b>Resolution:</b>	Done	<b>Votes:</b>	0
<b>Labels:</b>	printer-display		
<b>Remaining Estimate:</b>	Not Specified		
<b>Time Spent:</b>	Not Specified		
<b>Original estimate:</b>	Not Specified		

<b>Impact:</b>	Extensive / Widespread
<b>Rank:</b>	0 hzzzzr:
<b>Found in version:</b>	ATM System - Lab 1 Version 1.0
<b>Severity:</b>	Medium

**Description**

The simulated printer display does not clear after a user's card is removed upon transaction completion. Additionally, powering down the machine fails to clear the display.

Initial state:

The system received an envelope from a user.

Steps to Reproduce:

1. Ensure the ATM is loaded and activated.
2. Insert a card by clicking the "Click to insert card" button.
3. Input the card number '1' and press Enter on your keyboard.
4. Enter the PIN '42' using the simulated keypad.
5. Select the deposit option by clicking '2' on the simulated keypad.
6. Choose to transfer to savings by clicking '2' again on the simulated keypad.
7. Enter the transaction amount of \$20.00 on the simulated keypad.
8. Insert an envelope by clicking the "Click to insert envelope" button.

9. Conclude the session by pressing '2' on the keypad.
10. Power off the ATM by clicking the 'Off' button.

Expected behavior:

The print display should clear after each session and also after the ATM is turned off.

Actual behavior:

The printer display remains unchanged after the session ends and also after the ATM is turned off.

Generated at Mon Feb 05 17:01:26 UTC 2024 by Benjamin Reid using Jira 1001.0.0-SNAPSHOT#100245-sha1:ada2c50b099995cb6e65e59d1a5de09aa816c854.