

Scan Report

February 27, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “Middleware (Critical)”. The scan started at Thu Feb 5 04:54:10 2026 UTC and ended at Thu Feb 5 11:15:54 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	192.168.40.222	2
2.1.1	Medium 135/tcp	2
2.1.2	Medium 3389/tcp	5
2.1.3	Low general/icmp	9
2.2	192.168.40.122	11
2.2.1	Medium 135/tcp	11
2.2.2	Medium 3389/tcp	14
2.2.3	Low general/icmp	18

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.168.40.222	0	0	2	1	0	0
192.168.40.122	0	0	2	1	0	0
Total: 2	0	0	4	2	0	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 6 results selected by the filtering described above. Before filtering there were 122 results.

2 Results per Host

2.1 192.168.40.222

Host scan start Thu Feb 5 04:54:43 2026 UTC

Host scan end Thu Feb 5 09:37:43 2026 UTC

Service (Port)	Threat Level
135/tcp	Medium
3389/tcp	Medium
general/icmp	Low

2.1.1 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

... continues on next page ...

...continued from previous page...

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP protocol:

Port: 2103/tcp

UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2103]
 Annotation: Message Queuing - QM2QM V1
 UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2103]
 Annotation: Message Queuing - RemoteRead V1
 UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2103]
 Annotation: Message Queuing - QMRT V2
 UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2103]
 Annotation: Message Queuing - QMRT V1

Port: 2105/tcp

UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2105]
 Annotation: Message Queuing - QM2QM V1
 UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2105]
 Annotation: Message Queuing - RemoteRead V1
 UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2105]
 Annotation: Message Queuing - QMRT V2
 UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2105]
 Annotation: Message Queuing - QMRT V1

Port: 2107/tcp

UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2107]
 Annotation: Message Queuing - QM2QM V1
 UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2107]
 Annotation: Message Queuing - RemoteRead V1
 UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2107]
 Annotation: Message Queuing - QMRT V2
 UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1
 Endpoint: ncacn_ip_tcp:192.168.40.222[2107]
 Annotation: Message Queuing - QMRT V1

Port: 49664/tcp

UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1

...continues on next page...

...continued from previous page...	
Endpoint: ncacn_ip_tcp:192.168.40.222[49664]	
Port: 49665/tcp	
UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49665]	
Annotation: Event log TCPIP	
Port: 49666/tcp	
UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49666]	
UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49666]	
Port: 49667/tcp	
UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49667]	
Port: 49668/tcp	
UUID: 0b6edbf8-4a24-4fc6-8a23-942b1eca65d1, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49668]	
UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49668]	
Named pipe : spoolss	
Win32 service or process : spoolsv.exe	
Description : Spooler service	
UUID: 4a452661-8290-4b36-8fbe-7f4093a94978, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49668]	
UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49668]	
UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49668]	
Port: 49669/tcp	
UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49669]	
Annotation: Remote Fw APIs	
Port: 49670/tcp	
UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2	
Endpoint: ncacn_ip_tcp:192.168.40.222[49670]	
Port: 49676/tcp	
UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49676]	
Named pipe : lsass	
Win32 service or process : lsass.exe	
Description : SAM access	
Port: 49767/tcp	
UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49767]	
Annotation: Message Queuing - QM2QM V1	
UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.222[49767]	
Annotation: Message Queuing - RemoteRead V1	
...continues on next page...	

...continued from previous page...	
<pre> UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1 Endpoint: ncacn_ip_tcp:192.168.40.222[49767] Annotation: Message Queuing - QMRT V2 UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1 Endpoint: ncacn_ip_tcp:192.168.40.222[49767] Annotation: Message Queuing - QMRT V1 Note: DCE/RPC or MSRPC services running on this host locally were identified. Re ↳porting this list is not enabled by default due to the possible large size of ↳this list. See the script preferences to enable this reporting. </pre>	
Impact	An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution:	
Solution type: Mitigation	Filter incoming traffic to this ports.
Affected Software/OS	All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight	DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method	Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z

[\[return to 192.168.40.222 \]](#)

2.1.2 Medium 3389/tcp

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2025-04-30T05:39:51Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References url: https://ssl-config.mozilla.org cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/ ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://datatracker.ietf.org/doc/rfc8996/ url: https://vnhacker.blogspot.com/2011/09/beast.html url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak url: https://certvde.com/en/advisories/VDE-2025-031/ url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751 cert-bund: CB-K15/1266 cert-bund: CB-K15/0850 cert-bund: CB-K15/0764 cert-bund: CB-K15/0720 cert-bund: CB-K15/0548 cert-bund: CB-K15/0526
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482
```

[\[return to 192.168.40.222 \]](#)

2.1.3 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure
Summary The remote host responded to an ICMP timestamp request.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following response / ICMP packet has been received: - ICMP Type: 14 - ICMP Code: 0
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.
Vulnerability Detection Method Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received. Details: ICMP Timestamp Reply Information Disclosure OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2025-01-21T05:37:33Z
References cve: CVE-1999-0524 url: https://datatracker.ietf.org/doc/html/rfc792 url: https://datatracker.ietf.org/doc/html/rfc2780 cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.40.222 \]](#)

2.2 192.168.40.122

Host scan start Thu Feb 5 04:54:43 2026 UTC
 Host scan end Thu Feb 5 11:15:50 2026 UTC

Service (Port)	Threat Level
135/tcp	Medium
3389/tcp	Medium
general/icmp	Low

2.2.1 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP protocol:

Port: 2103/tcp

UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1

Endpoint: ncacn_ip_tcp:192.168.40.122[2103]

Annotation: Message Queuing - QM2QM V1

UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1

Endpoint: ncacn_ip_tcp:192.168.40.122[2103]

Annotation: Message Queuing - RemoteRead V1

UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1

Endpoint: ncacn_ip_tcp:192.168.40.122[2103]

Annotation: Message Queuing - QMRT V2

UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1

Endpoint: ncacn_ip_tcp:192.168.40.122[2103]

Annotation: Message Queuing - QMRT V1

Port: 2105/tcp

UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1

Endpoint: ncacn_ip_tcp:192.168.40.122[2105]

Annotation: Message Queuing - QM2QM V1

UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1

Endpoint: ncacn_ip_tcp:192.168.40.122[2105]

Annotation: Message Queuing - RemoteRead V1

UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1

... continues on next page ...

...continued from previous page...	
Endpoint: ncacn_ip_tcp:192.168.40.122[2105]	
Annotation: Message Queuing - QMRT V2	
UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[2105]	
Annotation: Message Queuing - QMRT V1	
Port: 2107/tcp	
UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[2107]	
Annotation: Message Queuing - QM2QM V1	
UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[2107]	
Annotation: Message Queuing - RemoteRead V1	
UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[2107]	
Annotation: Message Queuing - QMRT V2	
UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[2107]	
Annotation: Message Queuing - QMRT V1	
Port: 49664/tcp	
UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49664]	
Port: 49665/tcp	
UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49665]	
Annotation: Event log TCPIP	
Port: 49666/tcp	
UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49666]	
UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49666]	
Port: 49667/tcp	
UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49667]	
Port: 49668/tcp	
UUID: 0b6edbf4-4a24-4fc6-8a23-942b1eca65d1, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49668]	
UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49668]	
Named pipe : spoolss	
Win32 service or process : spoolsv.exe	
Description : Spooler service	
UUID: 4a452661-8290-4b36-8f8e-7f4093a94978, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49668]	
UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49668]	
UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1	
Endpoint: ncacn_ip_tcp:192.168.40.122[49668]	
...continues on next page...	

...continued from previous page...	
Port: 49669/tcp	UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1 Endpoint: ncacn_ip_tcp:192.168.40.122[49669] Annotation: Message Queuing - QM2QM V1 UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1 Endpoint: ncacn_ip_tcp:192.168.40.122[49669] Annotation: Message Queuing - RemoteRead V1 UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1 Endpoint: ncacn_ip_tcp:192.168.40.122[49669] Annotation: Message Queuing - QMRT V2 UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1 Endpoint: ncacn_ip_tcp:192.168.40.122[49669] Annotation: Message Queuing - QMRT V1
Port: 49670/tcp	UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1 Endpoint: ncacn_ip_tcp:192.168.40.122[49670] Annotation: Remote Fw APIs
Port: 49671/tcp	UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:192.168.40.122[49671]
Port: 49678/tcp	UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:192.168.40.122[49678] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access
Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.	
Solution: Solution type: Mitigation Filter incoming traffic to this ports.	
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.	
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.	
Vulnerability Detection Method	
...continues on next page...	

...continued from previous page...
Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z

[\[return to 192.168.40.122 \]](#)

2.2.2 Medium 3389/tcp

Medium (CVSS: 4.3) NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ⇨ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ⇨an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ⇨.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution:
... continues on next page ...

...continued from previous page ...
Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2025-04-30T05:39:51Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References url: https://ssl-config.mozilla.org cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
...continues on next page ...

...continued from previous page ...

```

↔-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544

```

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482
```

[\[return to 192.168.40.122 \]](#)

2.2.3 Low general/icmp

Low (CVSS: 2.1)

NVT: ICMP Timestamp Reply Information Disclosure

Summary

The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following response / ICMP packet has been received:

- ICMP Type: 14
- ICMP Code: 0

Impact

This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:**Solution type:** Mitigation

Various mitigations are possible:

- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight

... continues on next page ...

...continued from previous page ...

The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.

Details: ICMP Timestamp Reply Information Disclosure

OID:1.3.6.1.4.1.25623.1.0.103190

Version used: 2025-01-21T05:37:33Z

References

cve: CVE-1999-0524

url: <https://datatracker.ietf.org/doc/html/rfc792>

url: <https://datatracker.ietf.org/doc/html/rfc2780>

cert-bund: CB-K15/1514

cert-bund: CB-K14/0632

dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.40.122 \]](#)

This file was automatically generated.