

Scan Report

September 8, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “80.143”. The scan started at Fri Aug 28 00:54:14 2026 UTC and ended at Fri Aug 28 01:55:27 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	192.168.80.143	2
2.1.1	Medium 3389/tcp	2
2.1.2	Medium 135/tcp	5

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.168.80.143	0	0	2	0	0	0
Total: 1	0	0	2	0	0	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 2 results selected by the filtering described above. Before filtering there were 32 results.

2 Results per Host

2.1 192.168.80.143

Host scan start Fri Aug 28 00:54:45 2026 UTC
Host scan end Fri Aug 28 01:55:22 2026 UTC

Service (Port)	Threat Level
3389/tcp	Medium
135/tcp	Medium

2.1.1 Medium 3389/tcp

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore. ...continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID: 1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-06-03T07:18:10Z
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://configurator.tlsref.org/ url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014 url: https://datatracker.ietf.org/doc/rfc8996/ url: https://vnhacker.blogspot.com/2011/09/beast.html url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak url: https://certvde.com/en/advisories/VDE-2025-031/ url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc url: https://advisories.ncsc.nl/advisory?id=WCSC-2024-0273 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751 cert-bund: CB-K15/1266 cert-bund: CB-K15/0850 cert-bund: CB-K15/0764 cert-bund: CB-K15/0720 cert-bund: CB-K15/0548 cert-bund: CB-K15/0526 cert-bund: CB-K15/0509 cert-bund: CB-K15/0493 cert-bund: CB-K15/0384 cert-bund: CB-K15/0365 cert-bund: CB-K15/0364 cert-bund: CB-K15/0302 cert-bund: CB-K15/0192 cert-bund: CB-K15/0079
...continues on next page ...

	...continued from previous page ...
cert-bund: CB-K15/0016	
cert-bund: CB-K14/1342	
cert-bund: CB-K14/0231	
cert-bund: CB-K13/0845	
cert-bund: CB-K13/0796	
cert-bund: CB-K13/0790	
dfn-cert: DFN-CERT-2020-0177	
dfn-cert: DFN-CERT-2020-0111	
dfn-cert: DFN-CERT-2019-0068	
dfn-cert: DFN-CERT-2018-1441	
dfn-cert: DFN-CERT-2018-1408	
dfn-cert: DFN-CERT-2016-1372	
dfn-cert: DFN-CERT-2016-1164	
dfn-cert: DFN-CERT-2016-0388	
dfn-cert: DFN-CERT-2015-1853	
dfn-cert: DFN-CERT-2015-1332	
dfn-cert: DFN-CERT-2015-0884	
dfn-cert: DFN-CERT-2015-0800	
dfn-cert: DFN-CERT-2015-0758	
dfn-cert: DFN-CERT-2015-0567	
dfn-cert: DFN-CERT-2015-0544	
dfn-cert: DFN-CERT-2015-0530	
dfn-cert: DFN-CERT-2015-0396	
dfn-cert: DFN-CERT-2015-0375	
dfn-cert: DFN-CERT-2015-0374	
dfn-cert: DFN-CERT-2015-0305	
dfn-cert: DFN-CERT-2015-0199	
dfn-cert: DFN-CERT-2015-0079	
dfn-cert: DFN-CERT-2015-0021	
dfn-cert: DFN-CERT-2014-1414	
dfn-cert: DFN-CERT-2013-1847	
dfn-cert: DFN-CERT-2013-1792	
dfn-cert: DFN-CERT-2012-1979	
dfn-cert: DFN-CERT-2012-1829	
dfn-cert: DFN-CERT-2012-1530	
dfn-cert: DFN-CERT-2012-1380	
dfn-cert: DFN-CERT-2012-1377	
dfn-cert: DFN-CERT-2012-1292	
dfn-cert: DFN-CERT-2012-1214	
dfn-cert: DFN-CERT-2012-1213	
dfn-cert: DFN-CERT-2012-1180	
dfn-cert: DFN-CERT-2012-1156	
dfn-cert: DFN-CERT-2012-1155	
dfn-cert: DFN-CERT-2012-1039	
dfn-cert: DFN-CERT-2012-0956	
dfn-cert: DFN-CERT-2012-0908	
dfn-cert: DFN-CERT-2012-0868	
dfn-cert: DFN-CERT-2012-0867	
dfn-cert: DFN-CERT-2012-0848	
dfn-cert: DFN-CERT-2012-0838	
dfn-cert: DFN-CERT-2012-0776	
dfn-cert: DFN-CERT-2012-0722	
dfn-cert: DFN-CERT-2012-0638	
dfn-cert: DFN-CERT-2012-0627	
dfn-cert: DFN-CERT-2012-0451	
dfn-cert: DFN-CERT-2012-0418	
dfn-cert: DFN-CERT-2012-0354	
dfn-cert: DFN-CERT-2012-0234	
dfn-cert: DFN-CERT-2012-0221	
dfn-cert: DFN-CERT-2012-0177	
dfn-cert: DFN-CERT-2012-0170	
dfn-cert: DFN-CERT-2012-0146	
dfn-cert: DFN-CERT-2012-0142	
dfn-cert: DFN-CERT-2012-0126	
dfn-cert: DFN-CERT-2012-0123	
dfn-cert: DFN-CERT-2012-0095	
dfn-cert: DFN-CERT-2012-0051	
dfn-cert: DFN-CERT-2012-0047	
dfn-cert: DFN-CERT-2012-0021	
dfn-cert: DFN-CERT-2011-1953	
dfn-cert: DFN-CERT-2011-1946	
dfn-cert: DFN-CERT-2011-1844	
...continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482
```

[\[return to 192.168.80.143 \]](#)

2.1.2 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p

↔protocol:

Port: 2103/tcp

```
  UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2103]
  Annotation: Message Queuing - QM2QM V1
  UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2103]
  Annotation: Message Queuing - RemoteRead V1
  UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2103]
  Annotation: Message Queuing - QMRT V2
  UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2103]
  Annotation: Message Queuing - QMRT V1
```

Port: 2105/tcp

```
  UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2105]
  Annotation: Message Queuing - QM2QM V1
  UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2105]
  Annotation: Message Queuing - RemoteRead V1
  UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2105]
  Annotation: Message Queuing - QMRT V2
  UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2105]
  Annotation: Message Queuing - QMRT V1
```

Port: 2107/tcp

```
  UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2107]
  Annotation: Message Queuing - QM2QM V1
  UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2107]
  Annotation: Message Queuing - RemoteRead V1
  UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2107]
  Annotation: Message Queuing - QMRT V2
  UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1
  Endpoint: ncacn_ip_tcp:192.168.80.143[2107]
  Annotation: Message Queuing - QMRT V1
```

Port: 49664/tcp

...continues on next page ...

...continued from previous page ...	
UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49664] Port: 49665/tcp UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49665] Annotation: Event log TCP/IP Port: 49666/tcp UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49666] UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49666] Port: 49667/tcp UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49667] Port: 49668/tcp UUID: 0b6edbf8-4a24-4fc6-8a23-942b1eca65d1, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49668] UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49668] Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 4a452661-8290-4b36-8f8e-7f4093a94978, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49668] UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49668] UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49668] Port: 49669/tcp UUID: 1088a980-eae5-11d0-8d9b-00a02453c337, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49669] Annotation: Message Queuing - QM2QM V1 UUID: 1a9134dd-7b39-45ba-ad88-44d01ca47f28, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49669] Annotation: Message Queuing - RemoteRead V1 UUID: 76d12b80-3467-11d3-91ff-0090272f9ea3, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49669] Annotation: Message Queuing - QMRT V2 UUID: fdb3a030-065f-11d1-bb9b-00a024ea5525, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49669] Annotation: Message Queuing - QMRT V1 Port: 49670/tcp UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49670] Annotation: Remote Fw APIs Port: 49671/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:192.168.80.143[49671] Port: 49674/tcp UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:192.168.80.143[49674] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact	An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution:	
Solution type:	Mitigation
	Filter incoming traffic to this ports.
Affected Software/OS	
	All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight	
...continues on next page ...	

...continued from previous page ...
DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z

[\[return to 192.168.80.143 \]](#)