WAYGROUND formerly Quizizz **Worksheets**

Heat and Temperature

Total questions: 11

Worksheet time: 9mins

Instructor name: So Korm

Name

Class

Date

1. How heat is transfered?

   a) Up to down
   b) From high to low temperature
   c) From low to high
   d) Left to right

2. The lowest possible temperature is

   a) 0 F
   b) 0 K
   c) 0 C
   d) 273 K

3. How much heat is required to raise the temperature of a sample of copper from 10.0°C to 55.0°C, if its mass is 10.00 g? specific heat of copper is 0.385 J/(g·°C).

   a) 1881 J
   b) 359 J
   c) 173 J
   d) 250. J

4. The amount of heat required to raise the temperature of one gram of a substance by one degree Celsius is _____

   a) thermal energy
   b) convection
   c) Heat energy
   d) Specific heat

5.



Heat is defined as

a) The kinetic energy of a solid, liquid, or gas.

b) the transfer of thermal energy from one object to another due to temperature difference

c) the temperature of a solid, liquid, or gas

6. THE ENERGY THAT AN OBJECT BECAUSE OF ITS MOTION

a) THERMAL ENERGY

b) KINETIC ENGERGY

7. IS THE MEASURE OF THE AVERAGE KINETIC ENERGY OF THE PARTICLES IN A SUBSTANCE

a) THERMOMETER

b) TEMPERATURE

8. ENERGY THAT AN OBJECT OR SUBSTANCE HAS BECAUSE OF ITS POSITION OR CONDITION

a) POTENTIAL ENERGY

b) THERMAL ENERGY

9. THE TRANSFER OF THERMAL ENERGY FROM ONE SUBSTANCE TO ANOTHER

a) HEAT

b) CONDUCTION

10. How do you calculate heat lost or gained?

a) m x change in Temperature x specific heat

b) mass/ change in temperature

c) mass x change in temperature/ specific heat

d) mass x change in temperature

11. What is 45 K in Celsius?

a) 318

b) 45

c) 228

d) -318

Answer Keys

1. b) From high to low temperature
2. b) 0 K
3. c) 173 J
4. d) Specific heat
5. b) the transfer of thermal energy from one object to another due to temperature difference
6. b) KINETIC ENGERGY
7. b) TEMPERATURE
8. a) POTENTIAL ENERGY
9. a) HEAT
10. a) m x change in Temperature x specific heat
11. a) 318