

Chrome File Edit View History Bookmarks Profiles Tab Window Help Tue Jul 21 5:24 PM

(12) CCNA TELNET/SSH - x (15) CCNA ROUTING - You x (12) STATIC ROUTE IN REA x (15) ARP in Layer-3 - You x PNETLab | Topology x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

Win-1 x Win-2 x R1 x R2 x R3 x R4 x

SUREN NETWORK
PLAY WITH

Win-1
10.0.0.10

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 6.1.7600]
(c) Copyright 1996-2009 Microsoft Corp.
C:\Documents and Settings\user>ipconfig
IPconfig 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time=2ms TTL=64
Reply from 15.0.0.10: bytes=32 time=2ms TTL=64
Reply from 15.0.0.10: bytes=32 time=2ms TTL=64
Reply from 15.0.0.10: bytes=32 time=2ms TTL=64
Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milliseconds:
    Minimum = 2ms, Maximum = 2ms, Average = 2ms
C:\Documents and Settings\user>
```

R6 162.14.0.1

Win-3 162.14.0.10

Physical

01 : 00 : 00 START

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

(12) CCNA TELNET/SSH - (15) CCNA ROUTING - You (12) STATIC ROUTE IN RE (15) ARP in Layer-3 - YouPNETLab | TopologyAsk Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORKPLAY WITH

Win-110.0.0.10

Terminal

Win-1Win-2R1R2R3R4

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 5.1.2600]
Copyright 1985-2001 Microsoft Corp.

C:\Documents and Settings\User>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time=0ms TTL=124
Reply from 10.0.0.10: bytes=32 time=0ms TTL=124
Reply from 10.0.0.10: bytes=32 time=0ms TTL=124
Reply from 10.0.0.10: bytes=32 time=0ms TTL=124

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milliseconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\Documents and Settings\User>
```

R6192.168.168.2

e0/0162.14.0.1

Win-3162.14.0.10

TERMINAL (6)

Physical

21zoom

Chrome File Edit View History Bookmarks Profiles Tab Window Help Tue Jul 21 5:24 PM

(12) CCNA TELNET/SSH - x (15) CCNA ROUTING - You x (12) STATIC ROUTE IN REA x (15) ARP in Layer-3 - You x PNETLab | Topology x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

Win-1 x Win-2 x R1 x R2 x R3 x R4 x

R1#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 10.0.0.0/8 is directly connected, Ethernet0/0
L 10.0.0.1/32 is directly connected, Ethernet0/0
S 15.0.0.0/8 [1/0] via 20.0.0.2
20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 20.0.0.0/8 is directly connected, Ethernet0/1
L 20.0.0.1/32 is directly connected, Ethernet0/1
S 30.0.0.0/8 [1/0] via 20.0.0.2
S 172.19.0.0/16 [1/0] via 20.0.0.2
R1#

Win-1 10.0.0.10

R6 162.14.0.1

Win-3 162.14.0.10

TERMINAL (6)

Physical

Chrome File Edit View History Bookmarks Profiles Tab Window Help Tue Jul 21 5:24 PM

(12) CCNA TELNET/SSH - (15) CCNA ROUTING - You (12) STATIC ROUTE IN REA (15) ARP in Layer-3 - You PNETLab | Topology x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

Win-1 x Win-2 x R1 x R2 x R3 x R4 x

R2#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 20.0.0.1
S 15.0.0.0/8 [1/0] via 30.0.0.2
20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 20.0.0.0/8 is directly connected, Ethernet0/0
L 20.0.0.2/32 is directly connected, Ethernet0/0
30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 30.0.0.0/8 is directly connected, Ethernet0/1
L 30.0.0.1/32 is directly connected, Ethernet0/1
S 172.19.0.0/16 [1/0] via 30.0.0.2
R2#

Win-1 10.0.0.10

R6 162.14.0.1

Win-3 162.14.0.10

TERMINAL (6)

Physical

Chrome File Edit View History Bookmarks Profiles Tab Window Help Tue Jul 21 5:24 PM

(12) CCNA TELNET/SSH - (15) CCNA ROUTING - You (12) STATIC ROUTE IN REA (15) ARP in Layer-3 - You PNETLab | Topology x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

Win-1 x Win-2 x R1 x R2 x R3 x R4 x

R3#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 30.0.0.1
S 15.0.0.0/8 [1/0] via 172.19.0.2
S 20.0.0.0/8 [1/0] via 30.0.0.1
30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 30.0.0.0/8 is directly connected, Ethernet0/0
L 30.0.0.2/32 is directly connected, Ethernet0/0
172.19.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 172.19.0.0/16 is directly connected, Ethernet0/1
L 172.19.0.1/32 is directly connected, Ethernet0/1

R3#

Win-1 10.0.0.10

R6 162.14.0.1

Win-3 162.14.0.10

192.168.168.2

TERMINAL (6)

Physical

Chrome File Edit View History Bookmarks Profiles Tab Window Help Tue Jul 21 5:24 PM

(12) CCNA TELNET/SSH - (15) CCNA ROUTING - You (12) STATIC ROUTE IN REA (15) ARP in Layer-3 - You PNETLab | Topology x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

Terminal

Win-1 x Win-2 x R1 x R2 x R3 x R4 x

R4#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 10.0.0.0/8 [1/0] via 172.19.0.1
C 15.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 15.0.0.0/8 is directly connected, Ethernet0/0
L 15.0.0.1/32 is directly connected, Ethernet0/0
S 20.0.0.0/8 [1/0] via 172.19.0.1
S 30.0.0.0/8 [1/0] via 172.19.0.1
C 172.19.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 172.19.0.0/16 is directly connected, Ethernet0/1
L 172.19.0.2/32 is directly connected, Ethernet0/1

R4#

Win-1 10.0.0.10

R6 162.14.0.1

Win-3 162.14.0.10

TERMINAL (6)

Physical