




Chrome

File Edit View History Bookmarks Profiles Tab Window Help

(12) CCNA TELNET/

(16) CCNA ROUTIN/

(12) STATIC ROUTE

(16) ARP in Layer-3

PNETLab | Topology

network classes ran

Ask Gemini

labs.surennetwork.com/legacy/topology

Finish update

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!

10,000 RS

Win-1

192.50.20.100

Net

R1

12.1

R2

12.2

R6

26.1

R6

26.2

Net

Win-2

223.0.50.10

TERMINAL (5)

Physical

Terminal

Win-1 x Win-2 x R1 x R2 x R6 x

Jul 21 18:00:39.521: %SYS-5-CONFIG I: Configured from console by console

R1#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

12.0.0.0/8 is directly connected, Ethernet0/1

12.0.0.1/32 is directly connected, Ethernet0/1

26.0.0.0/8 [1/0] via 12.0.0.2

192.50.20.0/24 is variably subnetted, 2 subnets, 2 masks

192.50.20.0/24 is directly connected, Ethernet0/0

192.50.20.1/32 is directly connected, Ethernet0/0

223.0.50.0/24 [1/0] via 12.0.0.2

R1#

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

(12) CCNA TELNET

(16) CCNA ROUTIN

(12) STATIC ROUTE

(16) ARP in Layer-3

PNETLab | Topology

network classes ran

Ask Gemini

labs.surennetwork.com/legacy/topology

Finish update

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!

10,000 RS

Win-1

192.50.20.100

Net

R1

12.1

R2

12.2

R6

223.0.50.10

Net

Win-2

223.0.50.10

TERMINAL (5)

Physical

Terminal

Win-1 x Win-2 x R1 x R2 x R6 x

Jul 21 18:02:59.169: %SYS-5-CONFIG_I: Configured from console by console

R2#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

12.0.0.0/8 is directly connected, Ethernet0/0

12.0.0.2/32 is directly connected, Ethernet0/0

26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

26.0.0.0/8 is directly connected, Ethernet0/1

26.0.0.1/32 is directly connected, Ethernet0/1

192.50.20.0/24 [1/0] via 12.0.0.1

223.0.50.0/24 [1/0] via 26.0.0.2

R2#

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

(12) CCNA TELNET/

(16) CCNA ROUTIN/

(12) STATIC ROUTE

(16) ARP in Layer-3

PNETLab | Topology

network classes ran

Ask Gemini

labs.surennetwork.com/legacy/topology

Finish update

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!

10,000 RS

Win-1

192.50.20.100

Net

R1

12.1

R2

12.2

R6

26.1

R6

26.2

Net

Win-2

223.0.50.10

TERMINAL (5)

Physical

Terminal

Win-1 x Win-2 x R1 x R2 x R6 x

Jul 21 18:04:43.048: %SYS-5-CONFIG_I: Configured from console by console

R6#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 26.0.0.1

C 26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 26.0.0.0/8 is directly connected, Ethernet0/1

L 26.0.0.2/32 is directly connected, Ethernet0/1

S 192.50.20.0/24 [1/0] via 26.0.0.1

C 223.0.50.0/24 is variably subnetted, 2 subnets, 2 masks

C 223.0.50.0/24 is directly connected, Ethernet0/0

L 223.0.50.1/32 is directly connected, Ethernet0/0

R6#