

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

(12) CCNA TELNET/

(16) CCNA ROUTIN/

(12) STATIC ROUTE

(16) ARP in Layer-3

PNETLab | Topology

network classes ran

Ask Gemini

labs.surennetwork.com/legacy/topology

Finish update

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kuduthu f...!!!!!!

10,000 RS

Win-1

Net

R1

192.50.20.100

Win-2

223.0.50.10

Terminal

Win-1 x Win-3 x R1 x R2 x R3 x R5 x

R1#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 12.0.0.0/8 is directly connected, Ethernet0/1

L 12.0.0.1/32 is directly connected, Ethernet0/1

S 23.0.0.0/8 [1/0] via 12.0.0.2

S 32.0.0.0/8 [1/0] via 12.0.0.2

S 172.36.0.0/16 [1/0] via 12.0.0.2

C 192.50.20.0/24 is variably subnetted, 2 subnets, 2 masks

C 192.50.20.0/24 is directly connected, Ethernet0/0

L 192.50.20.1/32 is directly connected, Ethernet0/0

R1#

TERMINAL (6)

Physical

01 : 00 : 00

START

Chrome

File Edit View History Bookmarks Profiles Tab Window Help

(12) CCNA TELNET/

(16) CCNA ROUTIN/

(12) STATIC ROUTE

(16) ARP in Layer-3

PNETLab | Topology

network classes ran

+

Ask Gemini

labs.surennetwork.com/legacy/topology

Finish update

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kuduthu f...!!!!!!

10,000 RS

Win-1

Net

Win-2

223.0.50.10

Terminal

Win-1 x Win-3 x R1 x R2 x R3 x R5 x

R2#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 12.0.0.0/8 is directly connected, Ethernet0/0

L 12.0.0.2/32 is directly connected, Ethernet0/0

C 23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 23.0.0.0/8 is directly connected, Ethernet0/2

L 23.0.0.1/32 is directly connected, Ethernet0/2

S 32.0.0.0/8 [1/0] via 23.0.0.2

S 172.36.0.0/16 [1/0] via 23.0.0.2

S 192.50.20.0/24 [1/0] via 12.0.0.1

R2#

TERMINAL (6)

Physical

21

zoom

WhatsApp

Google

223.0.50.10

Win-2

Chrome File Edit View History Bookmarks Profiles Tab Window Help Tue Jul 21 10:44 PM

(12) CCNA TELNET/ x (16) CCNA ROUTIN/ x (12) STATIC ROUTE x (16) ARP in Layer-3 x PNETLab | Topology x network classes ran x + Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha f...!!!!!!

10,000 RS

Win-1 x Win-3 x R1 x R2 x R3 x R5 x

R3#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 23.0.0.1
C 23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 23.0.0.0/8 is directly connected, Ethernet0/0
L 23.0.0.2/32 is directly connected, Ethernet0/0
C 32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 32.0.0.0/8 is directly connected, Ethernet0/1
L 32.0.0.1/32 is directly connected, Ethernet0/1
S 172.36.0.0/16 [1/0] via 32.0.0.2
S 192.50.20.0/24 [1/0] via 23.0.0.1

R3#

Net

Win-1 192.50.20.100

Win-2 223.0.50.10

TERMINAL (6)

Physical

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

(12) CCNA TELNET/ (16) CCNA ROUTIN/ (12) STATIC ROUTE (16) ARP in Layer-3 PNETLab | Topology network classes ran Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha f...!!!!!!

10,000 RS

Win-1

Net

192.50.20.100

Win-2

223.0.50.10

Win-1Win-3R1R2R3R5

R5#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 32.0.0.1
S 23.0.0.0/8 [1/0] via 32.0.0.1
C 32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 32.0.0.0/8 is directly connected, Ethernet0/1
L 32.0.0.2/32 is directly connected, Ethernet0/1
C 172.36.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 172.36.0.0/16 is directly connected, Ethernet0/0
L 172.36.0.1/32 is directly connected, Ethernet0/0
S 192.50.20.0/24 [1/0] via 32.0.0.1

R5#

TERMINAL (6)Physical



