

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

(12) CCNA TELNET(16) CCNA ROUTIN(12) STATIC ROUTE(16) ARP in Layer-3PNETLab | Topologynetwork classes raAsk Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS

Win-2Win-3R6R2R4R5

R6#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

I - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 24.0.0.0/8 [1/0] via 26.0.0.1

C 26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

L 26.0.0.0/8 is directly connected, Ethernet0/1

L 26.0.0.2/32 is directly connected, Ethernet0/1

S 45.0.0.0/8 [1/0] via 26.0.0.1

S 172.36.0.0/16 [1/0] via 26.0.0.1

C 223.0.50.0/24 is variably subnetted, 2 subnets, 2 masks

C 223.0.50.0/24 is directly connected, Ethernet0/0

L 223.0.50.1/32 is directly connected, Ethernet0/0

R6#

192.50.20.100172.36.0.10223.0.50.10

TERMINAL (6)Physical

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

(12) CCNA TELNET/ (16) CCNA ROUTIN/ (12) STATIC ROUTE (16) ARP in Layer-3 PNETLab | Topology network classes ran Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK

PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS

Win-2 x Win-3 x R6 x R2 x R4 x R5 x

R2#show ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP

D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area

N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2

E1 - OSPF external type 1, E2 - OSPF external type 2

i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2

ia - IS-IS inter area, * - candidate default, U - per-user static route

o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP

a - application route

+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 24.0.0.0/8 is directly connected, Ethernet0/3

L 24.0.0.1/32 is directly connected, Ethernet0/3

C 26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks

C 26.0.0.0/8 is directly connected, Ethernet0/1

L 26.0.0.1/32 is directly connected, Ethernet0/1

S 45.0.0.0/8 [1/0] via 24.0.0.2

S 172.36.0.0/16 [1/0] via 24.0.0.2

S 223.0.50.0/24 [1/0] via 26.0.0.2

R2#

TERMINAL (6)

223.0.50.10

Physical

192.50.20.100

172.36.0.10

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

(12) CCNA TELNET/ (16) CCNA ROUTIN/ (12) STATIC ROUTE (16) ARP in Layer-3 PNETLab | Topology network classes ran Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!!

10,000 RS

Win-1192.50.20.100

Net

Win-3172.36.0.10

Terminal

Win-2 x Win-3 x R6 x R2 x R4 x R5 x

R4#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 24.0.0.0/8 is directly connected, Ethernet0/0
L 24.0.0.2/32 is directly connected, Ethernet0/0
S 26.0.0.0/8 [1/0] via 24.0.0.1
C 45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 45.0.0.0/8 is directly connected, Ethernet0/1
L 45.0.0.1/32 is directly connected, Ethernet0/1
S 172.36.0.0/16 [1/0] via 45.0.0.2
S 223.0.50.0/24 [1/0] via 24.0.0.1
R4#

TERMINAL (6) 223.0.50.10 Physical

21

zoom

WhatsApp

Google Chrome

Terminal

Win-2

Win-3

ChromeFileEditViewHistoryBookmarksProfilesTabWindowHelp

(12) CCNA TELNET/ (16) CCNA ROUTIN/ (12) STATIC ROUTE (16) ARP in Layer-3 PNETLab | Topology network classes ran Ask Gemini

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

!!!!!! Neenga kudutha fees !!!!!

10,000 RS

Win-1192.50.20.100

Net

Win-3172.36.0.10

Terminal

Win-2 x Win-3 x R6 x R2 x R4 x R5 x

R5#show ip rout
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

S 24.0.0.0/8 [1/0] via 45.0.0.1
S 26.0.0.0/8 [1/0] via 45.0.0.1
C 45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 45.0.0.0/8 is directly connected, Ethernet0/2
L 45.0.0.2/32 is directly connected, Ethernet0/2
C 172.36.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 172.36.0.0/16 is directly connected, Ethernet0/0
L 172.36.0.1/32 is directly connected, Ethernet0/0
S 223.0.50.0/24 [1/0] via 45.0.0.1
R5#

TERMINAL (6)

Win-2223.0.50.10

Physical

21

zoom

WhatsApp

Google Chrome

Terminal

Win-2

Win-3