

위생안전기준 인증서

1. 인증번호 : KCW-2015-0048

2. 제조업체명 : (주)대호스토퍼

3. 대표자 : 이영호

4. 본사 주소 : 경기도 안산시 상록구 남산평길 126-4

5. 공장 소재지 : (15601) 경기도 안산시 단원구 시우로 114, (성곡동)


6. 제품명 : 부단수 할정자관

7. 용도 : ☐ 표층용재료 ☐ 말단급수설비
☐ 급수설비 ☒ 일반수도용자재


「수도법」 제14조제1항 및 「수도용 자재와 제품의 위생안전기준 인증 등에 관한 규칙」 제8조제1항에 따라 위생안전기준 인증서를 발급합니다.

2015년 04월 16일

한국물기술인증원장



210mm×297mm[보존용지 120g/m²]



원본대조필



<인증상세사항>

종류·등급	보조구분	호칭	재질	모델명	냉·온수 여부
-------	------	----	----	-----	---------


원본대조필





강관용 피팅 (용접형)	1900X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800,1900 2000X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800,1900 ,2000 2100X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800,1900 ,2000,2100 2200X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800,1900 ,2000,2100,220 0 2300X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300 2400X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0	-피팅, 플러그 :일반구조용 압연강재+에폭시 -오링:NBR	DH-LF-호칭	냉수
-----------------	---	--	----------	----

원본대조필



강관용 피팅 (용접형)	200X200 250X200,250 300X200,250,300 350X200,250,300,350 400X200,250,300,350,400 450X200,250,300,350,400,450 500X200,250,300,350,400,450,500 550X200,250,300,350,400,450,500,550 600X200,250,300,350,400,450,500,550,600 650X200,250,300,350,400,450,500,550,600,650 700X200,250,300,350,400,450,500,550,600,650,700 750X200,250,300,350,400,450,500,550,600,650,700,750 800X200,250,300,350,400,450,500,550,600,650,700,750,800 850X200,250,300,350,400,450,500,550,600,650,700,750,800,850 900X200,250,300,350,400,450,500,550,600,650,700,750,800,850,900 950X200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950 1000X200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000 1050X200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050 1100X200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100	-피팅, 플러그 :일반구조용 압연강재+에폭시 -오링:NBR	DH-LF-호칭	냉수
-----------------	--	--	----------	----

원본대조필



		50,900,950,100 0,1050,1100 1150X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50			
강관용 피팅 (용접형)		2800X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0,2500,2600,27 00,2800 2900X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0,2500,2600,27 00,2800,2900 3000X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0,2500,2600,27 00,2800,2900,3 000	-피팅, 플러그 :일반구조용 압연강재+에폭시 -오링:NBR	DH-LF-호칭	냉수

원본대조필



강관용 피팅 (용접형)	-	1200X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200 1350X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350 1400X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400 1500X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500 1600X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600 1650X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650 1800X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800	-피팅, 플러그 :일반구조용 압연강재+에폭시 -오링:NBR	DH-LF-호칭	냉수
-----------------	---	--	--	----------	----

원본대조





강관용 피팅 (용접형)	-	2500X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0,2500 2600X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0,2500,2600 2700X200,250,3 00,350,400,450, 500,550,600,65 0,700,750,800,8 50,900,950,100 0,1050,1100,11 50,1200,1350,1 400,1500,1600, 1650,1800, 1900,2000,2100 ,2200,2300,240 0,2500,2600,27 00	-피팅, 플러그 :일반구조용 압연강재+에폭시 -오링:NBR	DH-LF-호칭	냉수
-----------------	---	---	--	----------	----

원본대조필



주철관용 피팅 (볼트타입)		200X 200 250X 200,250 300X 200,250,300 350X 200,250,300,350 400X 200,250,300,350,400 450X 200,250,300,350,400,450 500X 200,250,300,350,400,450,500 600X 200,250,300,350,400,450,500,550,600 700X 200,250,300,350,400,450,500,550,600,650,700 800X 200,250,300,350,400,450,500,550,600,650,700,750,800 900X 200,250,300,350,400,450,500,550,600,650,700,750,800,850,900 1000X 200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000 1100X 200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100 1200X 200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200 1350X200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350 1400X 200,250,300,350	-피팅:강재+에폭시분체 -플러그:강재+에폭시분체 -패킹:EPDM -오링:NBR	DH-LD-호칭	냉수
---------------------------	--	---	--	-----------------	-----------

원본대조



0,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400

* 인증제품과 유사한 제품의 모델명은 같이 기재할 수 있음.

<변경사항>

변경일	내용	확인
2025-02-21	1. 정기검사 합격 - 대상 : '23. 8. 25., '23. 12. 19., '24. 1. 8., '24. 12. 19. 인증사항 - 인증서 유효기간 : '27. 2. 21. 까지	2025년 제2차 인증심의위원회(2025. 2. 21)
2024-12-19	1. 공장이전 - 경기도 안산시 단원구 신원로 241 → 경기도 안산시 단원구 시우로 114	2024.12.19. 현장평가
2024-01-08	1. 인증범위 추가(호칭) - 대상 : DH-LF-호칭 2500*(200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400,1500,1600,1650,1800,1900,2000,2100,2200,2300,2400,2500) 2600*(200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400,1500,1600,1650,1800,1900,2000,2100,2200,2300,2400,2500,2600) 2700*(200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400,1500,1600,1650,1800,1900,2000,2100,2200,2300,2400,2500,2600,2700) 2800*(200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400,1500,1600,1650,1800,1900,2000,2100,2200,2300,2400,2500,2600,2700,2800) 2900*(200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400,1500,1600,1650,1800,1900,2000,2100,2200,2300,2400,2500,2600,2700,2800,2900) 3000*(200,250,300,350,400,450,500,550,600,650,700,750,800,850,900,950,1000,1050,1100,1150,1200,1350,1400,1500,1600,1650,1800,1900,2000,2100,2200,2300,2400,2500,2600,2700,2800,2900,3000)	2024.1.8. 현장평가
2023-12-19	1. 사업자등록번호 변경 - 8568501603 → 140-81-34127	2023.12.19 서류평가
2023-08-25	1. 정기검사 통과 - 대상 : '21.8.20 인증사항 - 인증서 유효기간 : '25.4.15 까지	2023년 제8차 인증심의위원회(2023.8.25.)



2021-08-31	1. 사업자등록번호 변경 - (전)140-81-34127 - (후)856-85-01603 2. 본점소재지 변경 - 경기도 안산시 단원구 신원로 241 → 경기도 안산시 상록구 남산평길 126-4 3. 상호명 변경 - (주)대호스토퍼 → 주식회사 대호스토퍼 안산지점	2021.08.31. 서류평가
2021-08-20	1. 정기검사 통과 - 대상 : '19.06.20 인증사항 - 인증서 유효기간 : '23.04.15 까지 2. 분류체계 제정에 따른 제품명 변경 - 대상: 부단수 T자관 → 부단수 활정자관	2021년 제8차 인증심의위원회(2021.08.20)
2019-06-20	1. 정기검사 통과 - 대상 : '17.08.17, '19.05.07 인증사항 - 다음 정기검사 신청기한 : '21.04.15 까지	2019년 제6차 인증심의위원회(2019.06.20)
2019-05-07	1. 인증범위 추가(재질) - 배관용 탄소강관, 일반구조용 압연강재 → 탄소강, 강재	2019.05.07 현장평가
2017-08-17	1. 정기검사 통과 - 대상 : '15.04.16 인증사항 - 다음 정기검사 신청기한 : '19.04.15 까지	제87차 인증심의위원회(2017.08.17)
2017-06-13	1. 공장이전 -경기도 안산시 단원구 산단로19번길 169(목내동) → 경기도 안산시 단원구 신원로 241(성곡동)	2017.06.13 현장평가

<행정처분사항>

행정처분일	내용	확인
2024-12-20	1. 인증 일부 반납 - 사유: 인증업체의 경영정책에 따른 인증 일부 반납 - 대상: 주철관용 피팅 (볼트타입)의 에폭시 액상 모델 삭제 (모델명: DH-LD-호칭)	2024. 12. 20.

원본대조필

