



# 나작도 API 문서

1.0.1 OAS 3.0

/v3/api-docs

Servers

[Authorize](#)

## 도서 검색 API

**DELETE /api/v1/search/recent/{keyword}** 최근 검색어 삭제

최근 검색어 삭제

### Parameters

[Try it out](#)

Name Description

**keyword** \* requiredstring  
(path)

### Responses

Code Description

Links

200

OK

No links

Media type

Controls Accept header.

Example Value Schema

```
{  
  "success": true,  
  "status": 0,  
  "message": "string",  
  "data": []  
}
```

**GET /api/v1/search** 도서 검색

도서 검색

### Parameters

[Try it out](#)

| Name                       | Description   |
|----------------------------|---|
| <b>keyword</b> * required  | keyword   |
| <b>pageable</b> * required | <pre>{   "page": 0,   "size": 1,   "sort": [     "string"   ] }</pre> |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

```
*/*
```

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {
    "totalElements": 0,
    "totalPages": 0,
    "pageable": {
      "paged": true,
      "pageNumber": 0,
      "pageSize": 0,
      "offset": 0,
      "sort": {
        "sorted": true,
        "empty": true,
        "unsorted": true
      },
      "unpaged": true
    },
    "size": 0,
    "content": [
      {
        "bookId": 0,
        "title": "string",
        "author": "string"
      }
    ]
  }
}
```

GET /api/v1/search/recent 최근 검색어 조회

최근 검색어 조회

### Parameters

No parameters

Try it out

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
  "success": true,  
  "status": 0,  
  "message": "string",  
  "data": [  
    "string"  
  ]  
}
```

GET /api/v1/search/popularity 인기 검색어 조회



인기 검색어 조회

### Parameters

[Try it out](#)

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
  "success": true,  
  "status": 0,  
  "message": "string",  
  "data": [  
    "string"  
  ]  
}
```

GET /api/v1/search/auto-complete 자동완성 검색어 조회



자동완성 검색어 조회

### Parameters

[Try it out](#)

| Name   | Description |
|--|-------------|
| <b>keyword</b> * required<br>string<br>(query) | keyword     |

  

### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": {  
        "list": [  
            {  
                "value": "string",  
                "score": 0  
            }  
        ]  
    }  
}
```

## 렌탈 관련 API



GET /api/v1/rental/local-best-seller 지역 베스트셀러 조회



지역 베스트셀러 조회

### Parameters

[Try it out](#)

No parameters

### Responses

/\*



Code

Description

Links

```

    "author": "string",
    "cover": "string",
    "genre": "string",
    "description": "string",
    "publisher": "string",
    "priceStandard": 0,
    "itemPage": 0,
    "starPoint": 0,
    "pubDate": "string",
    "isbn": 0,
    "interest": true
  }
]
}
  
```

GET /api/v1/rental/lend 빌려준 내역 조회



빌려준 내역 조회

Parameters

Try it out

No parameters

Responses

Code

Description

Links

200

OK

No links

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    {
      "rentalId": 0,
      "otherUseNickName": "string",
      "otherUseProfileImg": "string",
      "rentalStartDate": "2024-10-10T12:18:06.105Z",
      "rentalEndDate": "2024-10-10T12:18:06.105Z",
      "status": "READY",
      "rentalCost": 0,
      "rentalPeriod": 0,
      "rentalBooks": [
        {
          "coverImg": "string",
          "title": "string",
          "author": "string",
          "publisher": "string",
          "oneDayPrice": 0
        }
      ]
    }
  ]
}
```

GET /api/v1/rental/borrow 빌린 내역 조회



빌린 내역 조회

Parameters

Try it out

No parameters

## Responses

| Code | Description | Links           |
|------|-------------|-----------------|
| 200  | OK          | <i>No links</i> |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    {
      "rentalId": 0,
      "otherUseNickName": "string",
      "otherUseProfileImg": "string",
      "rentalStartDate": "2024-10-10T12:18:06.107Z",
      "rentalEndDate": "2024-10-10T12:18:06.107Z",
      "status": "READY",
      "rentalCost": 0,
      "rentalPeriod": 0,
      "rentalBooks": [
        {
          "coverImg": "string",
          "title": "string",
          "author": "string",
          "publisher": "string",
          "oneDayPrice": 0
        }
      ]
    }
  ]
}
```

GET /api/v1/rental/best-seller 오늘의 베스트셀러 조회



오늘의 베스트셀러 조회

## Parameters

[Try it out](#)

No parameters

## Responses

| Code | Description | Links           |
|------|-------------|-----------------|
| 200  | OK          | <i>No links</i> |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    {
      "bookId": 0,
      ...
    }
  ]
}
```

| Code | Description   | Links |
|------|---|-------|
|      | <pre>         "title": "string",         "author": "string",         "cover": "string",         "genre": "string",         "description": "string",         "publisher": "string",         "priceStandard": 0,         "itemPage": 0,         "starPoint": 0,         "pubDate": "string",         "isbn": 0,         "interest": true     } ] } </pre> |       |

POST /api/v1/rental 렌탈 신청



렌탈 신청

#### Parameters

[Try it out](#)

No parameters

#### Request body required

application/json

#### Example Value Schema

```
{
    "cartId": 0,
    "rentalCost": 0,
    "rentalPeriod": 0,
    "totalPrice": 0
}
```

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

```
/*
```

Controls Accept header.

Example Value Schema

```
{
    "success": true,
    "status": 0,
    "message": "string",
    "data": []
}
```

POST /api/v1/rental/return 반납



반납

#### Parameters

[Try it out](#)

No parameters

Example Value Schema

```
{
  "cartId": 0,
  "customerId": 0
}
```

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

## 리뷰 관련 API



GET /api/v1/review/is-possible-rental 리뷰 가능 여부



리뷰 가능 여부

## Parameters

[Try it out](#)

| Name                        | Description |
|-----------------------------|-------------|
| rentalId * required         | rentalId    |
| integer(\$int64)<br>(query) |             |
| revieweeId * required       | revieweeId  |
| integer(\$int64)<br>(query) |             |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
```

| Code | Description   | Links |
|------|---|-------|
|      | <pre>"status": 0,<br/>"message": "string",<br/>"data": true<br/>}</pre> |       |

POST /api/v1/review 리뷰 등록



리뷰 등록

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "rentalId": 0,  
  "reviewItemIds": [  
    0  
  ]  
}
```

Responses

| Code | Description | Links                   |
|------|-------------|-------------------------|
| 200  | OK          | <small>No links</small> |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
  "success": true,  
  "status": 0,  
  "message": "string",  
  "data": {}  
}
```

## 알림 관련 API



GET /api/v1/notification/searchById



Parameters

Try it out

| Name                                     | Description   |
|--|---|
| pageable * required<br>object<br>(query) | <pre>{     "page": 0,     "size": 1,     "sort": [         "string"     ] }</pre> |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
    "success": true,
    "status": 0,
    "message": "string",
    "data": {
        "totalElements": 0,
        "totalPages": 0,
        "pageable": {
            "paged": true,
            "pageNumber": 0,
            "pageSize": 0,
            "offset": 0,
            "sort": {
                "sorted": true,
                "empty": true,
                "unsorted": true
            },
            "unpaged": true
        },
        "size": 0,
        "content": [
            {
                "userId": 0,
                "content": "string",
                "title": "string"
            }
        ]
    }
}
```

## POST /api/v1/notification/readSuccess



### Parameters

[Try it out](#)

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Code

Description

Links

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

## 위치 관련 API



GET /api/v1/location/near-neighborhood 주변 동 조회



주변 동 조회

Parameters

Try it out

Name Description

longitude \* required

number(\$double)  
(query)

longitude

latitude \* required

number(\$double)  
(query)

latitude

Responses

Code Description

Links

200

OK

No links

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    [
      {
        "locationCode": 0,
        "locationName": "string",
        "locationPoint": "string",
        "polygon": "string"
      }
    ]
  }
}
```

GET /api/v1/location/near-location 주변 위치 조회



## Parameters

[Try it out](#)

| Name   | Description  |
|--|--|
| <b>longitude</b> * required<br>number(\$double)<br>(query) | longitude  |
| <b>latitude</b> * required<br>number(\$double)<br>(query)  | latitude   |
| <b>pageable</b> * required<br>object<br>(query)            | {           "page": 0,           "size": 1,           "sort": [             "string"           ]         } |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {
    "totalElements": 0,
    "totalPages": 0,
    "pageable": {
      "paged": true,
      "pageNumber": 0,
      "pageSize": 0,
      "offset": 0,
      "sort": {
        "sorted": true,
        "empty": true,
        "unsorted": true
      },
      "unpaged": true
    },
    "size": 0,
    "content": [
      {
        "bookId": 0,
        "title": "string",
        "author": "string"
      }
    ]
  }
}
```

## Parameters

[Try it out](#)

No parameters

Request body required

application/json

## Example Value Schema

```
{
  "locationCode": 0,
  "distanceMeters": 0
}
```

## Responses

| Code | Description | Links                    |
|------|-------------|--------------------------|
| 200  | OK          | <a href="#">No links</a> |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {}
}
```

## 유저 관련 API

[DELETE /api/v1/user/interest-user/{userId}](#) 유저 팔로우(관심 책장) 삭제

유저 팔로우(관심 책장) 삭제

## Parameters

[Try it out](#)

## Name Description

userId \* required

integer(\$int64)  
(path)

userId

## Responses

| Code | Description | Links                    |
|------|-------------|--------------------------|
| 200  | OK          | <a href="#">No links</a> |

Media type

| Code | Description             | Links |
|------|-------------------------|-------|
| /*   | Controls Accept header. |       |

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

GET /api/v1/user/info 유저 정보 조회



유저 정보 조회

#### Parameters

Try it out

No parameters

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {
    "userId": 0,
    "nickname": "string",
    "profileImage": "string",
    "locationName": "string",
    "mannerScore": 0,
    "goodReviewInfo": [
      {
        "reviewId": 0,
        "content": "string",
        "count": 0
      }
    ],
    "badReviewInfo": [
      {
        "reviewId": 0,
        "content": "string",
        "count": 0
      }
    ],
    "cash": 0
  }
}
```

GET /api/v1/user/valid 유저 정보 유효성 조회



유저 정보 유효성 조회

#### Parameters

Try it out

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": {  
        "location": true,  
        "survey": true  
    }  
}
```

GET [/api/v1/user/nickname](#) 유저 닉네임 조회



유저 닉네임 조회

## Parameters

[Try it out](#)

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": {  
        "nickname": "string"  
    }  
}
```

GET [/api/v1/user/info/{nickname}](#) 유저 닉네임으로 유저 정보 조회



유저 닉네임으로 유저 정보 조회

## Parameters

[Try it out](#)

| Name  | Description |          |      |             |       |     |    |          |   |  |  |
|---|-------------|----------|------|-------------|-------|-----|----|----------|---|--|--|
| nickname * required<br>string<br>(path)   | nickname    |          |      |             |       |     |    |          |   |  |  |
| Responses   |             |          |      |             |       |     |    |          |   |  |  |
| Code  | Description | Links    |      |             |       |     |    |          |   |  |  |
| 200   | OK          | No links |      |             |       |     |    |          |   |  |  |
| <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{   "success": true,   "status": 0,   "message": "string",   "data": {     "userId": 0,     "nickname": "string",     "profileImage": "string",     "locationName": "string",     "mannerScore": 0,     "goodReviewInfo": [       {         "reviewId": 0,         "content": "string",         "count": 0       }     ],     "badReviewInfo": [       {         "reviewId": 0,         "content": "string",         "count": 0       }     ],     "cash": 0   } }</pre> |             |          |      |             |       |     |    |          |   |  |  |
| <p>GET    <a href="#">/api/v1/user/cashlog</a> 유저 캐시 로그 조회</p> <p>유저 캐시 로그 조회</p> <p>Parameters</p> <div style="float: right;"><a href="#">Try it out</a></div> <p>No parameters</p> <p>Responses</p> <table border="1"> <thead> <tr> <th>Code</th><th>Description</th><th>Links</th></tr> </thead> <tbody> <tr> <td>200</td><td>OK</td><td>No links</td></tr> <tr> <td colspan="3"> <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> </td></tr> </tbody> </table>   |             |          | Code | Description | Links | 200 | OK | No links | <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> |  |  |
| Code  | Description | Links    |      |             |       |     |    |          |   |  |  |
| 200   | OK          | No links |      |             |       |     |    |          |   |  |  |
| <p>Media type</p> <div style="border: 2px solid green; padding: 2px;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p>   |             |          |      |             |       |     |    |          |   |  |  |

| Code | Description   | Links |
|------|---|-------|
|      | <pre>{<br/>    "success": true,<br/>    "status": 0,<br/>    "message": "string",<br/>    "data": [<br/>        {<br/>            "cash": 0,<br/>            "resultCash": 0,<br/>            "type": "string",<br/>            "createdAt": "2024-10-10T12:18:06.139Z"<br/>        }<br/>    ]<br/>}</pre> |       |

GET /api/v1/user/available-nickname/{nickname} 닉네임 중복 조회 ^ 

닉네임 중복 조회

Parameters

Try it out

| Name  | Description                           |
|---|---------------------------------------|
| nickname * required<br><small>string<br/>(path)</small> | <input type="text" value="nickname"/> |

Responses

| Code | Description | Links                   |
|------|-------------|-------------------------|
| 200  | OK          | <small>No links</small> |

Media type \*/\*  
Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": true  
}
```

POST /api/v1/user/pushToken ^ 

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  
    "token": "string"  
}
```

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": []  
}
```

POST /api/v1/user/interest-user/{userId} 유저 팔로우(관심 책장) 추가 ^ 

유저 팔로우(관심 책장) 추가

### Parameters

[Try it out](#)

| Name  | Description |
|---|-------------|
| userId * required<br>integer(\$int64)<br>(path) | userId      |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": []  
}
```

POST /api/v1/user/info ^ 

### Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{  
    "nickname": "string",  
    "gender": "string",  
    "age": "string",  
    "interest": [  
        2147483647,  
        2147483647,  
        2147483647  
    ]  
}
```

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

`*/*`

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": {}  
}
```

## 유저 책 관련 API



GET /api/v1/user-book/{userBookId} 유저 책 상세 정보 조회

유저 책 상세 정보 조회

### Parameters

Try it out

| Name  | Description                             |
|---|---|
| userBookId * required<br><small>integer(\$int64)<br/>(path)</small> | <input type="text" value="userBookId"/> |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

`*/*`

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": {  
        "userId": 0,  
        "bookId": 0  
    }  
}
```

| Code   | Description | Links |
|--|-------------|-------|
| <pre>         "nickname": "string",         "profileImage": "string",         "locationName": "string",         "mannerScore": 0,         "goodReviewInfo": [             {                 "reviewId": 0,                 "content": "string",                 "count": 0             }         ],         "badReviewInfo": [             {                 "reviewId": 0,                 "content": "string",                 "count": 0             }         ]     </pre> |             |       |

GET /api/v1/user-book/near-available/{bookId} 특정 책에 대해 주변 책 대여 가능 여부 확인



주변 책 대여 가능 여부 확인

#### Parameters

[Try it out](#)

| Name  | Description |  |
|---|-------------|--|
| bookId * required<br>integer(\$int64)<br>(path) | bookId      |  |

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```

{
    "success": true,
    "status": 0,
    "message": "string",
    "data": [
        {
            "userBookId": 0,
            "imagePath": "string",
            "bookStatus": "string",
            "oneDayPrice": 0
        }
    ]
}

```

POST /api/v1/user-book/update/rental-cost 대여료 수정



대여료 수정

#### Parameters

[Try it out](#)

No parameters

## Example Value Schema

```
{
  "userBookId": 0,
  "updateRentalCost": 0
}
```

## Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

|     |    |          |
|-----|----|----------|
| 200 | OK | No links |
|-----|----|----------|

Media type

/\*

Controls Accept header.

## Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

## 인증 인가 관련 API



DELETE /api/v1/auth



## Parameters

Try it out

No parameters

## Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

|     |            |          |
|-----|------------|----------|
| 204 | No Content | No links |
|-----|------------|----------|

Media type

/\*

Controls Accept header.

## Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

POST /api/v1/auth/sign-out



## Parameters

Try it out

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 204  | No Content  | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": []  
}
```

## POST /api/v1/auth/refresh



Try it out

### Parameters

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 201  | Created     | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": {  
        "accessToken": "string",  
        "refreshToken": "string"  
    }  
}
```

## 장바구니 아이템 API



### POST /api/v1/cart-item/delete/{cartItemId} 장바구니 삭제



장바구니 삭제

### Parameters

Try it out

| Name                                      | Description |
|---|-------------|
| cartItemId * required<br>integer(\$int64) | cartItemId  |

| Name  | Description |          |      |             |       |  |             |          |
|---|-------------|----------|------|-------------|-------|--|-------------|----------|
| (path)  |             |          |      |             |       |  |             |          |
| Responses   |             |          |      |             |       |  |             |          |
| <table border="1"> <thead> <tr> <th>Code</th><th>Description</th><th>Links</th></tr> </thead> <tbody> <tr> <td>200</td><td>OK</td><td>No links</td></tr> </tbody> </table>  |             |          | Code | Description | Links | 200  | OK          | No links |
| Code  | Description | Links    |      |             |       |  |             |          |
| 200   | OK          | No links |      |             |       |  |             |          |
| <p>Media type</p> <div style="border: 2px solid #00AEEF; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{   "success": true,   "status": 0,   "message": "string",   "data": [] }</pre> |             |          |      |             |       |  |             |          |
| <p>POST /api/v1/cart-item/add/{ownerbookId} 장바구니 담기</p> <div style="float: right;"> <span>Try it out</span> <span>▲</span> <span>🔒</span> </div> <p>장바구니 담기</p>   |             |          |      |             |       |  |             |          |
| <p>Parameters</p>   |             |          |      |             |       |  |             |          |
| <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th></th></tr> </thead> <tbody> <tr> <td>ownerbookId * required<br/>integer(\$int64)<br/>(path)</td><td>ownerbookId</td><td></td></tr> </tbody> </table>                               |             |          | Name | Description |       | ownerbookId * required<br>integer(\$int64)<br>(path) | ownerbookId |          |
| Name  | Description |          |      |             |       |  |             |          |
| ownerbookId * required<br>integer(\$int64)<br>(path)  | ownerbookId |          |      |             |       |  |             |          |
| Responses   |             |          |      |             |       |  |             |          |
| <table border="1"> <thead> <tr> <th>Code</th><th>Description</th><th>Links</th></tr> </thead> <tbody> <tr> <td>200</td><td>OK</td><td>No links</td></tr> </tbody> </table>  |             |          | Code | Description | Links | 200  | OK          | No links |
| Code  | Description | Links    |      |             |       |  |             |          |
| 200   | OK          | No links |      |             |       |  |             |          |
| <p>Media type</p> <div style="border: 2px solid #00AEEF; padding: 2px; display: inline-block;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{   "success": true,   "status": 0,   "message": "string",   "data": [] }</pre> |             |          |      |             |       |  |             |          |

## 장바구니 API



|     |                       |            |   |
|-----|-----------------------|------------|---|
| GET | /api/v1/cart/{cartId} | 특정 장바구니 조회 | <span>Try it out</span> <span>▲</span> <span>🔗</span> |
|-----|-----------------------|------------|---|

## Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**cartId** \* requiredinteger(\$int64)  
(path)

cartId

## Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

200

OK

No links

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {
    "cartId": 0,
    "ownerId": 0,
    "ownerUsername": "string",
    "status": "READY",
    "rentalId": 0,
    "cartItems": [
      {
        "cartItemId": 0,
        "bookImage": "string",
        "bookTitle": "string",
        "author": "string",
        "price": 0
      }
    ]
  }
}
```

GET /api/v1/cart/list 장바구니 조회

^

## 장바구니 조회

## Parameters

[Try it out](#)

No parameters

## Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

200

OK

No links

Media type

/\*

| Code   | Description | Links |
|--|-------------|-------|
| Controls Accept header.  |             |       |
| Example Value Schema   |             |       |
| <pre>{   "success": true,   "status": 0,   "message": "string",   "data": [     {       "cartId": 0,       "ownerId": 0,       "ownerUsername": "string",       "status": "READY",       "rentalId": 0,       "cartItems": [         {           "cartItemId": 0,           "bookImage": "string",           "bookTitle": "string",           "author": "string",           "price": 0         }       ]     }   ] }</pre> |             |       |

## 채팅 관련 API

^

GET /api/v1/chatroom 채팅방 목록 조회

^ 

채팅방 목록 조회

### Parameters

Try it out

No parameters

### Responses

| Code  | Description | Links    |
|---|-------------|----------|
| 200   | OK          | No links |
| Media type  |             |          |
| /*  |             |          |
| Controls Accept header.   |             |          |
| Example Value Schema  |             |          |
| <pre>{   "success": true,   "status": 0,   "message": "string",   "data": {     "bookId": 0,     "title": "string",     "author": "string",     "cover": "string",     "genre": "string",     "description": "string",     "publisher": "string",     "priceStandard": 0,     "itemPage": 0,     "starPoint": 0,     "pubDate": "string",     "isbn": 0,     "interest": true   } }</pre> |             |          |

채팅방 채팅내용 불러오기

## Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

roomId \* required

integer(\$int64)

(query)

roomId

## Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

200

OK

No links

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {
    "id": "string",
    "userId": 0,
    "roomId": 0,
    "messages": [
      {
        "senderId": 0,
        "senderNickname": "string",
        "message": "string",
        "talkType": "MESSAGE",
        "time": "2024-10-10T12:18:06.166Z"
      }
    ]
  }
}
```

채팅방 생성

## Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{
  "ownerId": 0,
  "cartId": 0
}
```

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": []  
}
```

## 책 관련 API



DELETE /api/v1/book/interest/{bookId} 관심 도서 삭제



유저의 관심 도서 삭제

### Parameters

Try it out

Name Description

bookId \* required

integer(\$int64)  
(path)

bookId

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": []  
}
```

GET /api/v1/book 도서 검색



isbn 또는 제목으로 도서 검색

### Parameters

Try it out

| Name                                     | Description  |
|--|--|
| isbn<br>integer(\$int64)<br>(query)      | isbn   |
| title<br>string<br>(query)               | title  |
| pageable * required<br>object<br>(query) | {<br>"page": 0,<br>"size": 1,<br>"sort": [<br>"string"<br>]<br>} |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
    "success": true,
    "status": 0,
    "message": "string",
    "data": {
        "bookId": 0,
        "title": "string",
        "author": "string",
        "cover": "string",
        "genre": "string",
        "description": "string",
        "publisher": "string",
        "priceStandard": 0,
        "itemPage": 0,
        "starPoint": 0,
        "pubDate": "string",
        "isbn": 0,
        "interest": true
    }
}
```

GET /api/v1/book/{bookId} 도서 상세 조회

도서 상세 조회

Parameters

Try it out

| Name   | Description |   |
|--|-------------|---|
| bookId * required<br>integer(\$int64)<br>(path)  | bookId      |   |
| Responses  |             |   |
| Code   | Description | Links   |
| 200  | OK          | No links  |
| <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{   "success": true,   "status": 0,   "message": "string",   "data": {     "bookId": 0,     "title": "string",     "author": "string",     "cover": "string",     "genre": "string",     "description": "string",     "publisher": "string",     "priceStandard": 0,     "itemPage": 0,     "starPoint": 0,     "pubDate": "string",     "isbn": 0,     "interest": true   } }</pre> |             |   |
| <a href="#">GET /api/v1/book/interest</a> 관심 도서 목록 조회  |             | <span style="font-size: small;">^</span> <span style="font-size: small;">🔒</span> |
| <p>유저의 관심 도서 목록 조회</p> <p>Parameters</p> <div style="float: right;"><a href="#" style="border: 1px solid #ccc; padding: 2px 10px; border-radius: 5px; text-decoration: none; color: inherit;">Try it out</a></div>   |             |   |
| <p>No parameters</p>   |             |   |
| Responses  |             |   |
| Code   | Description | Links   |
| 200  | OK          | No links  |
| <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; width: fit-content;">/*</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{   "success": true,   "status": 0,   "message": "string",   "data": {     "bookId": 0,     "title": "string",     "author": "string",     "cover": "string",     "genre": "string",     "description": "string",     "publisher": "string",     "priceStandard": 0,     "itemPage": 0,     "starPoint": 0,     "pubDate": "string",     "isbn": 0,     "interest": true   } }</pre> |             |   |

| Code   | Description | Links |
|--|-------------|-------|
| <pre>     "data": [       {         "bookId": 0,         "title": "string",         "author": "string",         "cover": "string",         "genre": "string",         "description": "string",         "publisher": "string",         "priceStandard": 0,         "itemPage": 0,         "starPoint": 0,         "pubDate": "string",         "isbn": 0,         "interest": true       }     ]   } } </pre> |             |       |

GET /api/v1/book/bookcase/{findUserId} 책장 목록 조회



유저 아이디로 책장 목록 조회

#### Parameters

[Try it out](#)

| Name  | Description |
|---|-------------|
| findUserId * required<br>integer(\$int64)<br>(path) | findUserId  |

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

\*/\*

Controls Accept header.

Example Value Schema

```

{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {
    "userId": 0,
    "nickname": "string",
    "profileImage": "string",
    "displayBooks": [
      {
        "bookId": 0,
        "bookTitle": "string",
        "userBookId": 0,
        "cover": "string",
        "bookStatus": "AVAILABLE"
      }
    ],
    "follow": true
  }
}

```

GET /api/v1/book/bookcase/near 주변 책장 목록 조회



## Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**pageable \* required**

```
{
    "page": 0,
    "size": 1,
    "sort": [
        "string"
    ]
}
```

//

## Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

200

OK

No links

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
    "success": true,
    "status": 0,
    "message": "string",
    "data": {
        "totalElements": 0,
        "totalPages": 0,
        "pageable": {
            "paged": true,
            "pageNumber": 0,
            "pageSize": 0,
            "offset": 0,
            "sort": {
                "sorted": true,
                "empty": true,
                "unsorted": true
            },
            "unpaged": true
        },
        "size": 0,
        "content": [
            {
                "userId": 0,
                "nickname": "string",
                "profileImage": "string"
            }
        ]
    }
}
```



GET /api/v1/book/bookcase/me 나의 책장 목록 조회



## 나의 책장 목록 조회

## Parameters

[Try it out](#)

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    {
      "userId": 0,
      "nickname": "string",
      "profileImage": "string",
      "displayBooks": [
        {
          "bookId": 0,
          "bookTitle": "string",
          "userBookId": 0,
          "cover": "string",
          "bookStatus": "AVAILABLE"
        }
      ],
      "follow": true
    }
  ]
}
```

GET /api/v1/book/bookcase/interest 관심 책장 목록 조회



유저의 관심 책장 목록 조회

## Parameters

Try it out

No parameters

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    {
      "userId": 0,
      "nickname": "string",
      "profileImage": "string",
      "displayBooks": [
        {
          "bookId": 0,
          "bookTitle": "string",
          "userBookId": 0,
          "cover": "string",
          "bookStatus": "AVAILABLE"
        }
      ],
      "follow": true
    }
  ]
}
```

| Code | Description   | Links |
|------|---|-------|
|      | <pre>        "cover": "string",         "bookStatus": "AVAILABLE"     },     "follow": true ] }</pre> |       |

POST /api/v1/book/regist-books 책장 사진으로 도서 리스트 반환



책장 사진으로 도서 리스트 반환

#### Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
    "file": "string"
}
```

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
    "success": true,
    "status": 0,
    "message": "string",
    "data": [
        "additionalProp1": [
            {
                "bookId": 0,
                "title": "string",
                "author": "string",
                "cover": "string",
                "genre": "string",
                "description": "string",
                "publisher": "string",
                "priceStandard": 0,
                "itemPage": 0,
                "starPoint": 0,
                "pubDate": "string",
                "isbn": 0,
                "interest": true
            }
        ],
        "additionalProp2": [
            {
                "hookTrd": 0
            }
        ]
    ]
}
```

POST /api/v1/book/regist-books-by-ids 도서 등록



## Parameters

[Try it out](#)

No parameters

Request body required

application/json

## Example Value Schema

```
{
  "bookIds": [
    0
  ]
}
```

## Responses

## Code

## Description

## Links

200

OK

No links

## Media type

/\*

Controls Accept header.

## Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

POST /api/v1/book/regist-book ^ 

## Parameters

[Try it out](#)

No parameters

Request body required

application/json

## Example Value Schema

```
{
  "isbn": 0
}
```

## Responses

## Code

## Description

## Links

200

OK

No links

## Media type

/\*

| Code | Description   | Links |
|------|---|-------|
|      | <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{   "success": true,   "status": 0,   "message": "string",   "data": [] }</pre> |       |

POST /api/v1/book/interest/{bookId} 관심 도서 추가 ^ 

유저의 관심 도서 추가

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**bookId** \* required  
integer(\$int64)  
(path)

bookId

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type /\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

## 책 추천

^

GET /api/v1/recommend 책을 기반으로 비슷한 책 추천 ^ 

빈리스트 반환 시 추천 데이터가 부족

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**bookId** \* required  
integer(\$int64)  
(query)

bookId

**genre** \* required  
string  
(query)

genre

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": [  
        {  
            "bookId": 0,  
            "title": "string",  
            "author": "string",  
            "cover": "string",  
            "genre": "string",  
            "description": "string",  
            "publisher": "string",  
            "priceStandard": 0,  
            "itemPage": 0,  
            "starPoint": 0,  
            "pubDate": "string",  
            "isbn": 0,  
            "interest": true  
        }  
    ]  
}
```

GET /api/v1/recommend/main 메인 화면 추천



메인 화면 추천

## Parameters

Try it out

| Name                                  | Description |
|---------------------------------------|-------------|
| genre * required<br>string<br>(query) | genre       |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{  
    "success": true,  
    "status": 0,  
    "message": "string",  
    "data": [  
        {  
            "bookId": 0,  
            "title": "string",  
            "author": "string",  
            "cover": "string",  
            "genre": "string",  
            "description": "string",  
            "publisher": "string",  
            "priceStandard": 0,  
            "itemPage": 0,  
            "starPoint": 0,  
            "pubDate": "string",  
            "isbn": 0,  
            "interest": true  
        }  
    ]  
}
```

| Code   | Description | Links |
|--|-------------|-------|
| <pre> "bookId": 0, "title": "string", "author": "string", "cover": "string", "genre": "string", "description": "string", "publisher": "string", "priceStandard": 0, "itemPage": 0, "starPoint": 0, "pubDate": "string", "isbn": 0, "interest": true } ] } </pre> |             |       |

POST /api/v1/recommend/visits 방문 체류 시간 기록 ^ 

방문 체류 시간 기록

#### Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{
  "bookId": 0,
  "genre": "string",
  "timeSpent": 0
}
```

#### Responses

| Code | Description | Links                    |
|------|-------------|--------------------------|
| 200  | OK          | <a href="#">No links</a> |

Media type

```
/*
```

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": []
}
```

## 카카오 페이 관련 API ^

GET /api/v1/kapay/ready/{agent}/{openType} ^ 

#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

agent \* required

string

agent

| Name  | Description |
|---|-------------|
| (path)  |             |
| openType * required<br>string<br>(path)               | openType    |
| itemName * required<br>string<br>(query)              | itemName    |
| totalAmount * required<br>integer(\$int32)<br>(query) | totalAmount |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": "string"
}
```

GET /api/v1/kapay/fail/{agent}/{openType}



Try it out

| Parameters                              |             |
|---|-------------|
| Name                                    | Description |
| agent * required<br>string<br>(path)    | agent       |
| openType * required<br>string<br>(path) | openType    |

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "applicationContext": {
```

```
"parent": "string",
"id": "string",
"displayName": "string",
"applicationName": "string",
"startupDate": 0,
"autowireCapableBeanFactory": {},
"environment": {
  "activeProfiles": [
    "string"
  ],
  "defaultProfiles": [
    "string"
  ]
},
"beanDefinitionCount": 0,
"beanDefinitionNames": [
  "string"
],
"parentBeanFactory": {},
"classLoader": {
  "name": "string",
  "registeredAsParallelCapable": true,
```

GET /api/v1/kapay/cancel/{agent}/{openType}



#### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**agent** \* required

string  
(path)

**openType** \* required

string  
(path)

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "applicationContext": {
    "parent": "string",
    "id": "string",
    "displayName": "string",
    "applicationName": "string",
    "startupDate": 0,
    "autowireCapableBeanFactory": {},
    "environment": {
      "activeProfiles": [
        "string"
      ],
      "defaultProfiles": [
        "string"
      ]
    },
    "beanDefinitionCount": 0,
    "beanDefinitionNames": [
      "string"
    ],
    "parentBeanFactory": {},
    "classLoader": {
      "name": "string",
      "registeredAsParallelCapable": true,
      "parent": {}
    }
  }
}
```

GET /api/v1/kapay/approve/{agent}/{openType} ^ 

Try it out

#### Parameters

| Name                | Description                           |
|---------------------|---------------------------------------|
| agent * required    | <input type="text" value="agent"/>    |
| string<br>(path)    |                                       |
| openType * required | <input type="text" value="openType"/> |
| string<br>(path)    |                                       |
| pg_token * required | <input type="text" value="pg_token"/> |
| string<br>(query)   |                                       |

#### Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "applicationContext": {
    "parent": "string",
    "id": "string",
    "displayName": "string",
    "applicationName": "string",
    "startupDate": 0,
    "autowireCapableBeanFactory": {},
    "environment": {
      "activeProfiles": [
        "string"
      ],
      "defaultProfiles": [
        "string"
      ]
    }
  }
}
```

Code

Description

Links

```

    "displayName": "string",
    "applicationName": "string",
    "startupDate": 0,
    "autowireCapableBeanFactory": {},
    "environment": {
        "activeProfiles": [
            "string"
        ],
        "defaultProfiles": [
            "string"
        ]
    },
    "beanDefinitionCount": 0,
    "beanDefinitionNames": [
        "string"
    ],
    "parentBeanFactory": {},
    "classLoader": {
        "name": "string",
        "registeredAsParallelCapable": true.

```

## image-test-controller



[DELETE /api/v1/images/files](#)



### Parameters

[Try it out](#)

| Name | Description |
|------|-------------|
|------|-------------|

**fileNames** \* required

array[string]  
(query)

### Responses

| Code | Description | Links |
|------|-------------|-------|
|------|-------------|-------|

200

OK

No links

Media type

\*/\*

Controls Accept header.

Example Value Schema

```
{
    "success": true,
    "status": 0,
    "message": "string",
    "data": {}
}
```

[POST /api/v1/images/files](#)



### Parameters

[Try it out](#)

No parameters

### Request body

application/json

Example Value Schema

```
{
    "multipartFile": [
        "string"
    ]
}
```

]

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": [
    "string"
  ]
}
```

## mongo-test-container



POST /api/v1/mongo/rentals



### Parameters

[Try it out](#)

No parameters

### Request body required

application/json

### Example Value Schema

```
{
  "bookId": 0,
  "genre": "string"
}
```

## Responses

| Code | Description | Links    |
|------|-------------|----------|
| 200  | OK          | No links |

Media type

/\*

Controls Accept header.

Example Value Schema

```
{
  "success": true,
  "status": 0,
  "message": "string",
  "data": {}
}
```

POST /api/v1/mongo/bookmarks



No parameters

Request body required

application/json

Example Value Schema

```
{  
  "bookId": 0,  
  "genre": "string"  
}
```

## Responses

| Code | Description | Links           |
|------|-------------|-----------------|
| 200  | OK          | <i>No links</i> |

Media type

`*/*`

Controls Accept header.

Example Value Schema

```
{  
  "success": true,  
  "status": 0,  
  "message": "string",  
  "data": []  
}
```

## Schemas



PushToken

SuccessResponseVoid

Update

UpdateRentalCost

ReviewRequest

RentalRequest

ReturnRequest

VisitDto

RentalDto

BookMarkDto

Regist

SuccessResponseListString

CreateChatRoomDto

SuccessResponseLong

Create

Search

SuccessResponseMapStringListSearch

CreateByIds

CreateByISBN

JwtToken

SuccessResponseJwtToken

SuccessResponseValidResponse

ValidResponse

NicknameResponse

SuccessResponseNicknameResponse

InfoResponse

SuccessResponseInfoResponse

reviewInfo

CashLogResponse

SuccessResponseListCashLogResponse

SuccessResponseBoolean

AvailableNearBook

SuccessResponseListAvailableNearBook

Pageable

PageSearch

PageableObject

SortObject

SuccessResponsePageSearch

AutocompleteResponse

Data

SuccessResponseAutocompleteResponse

SuccessResponseListSearch

RentalBook

RentalHistory

SuccessResponseListRentalHistory

Notification

PageNotification

SuccessResponsePageNotification

SearchWithGeom

SuccessResponseListListSearchWithGeom

SuccessResponseString

ApplicationContext

AutowireCapableBeanFactory

BeanFactory

Environment

FilterRegistration

HttpStatusCode

JspConfigDescriptor

JspPropertyGroupDescriptor

RedirectView

ServletContext

ServletRegistration

SessionCookieConfig

TaglibDescriptor

SuccessResponseSearch

Chat

Message

SuccessResponseChat

CartInfo

CartItemInfo

SuccessResponseCartInfo

SuccessResponseListCartInfo

BookCase

DisplayBook

SuccessResponseBookCase

PageBookCase

SuccessResponsePageBookCase

SuccessResponseListBookCase