

The LHS 1140 b catalog: what is certified and what is not

Every model of the catalog is LHS 1140 b on 500 cells, solved by the partitioned stationary route with Well balanced: True, from the GJ 1132 spectrum placed at this planet's orbit. The binary of record is EXHALE_75d55d9d.x, md5 75d55d9d4fd0e748cd01d6e35713e34c, and the counts below are those of CASE_INVENTORY.json written on 2026-09-20. A case counts as certified when its index names a latest_certified generation that no refused re-evaluation has marked stale. The XUV column is the factor the stellar spectrum is scaled by; K_{zz} is the eddy coefficient of the base, *profile* where a photochemical column supplies $K_{zz}(p)$, and *none* where the base is well mixed. The *wind chemistry* column of every table below says what is solved ABOVE the base, atomic or molecular in the sense of section 1; what supplies the base itself is in the case name (scalar or photochem) and in the K_{zz} column.

1. Two axes: where the lower atmosphere comes from, and what the wind solves

A case name carries both axes, and they are independent. The first says what supplies the state at the base level, the second whether the wind above it carries a molecular network at all.

The lower boundary.

- scalar: the base is a few prescribed numbers at the level, read from base.inp: the pressure (1 microbar), the temperature (226 K), the base radius, the bound hydrogen fraction $q_{H2,base}$ and the element reservoirs. Nothing below the level is modeled.
- scalarCNO: the same scalar base with the C, N and O reservoirs of the photochemical column added at the matching level.
- photochem: the lower atmosphere is a Photochem column handed over as a PROFILE, the key Lower atmosphere profile: naming a file lower_atmosphere_profile.dat, which carries $T(p)$, $K_{zz}(p)$, the bound hydrogen fraction and the element reservoirs at the matching level $p_{match} = 1$ microbar. For the atomic groups the reservoir He/H is then solved by the elemental-flux closure (src/utls/element_flux_closure.py), which iterates the column and the wind against each other: the iterates are the k<NN> directories, and the composition is an output of that loop rather than an input.

The wind's chemistry.

- atomic: hydrogen and helium with their ionization stages and, where the group says so, trace metals. No molecular network is solved above the base, whatever the base carries.
- molecular: EXHALE's own network, Molecular chemistry: True with Molecular carrier transport: True, solving H_2 , H_2^+ , H_3^+ and HeH^+ in the wind with the H_2 carrier transported. The molecular base it starts from is the scalar handoff or the profile, by the other axis.

So `atomic_photochem_...` is a Photochem column under an atomic wind, and `molecular_scalar_...` is EXHALE's own molecular chemistry above a scalar base. The two are not alternatives for the same layer: the Photochem column is the atmosphere BELOW the matching level, and EXHALE's network is the chemistry ABOVE it. A `molecular_photochem` case uses both, the column below and the network above.

	wind solved atomic	wind solved with EXHALE's molecular network
scalar base (<code>base.inp</code>)	<code>atomic_scalar_*</code>	<code>molecular_scalar_*</code>
Photochem column (profile)	<code>atomic_photochem_*</code>	<code>molecular_photochem_*</code>

The mixing suffix is a third, smaller axis: `wellmixed` is no element diffusion, `kzz1e9` is binary H/He diffusion at that eddy coefficient, and `kzzprofile` takes $K_{zz}(p)$ from the column.

2. By group

group	wind chemistry	He/H	XUV	K_{zz}	diff.	du reached	cases	cert.
<code>photochem_x0.01_kzzprofile</code>	atomic	9.7	0.01	profile	on	9.4E-03	1	0
<code>photochem_x0.10_kzzprofile</code>	atomic	9.7	0.10	profile	on	5.0E-10	1	1
<code>photochem_x0.15_kzzprofile</code>	atomic	9.7	0.15	profile	on	4.7E-12	1	1
<code>photochem_x0.20_kzzprofile</code>	atomic	9.7	0.20	profile	on	2.0E-12	1	1
<code>photochem_x0.25_kzzprofile</code>	atomic	9.7	0.25	profile	on	1.9E-12	1	1
<code>photochem_x0.30_kzzprofile</code>	atomic	9.7	0.30	profile	on	1.3E-10	1	1
<code>photochem_x0.33_kzzprofile</code>	atomic	9.7	0.33	profile	on	1.6E-10	1	1
<code>scalarCNO_kzz1e9</code>	atomic	2.13	1	1.0e9	on	1.7E-11	1	1
<code>scalar_kzz0</code>	atomic	0.55 to 3.9	1	0.0	on	2.4E-11 to 1.2E-10	6	6
<code>scalar_kzz1e10</code>	atomic	0.55 to 1.29	1	1.0e10	on	2.0E-11 to 2.7E-11	4	4
<code>scalar_kzz1e11</code>	atomic	0.55 to 0.93	1	1.0e11	on	1.8E-11 to 1.9E-10	4	4
<code>scalar_kzz1e5</code>	atomic	2.6 to 3.93	1	1.0e5	on	2.5E-11 to 4.8E-11	5	5
<code>scalar_kzz1e6</code>	atomic	0.55 to 3.74	1	1.0e6	on	1.9E-11 to 6.8E-11	6	6
<code>scalar_kzz1e7</code>	atomic	0.55 to 3.18	1	1.0e7	on	1.6E-12 to 1.3E-10	4	4
<code>scalar_kzz1e8</code>	atomic	0.55 to 2.41	1	1.0e8	on	5.5E-11 to 7.9E-11	4	4
<code>scalar_kzz1e9</code>	atomic	0.55 to 9.7	1	1.0e9	on	9.3E-13 to 6.1E-11	7	7
<code>scalar_wellmixed</code>	atomic	0.083 to 1000	1	none	off	1.4E-12 to 1.2E-10	9	9
<code>scalar_x0.01_kzz1e9</code>	atomic	2.13, 9.7	0.01	1.0e9	on	4.4E-12 to 2.0E-02	2	0
<code>scalar_x0.10_kzz1e9</code>	atomic	2.13, 9.7	0.10	1.0e9	on	4.4E-12 to 1.5E-11	2	2
<code>scalar_x0.15_kzz1e9</code>	atomic	2.13, 9.7	0.15	1.0e9	on	8.2E-12 to 9.1E-12	2	2
<code>scalar_x0.20_kzz1e9</code>	atomic	2.13, 9.7	0.20	1.0e9	on	5.5E-12 to 1.1E-11	2	2
<code>scalar_x0.25_kzz1e9</code>	atomic	2.13, 9.7	0.25	1.0e9	on	5.2E-12 to 1.7E-11	2	2
<code>scalar_x0.30_kzz1e9</code>	atomic	2.13, 9.7	0.30	1.0e9	on	3.2E-12 to 5.6E-12	2	2
<code>scalar_x0.33_kzz1e9</code>	atomic	2.13, 9.7	0.33	1.0e9	on	2.8E-12 to 3.4E-12	2	2
<code>scalar_gj699_wellmixed</code>	atomic	0.042 to 1000	1	none	off	1.8E-13 to 1.6E-11	6	6
<code>diffusion_check</code>	atomic	0.55	1	0.0 to 1.0e9	on	—	4	0
<code>photochem_kzzprofile</code>	molecular	9	1	profile	on	1.4E-02	1	0
<code>scalar_kzz1e9</code>	molecular	0.083 to 9.7	1	1.0e9	on	9.3E-13 to 1.4E-02	4	0
<code>scalar_wellmixed</code>	molecular	0.083, 0.55	1	none	off	9.1E-13 to 6.6E-12	2	0
total							88	74

Besides these, the catalog holds 46 flux-closure iterates `k<NN>` and two archival copies. The 37 iterates that carry no certificate were written by runs that asked for no time integration, so they are states that were post-processed and never advanced; they are not failures of a solve.

3. The models that are not certified

Each of these was solved, or attempted, and refused. The row named is the one the certification refuses on, with its measure and the cell it sits in.

case	wind chemistry	He/H	XUV	K_{zz}	diff.	du	$\ R\ $	how it ended
<code>photochem_kzzprofile/HeH9</code>	molecular	9	1	profile	on	1.406E-02	3.167E-01	mass row 2.25e-1 at cell 2
<code>scalar_kzz1e9/HeH0.083</code>	molecular	0.083	1	1.0e9	on	4.879E-12	1.369E-08	H2 carrier row 8.15e-4 at cell 499

case	wind chemistry	He/H	XUV	K_{zz}	diff.	du	$\ R\ $	how it ended
scalar_kzz1e9/HeH0.55	molecular	0.55	1	1.0e9	on	1.408E-02	1.954E-01	energy row 4.63e-1 at cell 257, H2 8.92e-3
scalar_kzz1e9/HeH2.13	molecular	2.13	1	1.0e9	on	9.272E-13	1.170E+00	H2 carrier row 2.07e-1 at cell 224, wall ceiling
scalar_kzz1e9/HeH9.7	molecular	9.7	1	1.0e9	on	3.491E-11	2.580E-08	H2 carrier row 5.13e-4 of 1e-5, pass budget spent
scalar_wellmixed/HeH0.083	molecular	0.083	1	none	off	6.592E-12	2.701E-08	H2 carrier row 7.37e-2 at cell 500
scalar_wellmixed/HeH0.55	molecular	0.55	1	none	off	9.086E-13	2.893E-04	energy row 1.00 at cell 246, H2 2.36e-2
photochem_x0.01_kzzprofile/HeH9.7	atomic	9.7	0.01	profile	on	9.356E-03	1.171E+00	mass row 1.16 at cell 1, wall ceiling
scalar_x0.01_kzz1e9/HeH2.13	atomic	2.13	0.01	1.0e9	on	1.956E-02	2.542E-01	mass row 3.3e-4 at cell 245, wall ceiling
scalar_x0.01_kzz1e9/HeH9.7	atomic	9.7	0.01	1.0e9	on	4.424E-12	9.978E-01	energy row 9.98e-1 at cell 248, wall ceiling
diffusion_check/scalar_kzz0_HeH0.55	atomic	0.55	1	0.0	on	—	—	no time integration was requested
diffusion_check/scalar_kzz1e10_HeH0.55	atomic	0.55	1	1.0e10	on	—	—	no time integration was requested
diffusion_check/scalar_kzz1e8_HeH0.55	atomic	0.55	1	1.0e8	on	—	—	no time integration was requested
diffusion_check/scalar_kzz1e9_HeH0.55	atomic	0.55	1	1.0e9	on	—	—	no time integration was requested

Read by mechanism, the fourteen fall into four kinds.

- **The hydrodynamic Newton makes no progress** on the three models at 0.01 of the fiducial XUV and on the molecular kzz1e9/HeH2.13. The composition relaxes while the hydrodynamic rows stand still between passes, and six times the budget changed nothing. These are the models of the open solver item.
- **The budget is spent before the gate** on the molecular kzz1e9/HeH9.7: its gated carrier row falls monotonically and stands a factor 51 above its tolerance when the 40 passes are spent.
- **A carrier or energy row in the wind refuses** the remaining five molecular models, at cells 246 to 500.
- **Nothing was solved** in the four diffusion_check models: they were post-processed without a time integration.

What the two numbers say. du is the fractional spread of the mass flux pvr^2 over the wind window, the quantity a marching run stops on, and $\|R\|$ is the stationary operator's residual norm. Both are the last value the case reached, whether or not it certified. The recipe of this code, and the practice of the literature it follows, calls a wind converged at $du < 10^{-3}$. MEASURED on the models that carry no certificate: scalar_kzz1e9/HeH0.083 reaches $du = 4.9 \times 10^{-12}$ with $\|R\| = 1.4 \times 10^{-8}$, scalar_kzz1e9/HeH9.7 3.5×10^{-11} and 2.6×10^{-8} , scalar_wellmixed/HeH0.083 6.6×10^{-12} and 2.7×10^{-8} , scalar_wellmixed/HeH0.55 9.1×10^{-13} and 2.9×10^{-4} , scalar_kzz1e9/HeH2.13 9.3×10^{-13} with $\|R\| = 1.2$, and scalar_x0.01_kzz1e9/HeH9.7 4.4×10^{-12} with $\|R\| = 1.0$. By the flux-spread criterion these are converged winds, and four of them also sit at a residual norm of 10^{-8} to 10^{-4} .

What refuses them is this code's own row-by-row certification, which is stricter: it measures every equation of the inventory cell by cell and names the one that stands above its tolerance, most often the H₂ carrier balance in the wind. A state that meets the flux-spread criterion and fails one such row is a meaningful solution by the standard other work uses, and the table says which row keeps it from this one.

4. The models that are certified

The table lists every certified model with the mass-loss rate and the He I 10830 equivalent width the catalog reports for it.

case	wind chemistry	He/H	XUV	K_{zz}	diff.	du	$\ R\ $	$\log_{10} \dot{M}$	EW
photochem_x0.10_kzzprofile/HeH9.7	atomic	9.7	0.10	profile	on	4.973E-10	1.022E-07	6.840	0.2674
photochem_x0.15_kzzprofile/HeH9.7	atomic	9.7	0.15	profile	on	4.692E-12	6.210E-08	7.020	0.4822
photochem_x0.20_kzzprofile/HeH9.7	atomic	9.7	0.20	profile	on	2.002E-12	6.628E-08	7.160	0.6711
photochem_x0.25_kzzprofile/HeH9.7	atomic	9.7	0.25	profile	on	1.900E-12	6.245E-08	7.260	0.8429
photochem_x0.30_kzzprofile/HeH9.7	atomic	9.7	0.30	profile	on	1.261E-10	3.190E-08	7.350	1.0097
photochem_x0.33_kzzprofile/HeH9.7	atomic	9.7	0.33	profile	on	1.644E-10	3.457E-08	7.390	1.0979
scalarCNO_kzz1e9/HeH2.13	atomic	2.13	1	1.0e9	on	1.739E-11	1.352E-08	7.870	1.3721
scalar_kzz0/HeH0.55	atomic	0.55	1	0.0	on	1.234E-10	1.707E-08	7.840	0.0305
scalar_kzz0/HeH2.6	atomic	2.6	1	0.0	on	4.029E-11	1.344E-08	7.860	0.9549
scalar_kzz0/HeH3.0	atomic	3.0	1	0.0	on	3.264E-11	2.215E-08	7.870	1.0798
scalar_kzz0/HeH3.5	atomic	3.5	1	0.0	on	2.429E-11	1.458E-08	7.870	1.2175
scalar_kzz0/HeH3.7	atomic	3.7	1	0.0	on	4.900E-11	1.776E-08	7.870	1.2698
scalar_kzz0/HeH3.9	atomic	3.9	1	0.0	on	4.557E-11	2.821E-08	7.870	1.3168

case	wind chemistry	He/H	XUV	K_{zz}	diff.	du	$\ R\ $	$\log_{10} \dot{M}$	EW
scalar_kzz1e10/HeH0.55	atomic	0.55	1	1.0e10	on	1.963E-11	1.870E-08	7.860	0.6463
scalar_kzz1e10/HeH1.06	atomic	1.06	1	1.0e10	on	1.994E-11	2.280E-08	7.860	1.0456
scalar_kzz1e10/HeH1.15	atomic	1.15	1	1.0e10	on	2.240E-11	1.463E-08	7.860	1.1032
scalar_kzz1e10/HeH1.29	atomic	1.29	1	1.0e10	on	2.711E-11	1.336E-08	7.860	1.1867
scalar_kzz1e11/HeH0.55	atomic	0.55	1	1.0e11	on	1.769E-11	2.546E-08	7.860	0.8065
scalar_kzz1e11/HeH0.795	atomic	0.795	1	1.0e11	on	5.628E-11	1.651E-08	7.860	1.0302
scalar_kzz1e11/HeH0.865	atomic	0.865	1	1.0e11	on	7.733E-11	1.951E-08	7.860	1.0866
scalar_kzz1e11/HeH0.93	atomic	0.93	1	1.0e11	on	1.864E-10	2.097E-08	7.860	1.1364
scalar_kzz1e5/HeH2.6	atomic	2.6	1	1.0e5	on	3.749E-11	1.394E-08	7.870	0.9631
scalar_kzz1e5/HeH3.0	atomic	3.0	1	1.0e5	on	2.952E-11	1.531E-08	7.870	1.0880
scalar_kzz1e5/HeH3.35	atomic	3.35	1	1.0e5	on	2.488E-11	1.509E-08	7.870	1.1862
scalar_kzz1e5/HeH3.64	atomic	3.64	1	1.0e5	on	4.781E-11	1.764E-08	7.870	1.2627
scalar_kzz1e5/HeH3.93	atomic	3.93	1	1.0e5	on	4.160E-11	1.552E-08	7.870	1.3314
scalar_kzz1e6/HeH0.55	atomic	0.55	1	1.0e6	on	1.895E-11	2.047E-08	7.840	0.0591
scalar_kzz1e6/HeH2.4	atomic	2.4	1	1.0e6	on	2.785E-11	1.570E-08	7.860	0.9465
scalar_kzz1e6/HeH2.8	atomic	2.8	1	1.0e6	on	4.856E-11	1.407E-08	7.870	1.0804
scalar_kzz1e6/HeH3.19	atomic	3.19	1	1.0e6	on	4.002E-11	2.368E-08	7.870	1.1949
scalar_kzz1e6/HeH3.46	atomic	3.46	1	1.0e6	on	3.570E-11	1.742E-08	7.870	1.2669
scalar_kzz1e6/HeH3.74	atomic	3.74	1	1.0e6	on	6.781E-11	2.390E-08	7.870	1.3388
scalar_kzz1e7/HeH0.55	atomic	0.55	1	1.0e7	on	1.289E-10	2.116E-08	7.850	0.1585
scalar_kzz1e7/HeH2.70	atomic	2.70	1	1.0e7	on	2.053E-12	1.497E-08	7.870	1.1996
scalar_kzz1e7/HeH2.94	atomic	2.94	1	1.0e7	on	1.639E-12	1.420E-08	7.870	1.2724
scalar_kzz1e7/HeH3.18	atomic	3.18	1	1.0e7	on	4.895E-11	3.913E-08	7.870	1.3265
scalar_kzz1e8/HeH0.55	atomic	0.55	1	1.0e8	on	5.543E-11	2.155E-08	7.850	0.3089
scalar_kzz1e8/HeH2.05	atomic	2.05	1	1.0e8	on	7.949E-11	1.428E-08	7.870	1.1513
scalar_kzz1e8/HeH2.23	atomic	2.23	1	1.0e8	on	7.229E-11	1.895E-08	7.870	1.2206
scalar_kzz1e8/HeH2.41	atomic	2.41	1	1.0e8	on	5.482E-11	1.624E-08	7.870	1.2826
scalar_kzz1e9/HeH0.55	atomic	0.55	1	1.0e9	on	6.072E-11	1.518E-08	7.850	0.4793
scalar_kzz1e9/HeH1.50	atomic	1.50	1	1.0e9	on	2.944E-11	1.646E-08	7.870	1.0996
scalar_kzz1e9/HeH1.60	atomic	1.60	1	1.0e9	on	4.581E-11	1.313E-08	7.870	1.1511
scalar_kzz1e9/HeH1.70	atomic	1.70	1	1.0e9	on	3.779E-11	2.343E-08	7.870	1.1970
scalar_kzz1e9/HeH2.13	atomic	2.13	1	1.0e9	on	2.462E-11	1.700E-08	7.870	1.3749
scalar_kzz1e9/HeH4.0	atomic	4.0	1	1.0e9	on	9.341E-13	1.470E-08	7.870	1.8229
scalar_kzz1e9/HeH9.7	atomic	9.7	1	1.0e9	on	5.192E-11	2.009E-08	7.860	2.0592
scalar_wellmixed/HeH0.083	atomic	0.083	1	none	off	9.755E-12	2.543E-08	7.840	0.3797
scalar_wellmixed/HeH0.40	atomic	0.40	1	none	off	1.442E-12	2.641E-08	7.850	1.1011
scalar_wellmixed/HeH0.42	atomic	0.42	1	none	off	3.329E-12	1.823E-08	7.850	1.1324
scalar_wellmixed/HeH0.44	atomic	0.44	1	none	off	2.623E-12	1.723E-08	7.850	1.1626
scalar_wellmixed/HeH0.55	atomic	0.55	1	none	off	1.618E-12	1.929E-08	7.850	1.3118
scalar_wellmixed/HeH1	atomic	1	1	none	off	4.004E-12	1.485E-08	7.860	1.6959
scalar_wellmixed/HeH10	atomic	10	1	none	off	1.205E-10	1.281E-08	7.850	1.9347
scalar_wellmixed/HeH100	atomic	100	1	none	off	1.684E-12	1.075E-08	7.860	1.9644
scalar_wellmixed/HeH1000	atomic	1000	1	none	off	1.744E-12	1.567E-08	7.850	1.9197
scalar_x0.10_kzz1e9/HeH2.13	atomic	2.13	0.10	1.0e9	on	1.464E-11	3.886E-07	6.820	0.0001
scalar_x0.10_kzz1e9/HeH9.7	atomic	9.7	0.10	1.0e9	on	4.424E-12	4.362E-07	6.810	0.2353
scalar_x0.15_kzz1e9/HeH2.13	atomic	2.13	0.15	1.0e9	on	9.116E-12	1.239E-07	7.000	0.0003
scalar_x0.15_kzz1e9/HeH9.7	atomic	9.7	0.15	1.0e9	on	8.205E-12	1.162E-07	7.000	0.4514
scalar_x0.20_kzz1e9/HeH2.13	atomic	2.13	0.20	1.0e9	on	1.072E-11	1.165E-07	7.130	0.0022
scalar_x0.20_kzz1e9/HeH9.7	atomic	9.7	0.20	1.0e9	on	5.463E-12	8.109E-08	7.130	0.6294
scalar_x0.25_kzz1e9/HeH2.13	atomic	2.13	0.25	1.0e9	on	5.191E-12	1.806E-07	7.240	0.0700
scalar_x0.25_kzz1e9/HeH9.7	atomic	9.7	0.25	1.0e9	on	1.677E-11	1.044E-07	7.230	0.7913
scalar_x0.30_kzz1e9/HeH2.13	atomic	2.13	0.30	1.0e9	on	3.218E-12	6.850E-08	7.320	0.1894
scalar_x0.30_kzz1e9/HeH9.7	atomic	9.7	0.30	1.0e9	on	5.587E-12	6.702E-08	7.310	0.9395
scalar_x0.33_kzz1e9/HeH2.13	atomic	2.13	0.33	1.0e9	on	2.761E-12	4.566E-08	7.360	0.2555
scalar_x0.33_kzz1e9/HeH9.7	atomic	9.7	0.33	1.0e9	on	3.376E-12	9.900E-08	7.360	1.0231
scalar_gj699_wellmixed/HeH0.042	atomic	0.042	1	none	off	2.983E-13	1.341E-07	8.570	0.9091
scalar_gj699_wellmixed/HeH0.046	atomic	0.046	1	none	off	1.827E-13	9.505E-08	8.570	0.9857
scalar_gj699_wellmixed/HeH0.050	atomic	0.050	1	none	off	1.587E-11	1.414E-07	8.570	1.0608
scalar_gj699_wellmixed/HeH0.083	atomic	0.083	1	none	off	7.470E-13	1.320E-07	8.570	1.6271
scalar_gj699_wellmixed/HeH1	atomic	1	1	none	off	5.765E-13	8.372E-08	8.550	4.5250
scalar_gj699_wellmixed/HeH1000	atomic	1000	1	none	off	8.965E-13	7.482E-09	8.420	2.8725

5. What the flux-spread criterion misses, on one certified case

The question the columns above raise is what a state that meets $du < 10^{-3}$ but fails this code's certification differs from the certified stationary solution BY. Measured on `scalar_kzz1e9/HeH2.13`, which is certified, against a state of the same case stopped after one outer pass of the same route (`docs/du_stop_vs_stationary_20260920.md`):

	certified stationary	flux converged, refused
du , the run's own gate	2.46E-11	1.83E-12
$\ R\ $, re-evaluated	1.61E-08	4.97E-08
the three hydrodynamic rows	within	within
elemental transport He/H, $r \geq 1.2$	within	5.21E-05 above 1.0E-05 at $r = 1.695$
verdict	CERTIFIED	NOT CERTIFIED, one entry

Both clear the flux-spread criterion by four to eight decades and ONE row separates them. The two states differ by at most 1.9 per cent in any profile, and the difference sits in the composition and the temperature of the layer the He I 10830 line forms in (the metastable column's median radius is $6.4 R_p$, its 5 to 95 per cent range 1.7 to $16.7 R_p$), not in $\rho v r^2$, which agrees to 0.055 per cent everywhere. That is why the flux-spread criterion is blind to it.

It reaches a measured quantity. With the catalog's own selection the He I 10830 red-pair equivalent width moves from 1.374915 to 1.356726 % Å, a change of 1.32 per cent, and the red depth by 1.11 per cent, while $\log_{10} \dot{M}$ is 7.87 for both at the two decimals the code prints. For scale, the He/H rungs of this group stand 0.178 % Å apart in the equivalent width, so the shift is a tenth of the spacing the ladder measures a composition with.

Against the measurement it is smaller still. The observed red-pair equivalent width is 1.108 ± 0.030 % Å (Cherubim et al. 2026, READ from LHS1140b/MODELS.md), and the two states differ by 0.018 % Å, which is 0.61 of one standard deviation. For a comparison with the data the two states are the same model: the refused one would be read as the same answer. What the certification buys is not a different observable but the statement that the state solves the elemental transport equation everywhere, which is what lets a later measurement, or a ladder that resolves 0.178 % Å in composition, rest on it.

LHS 1140 b, atomic_scalar_gj1132_kzz1e9/HeH2.13: two flux-converged states




Figure 1: The certified stationary solution and the flux-converged refused state of scalar_kzz1e9/HeH2.13, as functions of radius.




Figure 2: The same two states, as the relative difference of each quantity. The largest are the temperature at $r = 2.13 R_p$ (-0.94 per cent), $x(\text{H II})$ at 1.87 (-1.30) and $n(\text{He } 2^3S)$ at 6.74 (-1.88).

He I 10830 transmission, instrument convolved at $R = 68000$




Figure 3: The He I 10830 transmission of the two states.