

Templates Clone Cording

- Jeong Seonmi -



Wedding Invitation

01. Layout

wide-content


center-content

wide-content

center-content





center-content

footer



Header

02. HTML Structure



03. Detail common

HTML

```
<!DOCTYPE html>
<html lang="ko">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
  minimum-scale=1.0, user-scalable=no">
  <title>Wedding Invitation</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Raleway:wght@400;700&display=swap"
  rel="stylesheet">
  <link rel="stylesheet"
  href="https://cdnjs.cloudflare.com/ajax/libs/meyer-reset/2.0/reset.min.css"
  integrity="sha512-NmLkDIU1C/C88wi324HbC+S2kLhi08PN5GDeUVVVC/BVt/9Izdsc9SveVfA1UZbY3sSHU1DS
  yRXhCzHfr6hmPPw==" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <link rel="stylesheet" href="./css/main.css">
</head>
<body>
</body>
</html>
```

03. Detail

common

CSS

```
body,button{font-family: "Raleway", sans-serif;}
```


```
.h1{font-size:64px}
```

```
.h2{font-size:36px;}
```

```
.h3{font-size:30px;}
```

```
.text-basic{font-size:15px;line-height: 2;}
```

03. Detail header



HTML

```
<ul class="hd">
  <li class="text-basic">
    <a href="#home">Home</a>
  </li>
  ...
  <li class="text-basic">
    <a href="rsvp">RSVP</a>
  </li>
</ul>
```

CSS

```
.hd{display: flex; padding: 8px; background: rgb(255 255
255 / 70%);; position: fixed; bottom: 0; z-index: 1;
width: 100%;}
.hd li{width: 25%;padding:8px 0;text-align: center;}
.hd li:hover{background: #eee;}
.hd a{color: inherit;text-decoration: none;}
```


03. Detail

.wide#home
.wide#invit



HTML

```
<div class="con wide" id="home">  
  <div class="text">  
    <h1 class="h1">Jane & John</h1>  
    <h3 class="h3">Are getting married</h3>  
    <h3 class="h3">17.07.2017</h3>  
  </div>  
</div>
```



HTML

```
<div class="con wide" id="invit">  
  <div class="text">  
    <h1 class="h1">You Are Invited</h1>  
    <h3 class="h3">Of course..</h3>  
  </div>  
</div>
```


03. Detail

.wide

CSS

```
.con{filter: grayscale(50%);}
.con img{width: 100%;height: auto;max-width: 900px;}

.wide{background: url(..img/wedding_couple.jpg) no-repeat center;
background-size: cover; min-height: 100vh;position: relative;}
.wide .text{position: absolute; top: 50%; left: 50%; transform:
translate(-50%,-50%);color: #Fff; text-align: center;letter-spacing:
4px;line-height: normal;}
.wide .text .h1,
.wide .text .h3{margin:20px 0;}

#home .h3{font-weight: 700;}

#invit{background: url(..img/flowers.jpg) no-repeat center;background-size:
cover;filter: grayscale(0%);}
#invit .text .h1{margin-bottom:48px;}
#invit .text .h3{letter-spacing: 1;}
```

03. Detail

.center#jane
.center#wedding


HTML

```
<div class="con center" id="jane">
  <h2 class="h2">Jane & John</h2>
  
  <p class="text-basic">
    You all know us. And we all know you ...
  </p>
  <button class="btn btn-black">Wedding
  Details</button>
</div>
```




HTML

```
<div class="con center" id="wedding">
  <h2 class="h2">THE WEDDING</h2>
  
  <div class="info">
    <div class="when">
      <h3 class="h3">When</h3>
      <p class="text-basic">Wedding Ceremony ...</p>
      <p class="text-basic"></p>Reception & ...</p>
    </div>...
  </div>
</div>
```



03. Detail

.center#rsvp



HTML

```
<div class="con center" id="rsvp">  
  <h2 class="h3">HOPE YOU CAN MAKE IT!</h2>  
  <p>  
    Kindly Respond By January, 2017  
  </p>  
  <button class="btn btn-pink">RSVP</button>  
</div>
```

03. Detail

.center

CSS

```
.center {background: #ffdddd;padding:64px 16px;text-align: center;}
.center .h2{text-align: center;color:#757575;margin-bottom:42px;}
.center .btn{border: 0;padding:16px 24px;color: #fff;border-radius: 4px;min-width: 180px;}
.center .btn.btn-black{background: #000;font-size: 18px;margin-top: 42px;}
.center .btn.btn-pink{background: #f44336;font-size: 24px;margin-top:15px;}


#jane .text-basic{font-style: italic; max-width: 900px; margin: 42px auto 0; text-align:
left;}

#wedding img{filter: grayscale(70%);}
#wedding h2{margin-bottom:64px}
#wedding .info{display: flex;justify-content: center;max-width: 900px; margin: 48px auto 0;}
#wedding .info>div{width:50%;}
#wedding .info .text-basic{margin-bottom:24px}

#rsvp{filter: grayscale(0%);}
#rsvp .h3{letter-spacing: 4px;}
#rsvp p{font-size: 18px;margin:24px 0}
#rsvp .btn{opacity:0.6}
```

03. Detail

footer



HTML

```
<div class="ft">  
  <p>Powered by<a href="https://www.w3schools.com/w3css/default.asp">w3.css</a></p>  
</div>
```

CSS

```
.ft{background:#000;padding:40px 0 100px;color: #fff;text-align: center;font-size: 15px;}  
.ft a{color: #fff;margin-left:4px;}
```

04. End

Code Link

github.com/seonm

Working Time

2022.03.17 1h 25m

E-mail

misoda1004@gmail.com

Comment

배경이미지 사용시 높이값 지정이 필수인데 화면에 꼭차게 사용하기 위해 **min-height:100%**를 주었는데 이는 부모요소에 높이값이 지정되지 않으면 사용할 수 없어 **body,html**에 **100%**를 줬다.

이런 불편한 점을 개선하기 위해 검색해본 결과 %가 아닌 **vh**를 사용하면 부모요소 없이 자체적으로 높이값을 가질수 있다는 점을 알게되었다.

