

Templates Clone Cording

- Jeong Seonmi -




BR Architects

01. Layout

Header

Contents

Footer




02. HTML Structure

header, banner, footer



02. HTML Structure

contents



03. Detail common

HTML

```
<!DOCTYPE html>
<html lang="ko">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0,minimum-width=1.0, maximum-width=1.0, user-scalable">
  <title>BR Architects</title>
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/meyer-reset/2.0/reset.min.css"
integrity="sha512-NmLkDIU1C/C88wi324HBc+S2kLhi08PN5GDeUVVVC/BVt/..."
crossorigin="anonymous" referrerpolicy="no-referrer" />
  <link rel="stylesheet" href="/css/main.css">
</head>
<body>
</body>
</html>
```

03. Detail

common

CSS

```
*{box-sizing: border-box;}

body{font-size: 15px;font-family: Verdana, sans-serif;line-height: 1.4;}

img{width: 100%; height: auto;display: block;}

a{text-decoration: none;color: inherit;}

.text-basic{font-size:1rem;color:#333;}

.text-gray{font-size:1rem;color:#999}

.logo{letter-spacing: 3px;}


.logo b{font-weight: 700;}

.h2{font-size: 24px;}
```

03. Detail

ban-main

ban-main



HTML

```
<div class="ban-main">  
    
  <div class="logo"><b>BR</b> Architects</div>  
</div>
```

CSS

```
.ban-main{position: relative;}  
.ban-main .logo{font-size: 36px;color:#fff;position: absolute;left: 50%;top: 50%;transform: translate(-50%,-50%);}  
.ban-main .logo b{padding: 8px 16px;background: rgba(0,0,0,0.7);}
```


03.

Detail

contents #projects

HTML


```
<div class="sec" id="projects">  
  <h2 class="h2">Projects</h2>  
  <div class="list-wrap">  
    <ul class="list summer">  
      <li class="list-li">  
          
        <p class="tag">Summer House</p>  
      </li>  
      ...  
    </ul>  
    ...  
  </div>  
</div>
```

h2

list-wrap

Projects

ul



03. Detail

contents #about


HTML

```
<div class="sec" id="about">
  <h2 class="h2">About</h2>
  <p class="text-basic">
    Lorem ipsum...
  </p>
  <ul class="list profile">
    <li class="list-li">
      
      <h2 class="h2">John Doe</h2>
      <p class="text-gray">CEO & Founder</p>
      <p class="text-basic">Phasellus eget...</p>
      <div class="btn-contact">
        <a href="mailto:">Contact</a>
      </div>
    </li>
    ...
  </ul>
</div>
```

h2

p

profile



03.

Detail

contents #contact

HTML

```
<div class="sec" id="contact">
  <h2 class="h2">Contact</h2>
  <p class="text-basic"> Lets get in touch ...</p>
  <form>
    <input type="text" placeholder="Name">
    <input type="email" placeholder="Email">
    <input type="text" placeholder="Subject">
    <input type="text" placeholder="Comment">
    <button class="submit">SEND MESSAGE</button>
  </form>
  
</div>
```

h2
p

form

img

Contact

Lets get in touch and talk about your next project.


Name

Email

Subject

Comment

SEND MESSAGE



03. Detail

contents

CSS

```
.contents {max-width: 1500px;margin: 0 auto;width: calc(100% - 64px);}
.contents .sec {margin-top:70px}
.contents .sec>.h2{border-bottom:1px solid #eee;padding-bottom: 16px;margin-bottom:16px;}


.contents #projects>.h2{margin-bottom: 42px;}
.contents #projects .list-wrap{display: flex;align-items: center;}
.contents #projects .list{width:calc((100% - 24px) / 4);margin-right:16px; }
.contents #projects .list:last-child{margin-right: 0;}
.contents #projects .list li {position: relative;}
.contents #projects .list li:first-child{margin-bottom:16px}
.contents #projects .list li .tag{background: #000;padding:8px 16px;color: #fff; position: absolute; left: 0; top: 0;}

.contents #about .list{display: flex;margin-top: 48px;}
.contents #about .list li{width:calc((100% - 24px) / 4);margin-right:16px;}
.contents #about .list li:last-child{margin-right: 0;}
.contents #about .list li img{ filter: grayscale(0.7);margin:0 0 16px}
.contents #about .list li .text-gray{margin:16px 0;}
.contents #about .list li .btn-contact{margin:16px 0 0;background: #eee;text-align: center;padding: 8px 16px;}

.contents #contact form input{width: 100%;display: block;border:1px solid #eee; padding: 8px 16px; border-radius: 4px; margin-top: 16px;}
.contents #contact .submit{background: #000;color: #fff;padding: 8px 16px;border: 0;margin:32px 0 42px;}
```

03. Detail

footer



HTML

```
<div class="ft">  
  <p>Powered by</p><a href="https://www.w3schools.com/w3css/default.asp">w3.css</a>  
</div>
```

CSS

```
.ft{display: flex; align-items: center; justify-content: center; background:#000;color:#fff;  
height: 100px;margin-top: 16px;}  
.ft p{margin-right:4px}  
.ft a{text-decoration: underline;}
```

04. End

Code Link

github.com/seonm

Working Time

2022.03.15 1h 40m

E-mail

misoda1004@gmail.com

Comment

Gourmet과 비슷한 레이아웃이 있어 구조분석하는 시간이 적게들어 전체적인 시간이 단축되었다.

project의 레이아웃을 짤 때 tag에 따라가기위해 세로 정렬을 했는데 이 부분을 제외했다면 about과 project의 구조를 비슷하게 짜서 공통적인 코드로 처리할 수 있을 것 같다.

