192.168.1.34 Documentation

MedicalExaminations

 Server
 192.168.1.34

 Author
 Mary_PC

Created Sunday, February 14, 2021 11:54:43 AM

File Path C:\Users\Mary_PC\Desktop\pdfTeb1-2021-02-14T11-54-43.pdf

Table of Contents

able of Contents	2
192.168.1.34	6
User databases	8
MedicalExaminations Database	9
Tables	12
[Cnt].[tblAddress]	18
[Cnt].[tblContact]	20
[Cnt].[tblContact_TreeGroup]	24
[Cnt].[tblContactGroup]	26
[Cnt].[tblContanctType]	29
[Cnt].[tblTreeGroup]	32
[dbo].[tblAcceptOrReject]	35
[dbo].[tblActions]	39
[dbo].[tblAmadegiGhablMoayenat]	44
[dbo].[tblAnavinGhabelCharkhesh]	47
[dbo].[tblAnnouncement_Tree]	50
[dbo].[tblAnnouncementManager]	53
[dbo].[tblAnnouncementManagerAttachment]	56
[dbo].[tblAnnouncementSeen]	59
[dbo].[tblAnvaMarakezTeb]	62
[dbo].[tblAnvaMoayen_Azmayesh]	65
[dbo].[tblAnvaMoayenat]	68
[dbo].[tblAnvaMoayeneGrouping]	71
[dbo].[tblAnvaMoayeneGroupingTree]	74
[dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi]	78
[dbo].[tblAnvaPaye]	82
[dbo].[tblAnvaPaye_Order]	84
[dbo].[tblApplicationPart]	86
[dbo].[tblApplicationPart_DigitablArchive]	89
[dbo].[tblArchive]	92
[dbo].[tblArchiveTree]	95
[dbo].[tblArchiveTree_File]	97
[dbo].[tblAshkhas]	101
[dbo].[tblAshkhas_Detail]	107
[dbo].[tblAudiometri1]	109
[dbo].[tblAudiometri2]	113
[dbo].[tblAvamelMoasser_Upgrade]	117

■	[dbo].[tblAvamelZiyanAvar]	119
■■	[dbo].[tblAvamelZiyanAvar_Detail]	123
■■	[dbo].[tblBazgashBeGhabl]	126
■■	[dbo].[tblCharkhe]	130
≡≡	[dbo].[tblCharkhe_Eghdam]	135
■■	[dbo].[tblCharkhe_FirstEghdam]	139
■■	[dbo].[tblCity]	143
■■	[dbo].[tblComputationFormula]	145
■■	[dbo].[tblDastoorAmal]	147
■■	[dbo].[tblDastoorAmal_Moayene]	151
■■	[dbo].[tblDataTypes]	154
≡≡	[dbo].[tblDateDim]	156
■■	[dbo].[tblDegreeOfEducation]	159
☷	[dbo].[tblDegreeOfEducationHistory]	161
≡≡	[dbo].[tblDescription]	163
≡≡	[dbo].[tblDidOmgh]	165
≡≡	[dbo].[tblEkhtesasActions_Cartable]	169
■■	[dbo].[tblEkhtesasMoayeneBeTree]	173
■■	[dbo].[tblEllat]	176
■■	[dbo].[tblEmploymentStatus]	178
■■	[dbo].[tblEmploymentStatusHistory]	180
■■	[dbo].[tblEnterToCycle]	182
■■	[dbo].[tblError]	186
☷	[dbo].[tblEtmamCharkhe]	189
≡≡	[dbo].[tblFactorsAffectingValues_Detail]	192
■■	[dbo].[tblFactorsAffectingValues_Header]	196
≡≡	[dbo].[tblFile]	199
■■	[dbo].[tblFileAyeenName]	202
≡≡	[dbo].[tblFileDesktop_User]	204
■■	[dbo].[tblFileMojaz]	206
■■	[dbo].[tblFormatFile]	208
■■	[dbo].[tblHelp]	211
■■	[dbo].[tblHistoryOrgan]	213
■■	[dbo].[tbllnputArgument]	215
■■	[dbo].[tbllnputInfo]	218
■■	[dbo].[tbllnputInfo_Person]	221
■■	[dbo].[tblltems]	224
	[dbo].[tblKarshenasanBehdasht]	

☷	[dbo].[tblKartabl]	230
■	[dbo].[tblLimitationIP]	234
≡≡	[dbo].[tblLimitationMacAddress]	236
≡≡	[dbo].[tblLimitationTime]	238
≡≡	[dbo].[tblLogTable]	240
≡≡	[dbo].[tblMaghadirEllat]	244
≡≡	[dbo].[tblMahalSazmani]	247
	[dbo].[tblMoayenat]	249
	[dbo].[tblMoayenat_Detail1]	254
■■	[dbo].[tblMoayenat_Detail2]	257
	[dbo].[tblNahi]	261
■■	[dbo].[tblNameTable]	263
■■	[dbo].[tblNazarNahaii]	265
■■	[dbo].[tblNezamVazife]	269
	[dbo].[tblOnvanAsli]	271
■■	[dbo].[tblOnvanFaree]	273
	[dbo].[tblOperation]	275
■■	[dbo].[tblOpertion_Action]	280
■■	[dbo].[tblOpertion_NoeCharkhesh]	284
■■	[dbo].[tblOptometri]	287
■■	[dbo].[tblOrganPost]	291
	[dbo].[tblPageHtml]	293
≡≡	[dbo].[tblParametrs]	295
■■	[dbo].[tblParticularProperties]	298
■■	[dbo].[tblPaye]	300
	[dbo].[tblPermission]	302
■■	[dbo].[tblPermission_DigitalArchive]	305
■■	[dbo].[tblPermissionCharkhe]	307
■■	[dbo].[tblPersonalInfo]	310
	[dbo].[tblPezeshkan]	315
■■	[dbo].[tblPorseshname]	318
	[dbo].[tblProperties]	321
■■	[dbo].[tblReferralRules]	325
≡≡	[dbo].[tblRules]	329
≡≡	[dbo].[tblSabeghe]	333
	[dbo].[tblSabeghe_Detail]	
≡≡	[dbo].[tblService]	339
_	[dbo].[tblSetting]	

	[dbo].[tblShoghleAmaliyati]	344
≡≡	[dbo].[tblShoghleAmaliyati_Detail]	347
	[dbo].[tblSokhanBozorgan]	350
	[dbo].[tblSpecificCartablePermission]	352
■■	[dbo].[tblSpecificCartablePermission_UserGroup]	.355
≡≡	[dbo].[tblSpirometri]	358
	[dbo].[tblStation]	362
≡≡	[dbo].[tblTaahol]	365
	[dbo].[tblThemDesktop_User]	367
≡≡	[dbo].[tblTicket]	370
	[dbo].[tblTicketCategory]	374
≡≡	[dbo].[tblTicketPermission]	.377
	[dbo].[tblTimeLimit_User]	380
	[dbo].[tblTimeLimit_UserGroup]	382
	[dbo].[tblTreeStructure]	384
≡≡	[dbo].[tblTypeEstekhdam]	.387
≡≡	[dbo].[tblTypeEstekhdamHistory]	389
≡≡	[dbo].[tblUser]	391
	[dbo].[tblUser_Group]	396
≡≡	[dbo].[tblUser_Permission]	399
	[dbo].[tblUser_PermissionCharkhe]	.401
	[dbo].[tblUser_Station]	403
	[dbo].[tblUserGroup]	405
	[dbo].[tblWebService]	409
■■	[Trans].[tblEvent]	412
■	[Trans].[tblEventTables]	415
■■	[Trans].[tblEventType]	417
	[Trans].[tblNameTables]	
■■	[Trans].[tblSubTransaction]	.421
■■	[Trans].[tblSubTransactionParametrs]	424
_	[Trans].[tblSubTransactionTables]	
	[Trans].[tblTransactionGroup]	
_	[Trans].[tblTransactionType]	

192.168.1.34

Databases (1)

• | | MedicalExaminations

Server Properties

Property	Value
Product	Microsoft SQL Server
Version	14.0.1000.169
Language	English (United States)
Platform	NT x64
Edition	Enterprise Edition (64-bit)
Processors	4
OS Version	6.3 (14393)
Physical Memory	10240
Is Clustered	False
Root Directory	C:\Program Files\Microsoft SQL Server\MSSQL14.SQL2017\MSSQL
Collation	SQL_Latin1_General_CP1_CI_AS

Server Settings

Property	Value	
Default data file path	C:\Program Files\Microsoft SQL Server\MSSQL14.SQL2017\MSSQL\DATA\	
Default backup file path	C:\Program Files\Microsoft SQL Server\MSSQL14.SQL2017\MSSQL\Backup	
Default log file path	C:\Program Files\Microsoft SQL Server\MSSQL14.SQL2017\MSSQL\DATA\	
Recovery Interval (minutes)	0	
Default index fill factor	0	
Default backup media retention	0	
Compress Backup	False	

Advanced Server Settings

Property	Value
Full text upgrade option	2
Locks	0
Nested triggers enabled	True
Allow triggers to fire others	True
Default language	English

4096
1033
2049
10
-1
98722322
50
0
16
2147483647
False
False
True
0
2
False
False

\sim				
	lear	data	hae	20

Databases (1)

• ■ MedicalExaminations

■ MedicalExaminations Database

Database Properties

Property	Value
SQL Server Version	SQL Server 2017
Compatibility Level	SQL Server 2017
Last backup time	01/13/2021
Last log backup time	-
Creation date	Nov 28 2020
Users	4
Database Encryption Enabled	False
Database Encryption Algorithm	None
Database size	208.00 MB
Unallocated space	40.08 MB

Database Options

Property	Value
Compatibility Level	140
Database collation	SQL_Latin1_General_CP1_CI_AS
Restrict access	MULTI_USER
Is read-only	False
Auto close	False
Auto shrink	False
Database status	ONLINE
In standby	False
Cleanly shutdown	False
Supplemental logging enabled	False
Snapshot isolation state	OFF
Read committed snapshot on	False
Recovery model	FULL
Page verify option	CHECKSUM
Auto create statistics	True
Auto update statistics	True
Auto update statistics asynchronously	False
ANSI NULL default	False
ANSI NULL enabled	False
ANSI padding enabled	False

ANSI warnings enabled	False
Arithmetic abort enabled	False
Concatenating NULL yields NULL	False
Numeric roundabort enabled	False
Quoted Identifier On	False
Recursive triggers enabled	False
Close cursors on commit	False
Local cursors by default	False
Fulltext enabled	True
Trustworthy	False
Database chaining	False
Forced parameterization	False
Master key encrypted by server	False
Published	False
Subscribed	False
Merge published	False
Is distribution database	False
Sync with backup	False
Service broker GUID	be8d90fe-99e9-4bfb-af51-9983fde0a08c
Service broker enabled	False
Log reuse wait	LOG_BACKUP
Date correlation	False
CDC enabled	False
Encrypted	False
Honor broker priority	False
Default language	English
Default fulltext language LCID	1033
Nested triggers enabled	True
Transform noise words	False
Two-digit year cutoff	2049
Containment	NONE
Target recovery time	60
Database owner	rasasystem

Files

Name	Туре	Size	Maxsize	Autogrowth	File Name
MedicalExaminations	Data	72.00 MB	unlimited	64.00 MB	C:\Program Files\Microsoft SQL Server\MSSQL14.SQL2017\ MSSQL\DATA\Medical- Examinations.mdf

Examinations log.ldf

■ Tables

Objects

Name	
Cnt.tblAddress	
Cnt.tblContact	
Cnt.tblContact_TreeGroup	
Cnt.tblContactGroup	
Cnt.tblContanctType	
Cnt.tblTreeGroup	
dbo.tblAcceptOrReject	
dbo.tblActions	
dbo.tblAmadegiGhablMoayenat	
dbo.tblAnavinGhabelCharkhesh	
dbo.tblAnnouncement_Tree	
dbo.tblAnnouncementManager	
dbo.tblAnnouncementManagerAttachment	
dbo.tblAnnouncementSeen	
dbo.tblAnvaMarakezTeb	
dbo.tblAnvaMoayen_Azmayesh	
dbo.tblAnvaMoayenat	
dbo.tblAnvaMoayeneGrouping	
dbo.tblAnvaMoayeneGroupingTree	
dbo.tblAnvaMoayeneVaAzmayesh_Amadegi	
dbo.tblAnvaPaye	
dbo.tblAnvaPaye_Order	

dbo.tbl Application Partdbo.tblApplicationPart_DigitablArchive dbo.tblArchive dbo.tblArchiveTree dbo.tblArchiveTree_File dbo.tblAshkhas dbo.tblAshkhas_Detail dbo.tblAudiometri1 00000001 dbo.tblAudiometri2 000000002 dbo.tblAvamelMoasser_Upgrade dbo.tblAvamelZiyanAvar dbo.tblAvamelZiyanAvar_Detail dbo.tblBazgashBeGhabl dbo.tblCharkhe dbo.tblCharkhe_Eghdam dbo.tblCharkhe_FirstEghdam 0000-0000 00000 dbo.tblCity dbo.tblComputationFormula dbo.tblDastoorAmal $dbo.tbl Dastoor Amal_Moayene$ dbo.tblDataTypes dbo.tblDateDim dbo.tblDegreeOfEducation dbo.tb IDegree Of Education Historydbo.tblDescription

	dbo.tblDidOmgh
	dbo.tblEkhtesasActions_Cartable
	dbo.tblEkhtesasMoayeneBeTree
	dbo.tblEllat
	dbo.tblEmploymentStatus
-	dbo.tblEmploymentStatusHistory
	dbo.tblEnterToCycle
-	dbo.tblError
	dbo.tblEtmamCharkhe
-	dbo.tblFactorsAffectingValues_Detail
-	dbo.tblFactorsAffectingValues_Header
	dbo.tblFile
-	dbo.tblFileAyeenName
-	dbo.tblFileDesktop_User
	dbo.tblFileMojaz
-	dbo.tblFormatFile
	dbo.tblHelp
	dbo.tblHistoryOrgan
	dbo.tblInputArgument
	dbo.tblinputinfo
	dbo.tblInputInfo_Person
	dbo.tblltems
	dbo.tblKarshenasanBehdasht
	dbo.tblKartabl
	dbo.tblLimitationIP
	dbo.tblLimitationMacAddress

dbo.tblLimitationTime	
dbo.tblLogTable	
dbo.tblMaghadirEllat	
dbo.tblMahalSazmani	
dbo.tblMoayenat	
dbo.tblMoayenat_Detail1	
dbo.tblMoayenat_Detail2	
dbo.tblNahi	
dbo.tblNameTable	
dbo.tblNazarNahaii	
dbo.tblNezamVazife	
dbo.tblOnvanAsli	
dbo.tblOnvanFaree	
dbo.tblOperation	
dbo.tblOpertion_Action	
dbo.tblOpertion_NoeCharkhesh	
dbo.tblOptometri	
dbo.tblOrganPost	
dbo.tblPageHtml	
dbo.tblParametrs	
dbo.tblParticularProperties	
dbo.tblPaye	
dbo.tblPermission	
dbo.tblPermission_DigitalArchive	
dbo.tblPermissionCharkhe	
dbo.tblPersonalInfo	

dbo.tblPezeshkan
dbo.tblPorseshname
dbo.tblProperties
dbo.tblReferralRules
dbo.tblRules
dbo.tblSabeghe
dbo.tblSabeghe_Detail
dbo.tblService
dbo.tblSetting
dbo.tblShoghleAmaliyati
dbo.tblShoghleAmaliyati_Detail
dbo.tblSokhanBozorgan
dbo.tblSpecificCartablePermission
dbo.tblSpecificCartablePermission_UserGroup
dbo.tblSpirometri
dbo.tblStation
dbo.tblTaahol
dbo.tblThemDesktop_User
dbo.tblTicket
dbo.tblTicketCategory
dbo.tblTicketPermission
dbo.tblTimeLimit_User
dbo.tblTimeLimit_UserGroup
dbo.tblTreeStructure
dbo.tblTypeEstekhdam
dbo.tblTypeEstekhdamHistory

Author: Mary_PC

dbo.tblUser
dbo.tblUser_Group
dbo.tblUser_Permission
dbo.tblUser_PermissionCharkhe
dbo.tblUser_Station
dbo.tblUserGroup
dbo.tblWebService
Trans.tblEvent
Trans.tblEventTables
Trans.tblEventType
Trans.tblNameTables
Trans.tblSubTransaction
Trans.tblSubTransactionParametrs
Trans.tblSubTransactionTables
Trans.tblTransactionGroup
Trans.tblTransactionType

[Cnt].[tblAddress]

MS_Description

ها آدرس

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	7:35:16 AM Sunday, February 14, 2021
Last Modified	7:35:55 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PKP C	fldld	int	4	False
	fldCityId	int	4	False
F	fldContactId	int	4	False
	fldMogheiyatAddress	nvarchar(1000)	2000	False
	fldTimeStamp	timestamp	8	True

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblAddress	fldld	True

Foreign Keys

Name	Columns	
FK_tblAddress_tblContact	fldContactId->[Cnt].[tblContact].[fldId]	

```
CREATE TABLE [Cnt].[tblAddress]
```

```
[fldId] [int] NOT NULL,
[fldCityId] [int] NOT NULL,
[fldContactId] [int] NOT NULL,
[fldMogheiyatAddress] [nvarchar] (1000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NULL
ON [PRIMARY]
ALTER TABLE [Cnt].[tblAddress] ADD CONSTRAINT [PK tblAddress] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [Cnt].[tblAddress] ADD CONSTRAINT [FK tblAddress tblContact] FOREIGN KEY
([fldContactId]) REFERENCES [Cnt].[tblContact] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' ما آدرس', 'SCHEMA', N'Cnt', 'TABLE',
N'tblAddress', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' اشهر آبدی', 'SCHEMA', N'Cnt', 'TABLE',
N'tblAddress', 'COLUMN', N'fldCityId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'لها با تماس آبدی', 'SCHEMA', N'Cnt',
'TABLE', N'tblAddress', 'COLUMN', N'fldContactId'
EXEC sp addextendedproperty N'MS Description', N'قلى ', 'SCHEMA', N'Cnt', 'TABLE',
N'tblAddress', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'موقعيت', 'SCHEMA', N'Cnt', 'TABLE',
N'tblAddress', 'COLUMN', N'fldMogheiyatAddress'
EXEC sp addextendedproperty N'MS Description', N' ويرايش به مربوط فيلد', 'SCHEMA',
N'Cnt', 'TABLE', N'tblAddress', 'COLUMN', N'fldTimeStamp'
```

Uses

[Cnt].[tblContact]

[Cnt]

Used By

[Cnt].[prs_tblAddressDelete]

[Cnt].[prs_tblAddressInsert]

[Cnt].[prs_tblAddressSelect]

[Cnt].[prs_tblAddressUpdate]

[Cnt].[tblContact]

MS_Description

ما با تماس

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	12:46:20 PM Saturday, February 13, 2021
Last Modified	7:58:00 AM Sunday, February 14, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[Cnt].[tblContactHistory]
History Table Row Count (~)	0
History Table Created	2:08:42 PM Saturday, February 13, 2021
History Table Last Modified	2:08:42 PM Saturday, February 13, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK _C	fldld	int	4	False	
F 1	fldTypeContactId	tinyint	1	False	
. 	fldValue	nvarchar(300)	600	False	
. 	fldType	tinyint	1	False	
r F	fldUserId	int	4	False	
	fldTimeStamp	timestamp	8	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'99 99-12-31 23:59:59.9999999',(0)))

Indexes

k	Key	Name	Key Columns	Unique
P	P _C	PK_tblContact	fldld	True
		IX_tblContact	fldType, fldTypeContactId, fldUserId, fld-Value	True

Foreign Keys

Name	Columns		
FK_tblContact_tblContanctType	fldTypeContactId->[Cnt].[tblContanctType].[fldId]		
FK_tblContact_tblUser	fldUserId->[dbo].[tblUser].[fldId]		

Extended Properties

Name	Value
PersianName	ما با تماس

```
CREATE TABLE [Cnt].[tblContactHistory]
[fldId] [int] NOT NULL,
[fldTypeContactId] [tinyint] NOT NULL,
[fldValue] [nvarchar] (300) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldType] [tinyint] NOT NULL,
[fldUserId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix tblContactHistory] ON [Cnt].[tblContactHistory] ([EndTime],
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [Cnt].[tblContact]
[fldId] [int] NOT NULL,
[fldTypeContactId] [tinyint] NOT NULL,
[fldValue] [nvarchar] (300) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldType] [tinyint] NOT NULL,
[fldUserId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
```

```
Contac Start 051A9206] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblContac -
EndTi 060EB63F] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblContact] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [Cnt].[tblContactHistory])
)
GO
ALTER TABLE [Cnt].[tblContact] ADD CONSTRAINT [IX tblContact] UNIQUE NONCLUSTERED
([fldType], [fldTypeContactId], [fldUserId], [fld\overline{V}alue]) ON [PRIMARY]
ALTER TABLE [Cnt]. [tblContact] ADD CONSTRAINT [FK tblContact tblContanctType] FOREIGN
KEY ([fldTypeContactId]) REFERENCES [Cnt].[tblContanctType] ([fldId])
ALTER TABLE [Cnt].[tblContact] ADD CONSTRAINT [FK tblContact_tblUser] FOREIGN KEY ([fld-
UserId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' ما با تماس', 'SCHEMA', N'Cnt',
'TABLE', N'tblContact', NULL, NULL
EXEC sp addextendedproperty N'PersianName', איש יו ייש ש', 'SCHEMA', N'Cnt', 'TABLE',
N'tblContact', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نودی', 'SCHEMA', N'Cnt', 'TABLE',
N'tblContact', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N'. ويرايش به مربوط قيلد', 'SCHEMA',
N'Cnt', 'TABLE', N'tblContact', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS Description', N'ونوع', 'SCHEMA', N'Cnt', 'TABLE',
N'tblContact', 'COLUMN', N'fldType'
EXEC sp_addextendedproperty N'MS_Description', N'الماس نوع آبدی', 'SCHEMA', N'Cnt',
'TABLE', N'tblContact', 'COLUMN', N'fldTypeContactId'
EXEC sp addextendedproperty N'MS Description', N'טורע ביי, 'SCHEMA', N'Cnt', 'TABLE',
N'tblContact', 'COLUMN', N'fldUserId'
EXEC sp addextendedproperty N'MS Description', N', 'SCHEMA', N'Cnt', 'TABLE',
N'tblContact', 'COLUMN', N'fldValue'
```

Uses

[Cnt].[tblContanctType] [dbo].[tblUser] [Cnt]

Used By

[Cnt].[tblAddress] [Cnt].[tblContact_TreeGroup] [Cnt].[prs_tblContactDelete]

[Cnt].[prs_tblContactInsert]

[Cnt].[prs_tblContactSelect]

[Cnt].[prs_tblContactUpdate]

[Cnt].[tblContact_TreeGroup]

MS_Description

ما با تماس در ختی ساختار

Properties

Property	Value
Row Count (~)	0
Created	7:32:28 AM Sunday, February 14, 2021
Last Modified	7:36:45 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK	fldld	int	4	False
FK	fldTreeGroupId	int	4	False
FK	fldContactId	int	4	False

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblContact_TreeGroup	fldld	True

Foreign Keys

Name	Columns
FK_tblContact_TreeGroup_tblContact	fldContactId->[Cnt].[tblContact].[fldId]
FK_tblContact_TreeGroup_tblTreeGroup	fldTreeGroupId->[Cnt].[tblTreeGroup].[fldId]

Extended Properties

Name	Value
PersianName	ما با تماس درختی ساختار

SQL Script

```
CREATE TABLE [Cnt].[tblContact TreeGroup]
[fldId] [int] NOT NULL,
[fldTreeGroupId] [int] NOT NULL,
[fldContactId] [int] NOT NULL
ON [PRIMARY]
GO
ALTER TABLE [Cnt].[tblContact TreeGroup] ADD CONSTRAINT [PK tblContact TreeGroup]
PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [Cnt].[tblContact TreeGroup] ADD CONSTRAINT [FK tblContact TreeGroup tbl-
Contact] FOREIGN KEY ([fldContactId]) REFERENCES [Cnt].[tblContact] ([fldId])
ALTER TABLE [Cnt].[tblContact TreeGroup] ADD CONSTRAINT [FK tblContact TreeGroup tbl-
TreeGroup] FOREIGN KEY ([fldTreeGroupId]) REFERENCES [Cnt].[tblTreeGroup] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N', اما با تماس درختی ساختار, 'SCHEMA',
N'Cnt', 'TABLE', N'tblContact TreeGroup', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N', اما با تماس درختی ساختار', 'SCHEMA',
N'Cnt', 'TABLE', N'tblContact TreeGroup', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'سا با تماس آبدی', 'SCHEMA', N'Cnt',
'TABLE', N'tblContact_TreeGroup', 'COLUMN', N'fldContactId'
EXEC sp addextendedproperty N'MS Description', N'آبدی', 'SCHEMA', N'Cnt', 'TABLE',
N'tblContact TreeGroup', 'COLUMN', N'fldId'
GO
. 'SCHEMA', الكروه درختى ساختار آيدى'N 'SCHEMA', الكروه درختى ساختار آيدى'N 'SCHEMA',
N'Cnt', 'TABLE', N'tblContact TreeGroup', 'COLUMN', N'fldTreeGroupId'
```

Uses

[Cnt].[tblContact]
[Cnt].[tblTreeGroup]
[Cnt]

Used By

[Cnt].[prs_tblContact_TreeGroupDelete] [Cnt].[prs_tblContact_TreeGroupInsert] [Cnt].[prs_tblContact_TreeGroupSelect] [Cnt].[prs_tblContact_TreeGroupUpdate]

☐ [Cnt].[tblContactGroup]

MS_Description

ما با تماس گروه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	7:28:50 AM Sunday, February 14, 2021
Last Modified	8:09:15 AM Sunday, February 14, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[Cnt].[tblContactGroupHistory]
History Table Row Count (~)	0
History Table Created	8:09:15 AM Sunday, February 14, 2021
History Table Last Modified	8:09:15 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
	fldNameGroup	nvarchar(250)	500	False	
FK	fldUserId	int	4	False	
	fldTimeStamp	timestamp	8	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblContactGroup	fldld	True

Foreign Keys

Name	Columns
FK_tblContactGroup_tblUser	fldUserId->[dbo].[tblUser].[fldId]

Extended Properties

Name	Value
PersianName	ما با تماس های گروه

```
CREATE TABLE [Cnt].[tblContactGroupHistory]
[fldId] [int] NOT NULL,
[fldNameGroup] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldUserId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblContactGroupHistory] ON [Cnt].[tblContactGroupHistory]
([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [Cnt].[tblContactGroup]
[fldId] [int] NOT NULL,
[fldNameGroup] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldUserId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Contac Start 2E1CA799] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblContac -
EndTi 2F10CBD2] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblContactGroup] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [Cnt].[tblContactGroupHistory])
)
GO
ALTER TABLE [Cnt].[tblContactGroup] ADD CONSTRAINT [FK tblContactGroup tblUser] FOREIGN
KEY ([fldUserId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' گوه " 'SCHEMA', N'Cnt', اما با تماس گروه'
'TABLE', N'tblContactGroup', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'یما با تماس های گروه', 'SCHEMA', N'Cnt',
'TABLE', N'tblContactGroup', NULL, NULL
```

Uses

[dbo].[tblUser]

[Cnt]

Used By

[Cnt].[prs_tblContactGroupDelete] [Cnt].[prs_tblContactGroupInsert]

[Cnt].[prs_tblContactGroupSelect]

[Cnt].[prs_tblContactGroupUpdate]

■ [Cnt].[tblContanctType]

MS_Description

ما با تماس نوع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	4
Created	7:58:00 AM Sunday, February 14, 2021
Last Modified	7:58:49 AM Sunday, February 14, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[Cnt].[tblContanctTypeHistory]
History Table Row Count (~)	8
History Table Created	7:58:17 AM Sunday, February 14, 2021
History Table Last Modified	7:58:49 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldId	tinyint	1	False	
	fldType	nvarchar(100)	200	False	
FK	fldIconId	int	4	False	
	fldFormul	nvarchar(max)	max	True	
FK	fldFormulld	int	4	True	
	fldTimeStamp	timestamp	8	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblContanctType	fldld	True

Foreign Keys

Name	Columns
FK_tblContanctType_tblComputationFormula	fldFormulId->[dbo].[tblComputationFormula].[fldId]
FK_tblContanctType_tblFile	fldlconld->[dbo].[tblFile].[fldld]

Extended Properties

Name	Value
PersianName	ما با تماس نوع

```
CREATE TABLE [Cnt].[tblContanctTypeHistory]
[fldId] [tinyint] NOT NULL,
[fldType] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldIconId] [int] NOT NULL,
[fldFormul] [nvarchar] (max) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldFormulId] [int] NULL,
[fldTimeStamp] [timestamp] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
CREATE CLUSTERED INDEX [ix_tblContanctTypeHistory] ON [Cnt].[tblContanctTypeHistory]
([EndTime], [StartTime]) ON [PRIMARY]
GO
CREATE TABLE [Cnt].[tblContanctType]
[fldId] [tinyint] NOT NULL,
[fldType] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldIconId] [int] NOT NULL,
[fldFormul] [nvarchar] (max) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldFormulId] [int] NULL,
[fldTimeStamp] [timestamp] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Contan Start 014A0122] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblContan -
EndTi 023E255B] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM_TIME (StartTime, EndTime),
CONSTRAINT [PK tblContanctType] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [Cnt].[tblContanctTypeHistory])
)
GO
ALTER TABLE [Cnt].[tblContanctType] ADD CONSTRAINT [FK_tblContanctType_tblComputation-Formula] FOREIGN KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
```

```
GO
ALTER TABLE [Cnt].[tblContanctType] ADD CONSTRAINT [FK_tblContanctType_tblFile] FOREIGN
KEY ([fldIconId]) REFERENCES [dbo].[tblFile] ([fldId])

GO
EXEC sp_addextendedproperty N'MS_Description', N'وما با تماس نوع', 'SCHEMA', N'Cnt',

'TABLE', N'tblContanctType', NULL, NULL

GO
EXEC sp_addextendedproperty N'PersianName', N'ent',

'TABLE', N'tblContanctType', NULL, NULL

GO
```

Uses

[dbo].[tblComputationFormula] [dbo].[tblFile] [Cnt]

Used By

[Cnt].[tblContact]
[Cnt].[prs_tblContactGroupUpdate]
[Cnt].[prs_tblContactSelect]
[Cnt].[prs_tblContanctTypeDelete]
[Cnt].[prs_tblContanctTypeInsert]
[Cnt].[prs_tblContanctTypeSelect]
[Cnt].[prs_tblContanctTypeUpdate]
[Cnt].[prs_tblContanctTypeUpdate]
[Cnt].[prs_UpdateFormulTypeContact]

[Cnt].[tblTreeGroup]

MS_Description

گروه درختی ساختار

Properties

Property	Value
Row Count (~)	0
Created	7:31:07 AM Sunday, February 14, 2021
Last Modified	7:36:59 AM Sunday, February 14, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[Cnt].[tblTreeGroupHistory]
History Table Row Count (~)	0
History Table Created	11:45:55 AM Sunday, February 14, 2021
History Table Last Modified	11:45:55 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
	fldGroupId	int	4	False	
FK	fldPld	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblTreeGroup	fldld	True

Foreign Keys

Name Columns

FK_tblTreeGroup_tblTreeGroup fldPld	>[Cnt].[tblTreeGroup].[fldId]
-------------------------------------	-------------------------------

Extended Properties

Name	Value
PersianName	گروه درختي ساختار

```
CREATE TABLE [Cnt].[tblTreeGroupHistory]
[fldId] [int] NOT NULL,
[fldGroupId] [int] NOT NULL,
[fldPId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblTreeGroupHistory] ON [Cnt].[tblTreeGroupHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [Cnt].[tblTreeGroup]
[fldId] [int] NOT NULL,
[fldGroupId] [int] NOT NULL,
[fldPId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblTree-
Gr Start 31ED387D] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblTreeGr -
EndTi 32E15CB6] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblTreeGroup] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM_VERSIONING = ON (HISTORY_TABLE = [Cnt].[tblTreeGroupHistory])
)
GO
ALTER TABLE [Cnt].[tblTreeGroup] ADD CONSTRAINT [FK tblTreeGroup tblTreeGroup] FOREIGN
KEY ([fldPId]) REFERENCES [Cnt].[tblTreeGroup] ([fldId])
" 'SCHEMA', N'Cnt', اگروه درختی ساختار'N' Description', N' ساختار', 'SCHEMA', N'Cnt',
'TABLE', N'tblTreeGroup', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N', "كروه درختى ساختار', 'SCHEMA', N'Cnt',
'TABLE', N'tblTreeGroup', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'يوه آيدي', 'SCHEMA', N'Cnt', 'TABLE',
```

```
N'tblTreeGroup', 'COLUMN', N'fldGroupId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'قبدی'', 'SCHEMA', N'Cnt', 'TABLE',
N'tblTreeGroup', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ویشه آیدی', 'SCHEMA', N'Cnt', 'TABLE',
N'tblTreeGroup', 'COLUMN', N'fldPId'

GO
```

Uses

[Cnt]

Used By

[Cnt].[tblContact_TreeGroup]

[Cnt].[prs_tblTreeGroupDelete]

[Cnt].[prs_tblTreeGroupInsert]

[Cnt].[prs_tblTreeGroupSelect]

[Cnt].[prs_tblTreeGroupUpdate]

[dbo].[tblAcceptOrReject]

MS_Description

تایید عدم یا تایید

Properties

Property	Value
Row Count (~)	1
Created	10:46:29 AM Monday, February 1, 2021
Last Modified	8:54:49 AM Thursday, February 11, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAcceptOrRejectHistory]
History Table Row Count (~)	16
History Table Created	2:41:00 PM Monday, February 1, 2021
History Table Last Modified	8:54:49 AM Thursday, February 11, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
F	fldAshkhasId	int	4	False	
	fldType	bit	1	False	
FK	fldCharkheFirstId	int	4	True	
FK	fldDescId	int	4	True	(")
FK	fldEghdamId	int	4	False	
FK	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblAcceptOrReject	fldld	True

Foreign Keys

Name	Columns
FK_tblAcceptOrReject_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblAcceptOrReject_tblAshkhas	fldAshkhasId->[dbo].[tblAshkhas].[fldId]
FK_tblAcceptOrReject_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblAcceptOrReject_tblDescription	fldDescld->[dbo].[tblDescription].[fldId]
FK_tblAcceptOrReject_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	تاپید عدم یا تاپید

```
CREATE TABLE [dbo].[tblAcceptOrRejectHistory]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldType] [bit] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldDescId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA_COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix_tblAcceptOrRejectHistory] ON [dbo].[tblAcceptOrReject-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAcceptOrReject]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldType] [bit] NOT NULL,
[fldCharkheFirstId] [int] NULL,
```

```
[fldDescId] [int] NULL CONSTRAINT [DF Table 1 fldDesc 1] DEFAULT (''),
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Accept Start 7B0717E7] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAccept -
EndTi 7BFB3C20] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblacceptOrReject] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAcceptOrRejectHistory])
)
GO
ALTER TABLE [dbo].[tblAcceptOrReject] ADD CONSTRAINT [FK tblAcceptOrReject tblActions]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblAcceptOrReject] ADD CONSTRAINT [FK tblAcceptOrReject tblAshkhas]
FOREIGN KEY ([fldAshkhasId]) REFERENCES [dbo].[tblAshkhas] ([fldId])
ALTER TABLE [dbo].[tblAcceptOrReject] ADD CONSTRAINT [FK tblAcceptOrReject tblCharkhe -
FirstEqhdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe First-
Eghdam] ([fldId])
ALTER TABLE [dbo].[tblAcceptOrReject] ADD CONSTRAINT [FK tblAcceptOrReject tbl-
Description] FOREIGN KEY ([fldDescId]) REFERENCES [dbo]. [tblDescription] ([fldId])
ALTER TABLE [dbo].[tblAcceptOrReject] ADD CONSTRAINT [FK tblAcceptOrReject tblKartabl]
FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartab1] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'بابید عدم یا تایید", 'SCHEMA', N'dbo',
'TABLE', N'tblAcceptOrReject', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'الاليد عدم يا تاييد عدم يا تاييد عدم يا تاييد المات ', 'SCHEMA', N'dbo',
'TABLE', N'tblAcceptOrReject', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'ا (شخص کد) شخص کد)', 'SCHEMA', N'dbo',
'TABLE', N'tblAcceptOrReject', 'COLUMN', N'fldAshkhasId'
EXEC sp addextendedproperty N'MS Description', N'بجرخه اولین که ', 'SCHEMA', N'dbo',
'TABLE', N'tblAcceptOrReject', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAcceptOrReject', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N'افدام که', 'SCHEMA', N'dbo', 'TABLE',
N'tblAcceptOrReject', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS_Description', N'بجدول دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAcceptOrReject', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'كارتابل كه', 'SCHEMA', N'dbo',
'TABLE', N'tblAcceptOrReject', 'COLUMN', N'fldKartablId'
EXEC sp addextendedproperty N'MS Description', N' نوع ', 'SCHEMA', N'dbo', 'TABLE',
N'tblAcceptOrReject', 'COLUMN', N'fldType'
```

GO

Uses

[dbo].[tblActions]
[dbo].[tblAshkhas]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[tblDescription]
[dbo].[tblKartabl]

Used By

[dbo].[fn_OprtionIdByCharkhe] [dbo].[prs_tblAcceptOrRejectInsert] [dbo].[prs_tblAcceptOrRejectSelect] [dbo].[prs_UpdateCharkhFirstTableActions] [dbo].[prs_UpdateCharkhFirstTableActions1]

■ [dbo].[tblActions]

MS_Description

اقدامات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	7:33:23 AM Sunday, January 24, 2021
Last Modified	6:55:19 PM Saturday, February 6, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblActionsHistory]
History Table Row Count (~)	7
History Table Created	7:34:23 AM Sunday, January 24, 2021
History Table Last Modified	8:47:07 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldName	nvarchar(100)	200	False	
F	fldFileId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
	fldActive_Deactive	bit	1	False	((1))
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime 2],'9999-12-31 23:59:59.99999999',(0)))
F	fldNoeGhabelCharkheshId	tinyint	1	True	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblActions	fldld	True

Foreign Keys

Name	Columns
FK_tblActions_tblAnavinGhabelCharkhesh	fldNoeGhabelCharkheshld->[dbo].[tblAnavinGhabelCharkhesh].[fld-ld]
FK_tblActions_tblFile	fldFileId->[dbo].[tblFile].[fldId]

Extended Properties

Name	Value
PersianName	اقدامات

```
CREATE TABLE [dbo].[tblActionsHistory]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldActive Deactive] [bit] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldNoeGhabelCharkheshId] [tinyint] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblActionsHistory] ON [dbo].[tblActionsHistory] ([EndTime],
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblActions]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblActions fldDesc] DEFAULT (''),
[fldActive Deactive] [bit] NOT NULL CONSTRAINT [DF tblActions fldActive Deactive]
```

```
DEFAULT ((1)),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Action Start__67152DD3] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAction -
EndTi 6809520C] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.9999999,',(0))),
[fldNoeGhabelCharkheshId] [tinyint] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblActions] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblActionsHistory])
)
GO
ALTER TABLE [dbo].[tblActions] ADD CONSTRAINT [FK tblActions tblAnavinGhabelCharkhesh]
FOREIGN KEY ([fldNoeGhabelCharkheshld]) REFERENCES [dbo].[tblAnavinGhabelCharkhesh]
([fldId])
GO
ALTER TABLE [dbo].[tblActions] ADD CONSTRAINT [FK tblActions tblFile] FOREIGN KEY ([fld-
FileId]) REFERENCES [dbo].[tblFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'اقدامات', 'SCHEMA', N'dbo', 'TABLE',
N'tblActions', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'ופֿב ובוו', 'SCHEMA', N'dbo', 'TABLE',
N'tblActions', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نغييرات پايان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'اکشن بودن غیرفعال یا فعال ستون,
'SCHEMA, N'dbo', 'TABLE', N'tblactions', 'COLUMN', N'fldActive Deactive
EXEC sp addextendedproperty N'MS Description', N' ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' قيلون دى آى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS Description', N' دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'dbo', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'fldName'
EXEC sp_addextendedproperty N'MS_Description', N' پرخش قابل نوع که', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'fldNoeGhabelCharkheshId'
EXEC sp addextendedproperty N'MS_Description', N' ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblActions', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS_Description', N'نغييرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblActions', 'COLUMN', N'StartTime'
GO
```

Uses

[dbo].[tblAnavinGhabelCharkhesh]

[dbo].[tblFile]

Used By

- [dbo].[tblAcceptOrReject]
- [dbo].[tblArchiveTree_File]
- [dbo].[tblAudiometri1]
- [dbo].[tblAudiometri2]
- [dbo].[tblAvamelZiyanAvar]
- [dbo].[tblBazgashBeGhabl]
- [dbo].[tblCharkhe_Eghdam]
- [dbo].[tblCharkhe_FirstEghdam]
- [dbo].[tblDidOmgh]
- [dbo].[tblEtmamCharkhe]
- [dbo].[tblMoayenat]
- [dbo].[tblNazarNahaii]
- [dbo].[tblOptometri]
- [dbo].[tblReferralRules]
- [-11-1][4-10-1-1-1-1
- [dbo].[tblSabeghe]
- [dbo].[tblSpirometri]
- [dbo].[prs_InsertEnterToCycle_CharkheFirstEghdam]
- [dbo].[prs_KolAudiometriSelect]
- [dbo].[prs_KolOptometriSelect]
- [dbo].[prs_SelectDistictAction_Cartable]
- [dbo].[prs_selectEkhtesas]
- [dbo].[prs_SelectKolSabeghe]
- [dbo].[prs_SelectLastOpration_EnterCycleId]
- [dbo].[prs_SelectLocomotiv_Action]
- [dbo].[prs_SelectNextAction_CharkheEghdam]
- [dbo].[prs_SelectTimeLine]
- [dbo].[prs SpecificCartablePermissionTreeSelect]
- [dbo].[prs_tblAcceptOrRejectSelect]
- [dbo].[prs_tblActionsDelete]
- [dbo].[prs_tblActionsInsert]
- [dbo].[prs_tblActionsSelect]
- [dbo].[prs_tblActionsUpdate]
- [dbo].[prs_tblArchiveTree_FileSelect]
- [dbo].[prs_tblAudiometri1Select]
- [dbo].[prs_tblAudiometri2Select]
- [dbo].[prs_tblAvamelZiyanAvarSelect]
- [dbo].[prs_tblBazgashtBeGhablSelect]
- [dbo].[prs_tblCharkhe_EghdamSelect]
- [dbo].[prs_tblCharkhe_FirstEghdamSelect]
- [dbo].[prs_tblCharkheSelect]
- [dbo].[prs_tblDidOmghSelect]
- [dbo].[prs_tblEkhtesasActions_CartableSelect]
- [dbo].[prs_tblEtmamCharkheSelect]
- [dbo].[prs_tblMoayenatSelect]
- [dbo].[prs_tblNazarNahaiiSelect]
- [dbo].[prs_tblOpertion_ActionSelect]

[dbo].[prs_tblOptometriSelect]
[dbo].[prs_tblReferralRulesSelect]
[dbo].[prs_tblSabegheSelect]
[dbo].[prs_tblSpirometriSelect]

[dbo].[tblAmadegiGhablMoayenat]

MS_Description

معاینات قبل آمادگی

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	8:09:32 AM Saturday, January 23, 2021
Last Modified	9:07:43 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAmadegiGhablMoayenatHistory]
History Table Row Count (~)	29
History Table Created	11:44:19 AM Saturday, January 23, 2021
History Table Last Modified	9:07:43 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
ı.t.	fldTitle	nvarchar(200)	400	False	
	fldTimeStamp	timestamp	8	False	
	fldDesc	nvarchar(100)	200	False	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

Key	Name	Key Columns	Unique
-----	------	-------------	--------

PKP C	PK_tblAmadegiGhablMoayene	fldld	True
	IX_tblAmadegiGhablMoayene	fldTitle	True

Extended Properties

Name	Value
PersianName	معاینات از قبل آمادگی

```
CREATE TABLE [dbo].[tblAmadegiGhablMoayenatHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA_COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAmadegiGhablMoayenatHistory] ON [dbo].[tblAmadegiGhabl-
MoayenatHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAmadegiGhablMoayenat]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblAmadegiGhablMoayenat fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Amadeg Start 0015E5C7] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAmadeg -
EndTi 010A0A00] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAmadegiGhablMoayene] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAmadeqiGhablMoayenatHistory])
GO
ALTER TABLE [dbo].[tblAmadegiGhablMoayenat] ADD CONSTRAINT [IX tblAmadegiGhablMoayene]
UNIQUE NONCLUSTERED ([fldTitle]) ON [PRIMARY]
```

```
EXEC sp addextendedproperty N'MS Description', N'هاينات قبل آمادگی', 'SCHEMA', N'dbo',
'TABLE', N'tblAmadegiGhablMoayenat', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'معابنات از قبل آمادگی', 'SCHEMA', N'dbo',
'TABLE', N'tblAmadegiGhablMoayenat', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'ناليان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAmadegiGhablMoayenat', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توشيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAmadegiGhablMoayenat', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblAmadegiGhablMoayenat', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAmadegiGhablMoayenat', 'COLUMN', N'fldOrder'
EXEC sp_addextendedproperty N'MS_Description', N'بويرايش به مربوط فيلد', 'SCHEMA', N'dbo', 'TABLE', N'tblAmadegiGhablMoayenat', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS Description', N' مادگی عنوان', 'SCHEMA', N'dbo',
'TABLE', N'tblAmadegiGhablMoayenat', 'COLUMN', N'fldTitle'
EXEC sp addextendedproperty N'MS Description', N'نغبيرات شروع زمان'N 'SCHEMA', N'dbo',
'TABLE', N'tblAmadegiGhablMoayenat', 'COLUMN', N'StartTime'
GΩ
```

Used By

```
[dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi]
[dbo].[prs_tblAmadegiGhablMoayenatDelete]
[dbo].[prs_tblAmadegiGhablMoayenatInsert]
[dbo].[prs_tblAmadegiGhablMoayenatSelect]
[dbo].[prs_tblAmadegiGhablMoayenatUpdate]
[dbo].[prs_tblAnvaMoayen_AzmayeshSelect]
[dbo].[prs_tblAnvaMoayeneGroupingTreeInsert]
[dbo].[prs_tblAnvaMoayeneVaAzmayesh_AmadegiSelect]
[dbo].[prs_tblParametrsDelete]
[dbo].[prs_tblWebServiceUpdate]
[dbo].[prs_UpdateOrder]
```

[dbo].[tblAnavinGhabelCharkhesh]

MS_Description

چرخش قابل عناوين

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	12:52:33 PM Saturday, January 30, 2021
Last Modified	9:30:21 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnavinGhabelCharkheshHistory]
History Table Row Count (~)	12
History Table Created	1:01:47 PM Saturday, January 30, 2021
History Table Last Modified	9:09:05 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	tinyint	1	False	
ı.	fldName	nvarchar(300)	600	False	
	fldOrder	tinyint	1	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Key	Name	Key Columns	Unique
-----	------	-------------	--------

PKP C	PK_tblAnavinGhabelCharkhesh		True
	IX_tblAnavinGhabelCharkhesh	fldName	True

Extended Properties

Name	Value
PersianName	چرخش قابل عناوین

```
CREATE TABLE [dbo].[tblAnavinGhabelCharkheshHistory]
[fldId] [tinyint] NOT NULL,
[fldName] [nvarchar] (300) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldOrder] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAnavinGhabelCharkheshHistory] ON [dbo].[tblAnavinGhabel-
CharkheshHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnavinGhabelCharkhesh]
[fldId] [tinyint] NOT NULL,
[fldName] [nvarchar] (300) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldOrder] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblAnavinGhabelCharkhesh fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Anavin Start 703483B9] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblAnavin_-
EndTi 7128A7F2] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnavinGhabelCharkhesh] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnavinGhabelCharkheshHistory])
GO
ALTER TABLE [dbo].[tblAnavinGhabelCharkhesh] ADD CONSTRAINT [IX tblAnavinGhabel-
Charkhesh] UNIQUE NONCLUSTERED ([fldName]) ON [PRIMARY]
```

```
EXEC sp addextendedproperty N'MS Description', N'برخش قابل عنا وبن', 'SCHEMA', N'dbo',
'TABLE', N'tblAnavinGhabelCharkhesh', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'وجرخش قابل عناوين', 'SCHEMA', N'dbo',
'TABLE', N'tblAnavinGhabelCharkhesh', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'ناليان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnavinGhabelCharkhesh', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnavinGhabelCharkhesh', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblAnavinGhabelCharkhesh', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'- رخش قابل عنوان, 'SCHEMA', N'dbo',
'TABLE', N'tblAnavinGhabelCharkhesh', 'COLUMN', N'fldName'
EXEC sp_addextendedproperty N'MS_Description', N'برتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnavinGhabelCharkhesh', 'COLUMN', N'fldOrder'
EXEC sp_addextendedproperty N'MS_Description', N'اوپرایش به مربوط فیلد', 'SCHEMA', N'dbo', 'TABLE', N'tblAnavinGhabelCharkhesh', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS Description', N'نغبيرات شروع زمان'N 'SCHEMA', N'dbo',
'TABLE', N'tblAnavinGhabelCharkhesh', 'COLUMN', N'StartTime'
GΩ
```

Used By

```
[dbo].[tblActions]
[dbo].[tblCharkhe]
[dbo].[tblOpertion_NoeCharkhesh]
[dbo].[prs_tblActionsSelect]
[dbo].[prs_tblAnavinGhabelCharkheshDelete]
[dbo].[prs_tblAnavinGhabelCharkheshInsert]
[dbo].[prs_tblAnavinGhabelCharkheshSelect]
[dbo].[prs_tblAnavinGhabelCharkheshUpdate]
[dbo].[prs_tblCharkhe_EghdamSelect]
[dbo].[prs_tblCharkheSelect]
[dbo].[prs_tblEkhtesasActions_CartableSelect]
[dbo].[prs_tblOperationSelect]
[dbo].[prs_UpdateOrder]
```

[dbo].[tblAnnouncement_Tree]

MS_Description

اطلاعيه درختي ساختار

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	9:35:30 AM Tuesday, January 12, 2021
Last Modified	9:09:33 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnnouncement_TreeHistory]
History Table Row Count (~)	92
History Table Created	11:47:56 AM Monday, January 25, 2021
History Table Last Modified	9:09:33 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
FK	fldAnn_ManagerId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldStationId	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Key	Name	Key Columns	Unique
PK	PK_tblAnnouncement_Tree	fldld	True

Foreign Keys

Name	Columns
FK_tblAnnouncement_Tree_tblAnnouncementManager	fldAnn_ManagerId->[dbo].[tblAnnouncementManager].[fld-ID]
FK_tblAnnouncement_Tree_tblStation	fldStationId->[dbo].[tblStation].[fldId]

Extended Properties

Name	Value
PersianName	اطلاعیه درختی ساختار

```
CREATE TABLE [dbo].[tblAnnouncement TreeHistory]
[fldId] [int] NOT NULL,
[fldAnn ManagerId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldStationId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix tblAnnouncement TreeHistory] ON [dbo].[tblAnnouncement Tree-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnnouncement_Tree]
[fldId] [int] NOT NULL,
[fldAnn ManagerId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblAnnouncement Tree fldDesc] DEFAULT (''),
[fldStationId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Announ__Start__7EB7AD3A] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblAnnoun_-
EndTi 7FABD173] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK_tblAnnouncement_Tree] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnnouncement TreeHistory])
```

```
GO
ALTER TABLE [dbo].[tblAnnouncement Tree] ADD CONSTRAINT [FK tblAnnouncement Tree tbl-
AnnouncementManager] FOREIGN KEY ([fldAnn ManagerId]) REFERENCES [dbo].[tblAnnouncement-
Manager] ([fldID])
ALTER TABLE [dbo].[tblAnnouncement Tree] ADD CONSTRAINT [FK tblAnnouncement Tree tbl-
Station] FOREIGN KEY ([fldStationId]) REFERENCES [dbo].[tblStation] ([fldId])
EXEC sp_addextendedproperty N'MS_Description', N' ساطلاعیه درختی ساختار', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnnouncement Tree', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N' ساختا درختی ساختا (', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncement Tree', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'نيان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncement Tree', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N' اطلاعیه که', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncement Tree', 'COLUMN', N'fldAnn ManagerId'
EXEC sp_addextendedproperty N'MS_Description', N'ightander', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncement Tree', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'بجدول دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncement Tree', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' ابستگاه که', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncement Tree', 'COLUMN', N'fldStationId'
EXEC sp_addextendedproperty N'MS_Description', N'نغييرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncement Tree', 'COLUMN', N'StartTime
```

Uses

[dbo].[tblAnnouncementManager] [dbo].[tblStation]

Used By

[dbo].[prs_tblAnnouncement_TreeInsert]
[dbo].[prs_tblAnnouncement_TreeSelect]
[dbo].[prs_tblAnnouncementManagerDelete]
[dbo].[prs_tblAnnouncementManagerSelect]

[dbo].[tblAnnouncementManager]

MS_Description

اطلاعيه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	3:01:24 PM Tuesday, January 19, 2021
Last Modified	9:09:53 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnnouncementManagerHistory]
History Table Row Count (~)	9
History Table Created	3:53:57 PM Wednesday, January 27, 2021
History Table Last Modified	9:09:53 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldID	int	4	False	
	fldTitle	nvarchar(250)	500	False	
	fldMatn	nvarchar(3000)	6000	False	
	fldStatus	bit	1	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTarikhShamsi	int	4	False	
	fldSeenMovazaf	bit	1	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKC	PK_tblAnnouncementManager	fldID	True

Extended Properties

Name	Value
PersianName	اطلاعیه

```
CREATE TABLE [dbo].[tblAnnouncementManagerHistory]
[fldID] [int] NOT NULL,
[fldTitle] [nvarchar] (250) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldMatn] [nvarchar] (3000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldStatus] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTarikhShamsi] [int] NOT NULL,
[fldSeenMovazaf] [bit] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAnnouncementManagerHistory] ON [dbo].[tblAnnouncement-
ManagerHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnnouncementManager]
[fldID] [int] NOT NULL,
[fldTitle] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldMatn] [nvarchar] (3000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldStatus] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblAnnouncementManager fldDesc] DEFAULT (''),
[fldTarikhShamsi] [int] NOT NULL,
[fldSeenMovazaf] [bit] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Announ Start 2C7E77EA] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAnnoun -
EndTi 2D729C23] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnnouncementManager] PRIMARY KEY CLUSTERED ([fldID]) ON [PRIMARY]
) ON [PRIMARY]
WITH
```

```
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnnouncementManagerHistory])
)
GO
EXEC sp addextendedproperty N'MS Description', N' اطلاعبه', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManager', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N' اطلاعبه', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
AnnouncementManager', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'نغييرات پايان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManager', 'COLUMN', N'EndTime
EXEC sp addextendedproperty N'MS Description', N'توفيخات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManager', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS_Description', N'دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManager', 'COLUMN', N'fldID'
EXEC sp addextendedproperty N'MS Description', N'متن', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
AnnouncementManager', 'COLUMN', N'fldMatn'
EXEC sp addextendedproperty N'MS Description', N'نمايش', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManager', 'COLUMN', N'fldSeenMovazaf'
EXEC sp addextendedproperty N'MS Description', N'وضعيت', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManager', 'COLUMN', N'fldStatus'
EXEC sp_addextendedproperty N'MS_Description', N'dbo', 'sCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManager', 'COLUMN', N'fldTarikhShamsi'
EXEC sp_addextendedproperty N'MS_Description', N'ae', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManager', 'COLUMN', N'fldTitle'
EXEC sp_addextendedproperty N'MS_Description', N'سنغييرات شروع رمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManager', 'COLUMN', N'StartTime
```

Used By

[dbo].[tblAnnouncement_Tree]
[dbo].[tblAnnouncementManagerAttachment]
[dbo].[tblAnnouncementSeen]
[dbo].[prs_tblAnnouncementManagerDelete]
[dbo].[prs_tblAnnouncementManagerInsert]
[dbo].[prs_tblAnnouncementManagerSelect]
[dbo].[prs_tblAnnouncementManagerUpdate]

[dbo].[tblAnnouncementManagerAttachment]

MS_Description

اطلاعيه پيوست فايل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	1:10:32 PM Wednesday, December 2, 2020
Last Modified	9:10:15 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnnouncementManagerAttachmentHistory]
History Table Row Count (~)	0
History Table Created	11:46:27 AM Monday, January 25, 2021
History Table Last Modified	9:10:15 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldID	int	4	False	
FK	fldAnnouncementID	int	4	False	
	fldAttachment	varbinary(max)	max	False	
	fldPasvand	nvarchar(50)	100	False	
	fldDesc	nvarchar(100)	200	False	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9 999-12-31 23:59:59.9999999',(0)))

Key Name Key Columns Unique



PK_tblAnnouncementManagerAttachment

fldID

True

Foreign Keys

Name	Columns
FK_tblAnnouncementManagerAttachment_tbl-AnnouncementManager	fldAnnouncementID->[dbo].[tblAnnouncement-Manager].[fldID]

Extended Properties

Name	Value		
PersianName	اطلاعيه پيوست فايل		

```
CREATE TABLE [dbo].[tblAnnouncementManagerAttachmentHistory]
[fldID] [int] NOT NULL,
[fldAnnouncementID] [int] NOT NULL,
[fldAttachment] [varbinary] (max) NOT NULL,
[fldPasvand] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblAnnouncementManagerAttachmentHistory] ON [dbo].[tbl-
AnnouncementManagerAttachmentHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION =
PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnnouncementManagerAttachment]
[fldID] [int] NOT NULL,
[fldAnnouncementID] [int] NOT NULL,
[fldAttachment] [varbinary] (max) NOT NULL,
[fldPasvand] [nvarchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblAnnouncementManagerAttachment_fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Announ_Start__7BDB408F] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAnnoun -
EndTi 7CCF64C8] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnnouncementManagerAttachment] PRIMARY KEY CLUSTERED ([fldID]) ON
[PRIMARY]
) ON [PRIMARY]
```

```
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnnouncementManagerAttachment-
History])
GO
ALTER TABLE [dbo].[tblAnnouncementManagerAttachment] ADD CONSTRAINT [FK tblAnnouncement-
ManagerAttachment tblAnnouncementManager] FOREIGN KEY ([fldAnnouncementID]) REFERENCES
[dbo].[tblAnnouncementManager] ([fldID])
EXEC sp_addextendedproperty N'MS_Description', N'لطلاعيه پيوست فايل', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManagerAttachment', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N'باطلاعيه پيوست فايل', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManagerAttachment', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نایان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManagerAttachment', 'COLUMN', N'EndTime'
EXEC sp_addextendedproperty N'MS_Description', N'ناطلاعيه ثبت كد', 'SCHEMA', N'dbo', 'TABLE', N'tblAnnouncementManagerAttachment', 'COLUMN', N'fldAnnouncementID'
EXEC sp_addextendedproperty N'MS_Description', N'Loui', 'SCHEMA', N'Lobo', 'TABLE',
N'tblAnnouncementManagerAttachment', 'COLUMN', N'fldAttachment'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManagerAttachment', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'نجدول دی ای ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblAnnouncementManagerAttachment', 'COLUMN', N'fldID'
EXEC sp_addextendedproperty N'MS_Description', N'پسوند', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnnouncementManagerAttachment', 'COLUMN', N'fldPasvand'
EXEC sp_addextendedproperty N'MS_Description', N'نغيبرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementManagerAttachment', 'COLUMN', N'StartTime'
GΩ
```

Uses

[dbo].[tblAnnouncementManager]

Used Bv

```
[dbo].[prs_tblAnnouncementManagerAttachmentDelete]
[dbo].[prs_tblAnnouncementManagerAttachmentSelect]
[dbo].[prs_tblAnnouncementManagerAttachmentUpdate]
[dbo].[prs_tblAnnouncementManagerDelete]
[dbo].[prs_tblAnnouncementManagerInsert]
[dbo].[prs_tblAnnouncementManagerSelect]
[dbo].[prs_tblAnnouncementManagerUpdate]
```

[dbo].[tblAnnouncementSeen]

MS_Description

اطلاعيه نمايش

Properties

Property	Value
Row Count (~)	2
Created	9:03:51 AM Thursday, January 14, 2021
Last Modified	9:10:43 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnnouncementSeenHistory]
History Table Row Count (~)	0
History Table Created	8:22:11 AM Sunday, January 31, 2021
History Table Last Modified	9:10:43 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK	fldAnnouncementId	int	4	False	
FK	fldUserId	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblAnnouncementSeen	fldld	True

Foreign Keys

Name	Columns	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

FK_tblAnnouncementSeen_tblAnnouncementManager	fldAnnouncementId->[dbo].[tblAnnouncement-Manager].[fldID]		
FK_tblAnnouncementSeen_tblUser	fldUserId->[dbo].[tblUser].[fldId]		

```
CREATE TABLE [dbo].[tblAnnouncementSeenHistory]
[fldId] [int] NOT NULL,
[fldAnnouncementId] [int] NOT NULL,
[fldUserId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WTTH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAnnouncementSeenHistory] ON [dbo].[tblAnnouncementSeen-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnnouncementSeen]
[fldId] [int] NOT NULL,
[fldAnnouncementId] [int] NOT NULL,
[fldUserId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Announ__Start__2A61254E] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAnnoun -
EndTi 2B554987] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnnouncementSeen] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnnouncementSeenHistory])
)
GO
ALTER TABLE [dbo].[tblAnnouncementSeen] ADD CONSTRAINT [FK tblAnnouncementSeen tbl-
AnnouncementManager] FOREIGN KEY ([fldAnnouncementId]) REFERENCES [dbo].[tbl-
AnnouncementManager] ([fldID])
ALTER TABLE [dbo].[tblAnnouncementSeen] ADD CONSTRAINT [FK tblAnnouncementSeen tblUser]
FOREIGN KEY ([fldUserId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'طلاعيه نمايش'', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementSeen', NULL, NULL
EXEC sp addextendedproperty N'MS_Description', N'טובוט נماט', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementSeen', 'COLUMN', N'EndTime
EXEC sp addextendedproperty N'MS Description', N'us', 'SCHEMA', N'dbo',
'TABLE', N'tblAnnouncementSeen', 'COLUMN', N'fldAnnouncementId'
```

```
GO

EXEC sp_addextendedproperty N'MS_Description', N'ندی ای ستون', 'SCHEMA', N'dbo',

'TABLE', N'tblAnnouncementSeen', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'عاربر کد', 'SCHEMA', N'dbo', 'TABLE',

N'tblAnnouncementSeen', 'COLUMN', N'fldUserId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'

EXEC sp_addextendedproperty N'MS_Description', N'

'TABLE', N'tblAnnouncementSeen', 'COLUMN', N'StartTime'

GO
```

Uses

[dbo].[tblAnnouncementManager] [dbo].[tblUser]

Used By

[dbo].[prs_tblAnnouncementManagerDelete]
[dbo].[prs_tblAnnouncementSeenDelete]
[dbo].[prs_tblAnnouncementSeenInsert]
[dbo].[prs_tblAnnouncementSeenInsert]
[dbo].[prs_tblAnnouncementSeenSelect]
[dbo].[prs_tblAnnouncementSeenUpdate]

[dbo].[tblAnvaMarakezTeb]

MS_Description

طب مراكز انواع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	8:34:05 AM Saturday, January 23, 2021
Last Modified	9:11:02 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnvaMarakezTebHistory]
History Table Row Count (~)	8
History Table Created	12:03:44 PM Saturday, January 23, 2021
History Table Last Modified	9:11:02 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
ı.	fldTitle	nvarchar(200)	400	False	
	fldTimeStamp	timestamp	8	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldLatitude	varchar(50)	50	False	
	fldLongitude	varchar(50)	50	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblAnvaVaksan	fldld	True
	IX_tblAnvaVaksan	fldTitle	True

Extended Properties

Name	Value
PersianName	طب مراكز انواع

```
CREATE TABLE [dbo].[tblAnvaMarakezTebHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldLatitude] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldLongitude] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WTTH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblAnvaMarakezTebHistory] ON [dbo].[tblAnvaMarakezTeb-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnvaMarakezTeb]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF_tblAnvaMarakezTeb_fldDesc] DEFAULT (''),
[fldLatitude] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldLongitude] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblAnva-
Ma Start 02F25272] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAnvaMa -
EndTi__03E676AB] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999',(0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
```

```
CONSTRAINT [PK tblAnvaVaksan] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnvaMarakezTebHistory])
)
GO
ALTER TABLE [dbo].[tblAnvaMarakezTeb] ADD CONSTRAINT [IX tblAnvaVaksan] UNIQUE
NONCLUSTERED ([fldTitle]) ON [PRIMARY]
EXEC sp addextendedproperty N'MS_Description', N'والمب مراكز انواع', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMarakezTeb', NULL, NULL
GO
EXEC sp addextendedproperty N'PersianName', N'dbo', 'dbo', 'dbo', 'dbo',
'TABLE', N'tblAnvaMarakezTeb', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نایان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMarakezTeb', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توهيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMarakezTeb', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS_Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMarakezTeb', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'dbo', ', 'sCHEMA', N'dbo',
'TABLE', N'tblAnvaMarakezTeb', 'COLUMN', N'fldLatitude'
EXEC sp_addextendedproperty N'MS_Description', N'" مغرافیایی مختصات', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMarakezTeb', 'COLUMN', N'fldLongitude'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMarakezTeb', 'COLUMN', N'fldOrder'
GO
EXEC sp_addextendedproperty N'MS_Description', N'. اوبرایش په صربوط فیلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnvaMarakezTeb', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS Description', N'عنوان', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMarakezTeb', 'COLUMN', N'fldTitle'
EXEC sp addextendedproperty N'MS_Description', N'نغييرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMarakezTeb', 'COLUMN', N'StartTime'
GO
```

Used By

```
[dbo].[prs_tblAnvaMarakezTebDelete]
[dbo].[prs_tblAnvaMarakezTebInsert]
[dbo].[prs_tblAnvaMarakezTebSelect]
[dbo].[prs_tblAnvaMarakezTebUpdate]
[dbo].[prs_UpdateOrder]
```

[dbo].[tblAnvaMoayen_Azmayesh]

MS_Description

معاينه انواع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	4
Created	7:29:37 AM Tuesday, January 19, 2021
Last Modified	9:11:21 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnvaMoayen_AzmayeshHistory]
History Table Row Count (~)	13
History Table Created	12:06:12 PM Saturday, January 23, 2021
History Table Last Modified	9:11:21 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
ф	fldTitle	nvarchar(200)	400	False	
	fldTimeStamp	timestamp	8	False	
	fldDesc	nvarchar(100)	200	True	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

PKP C	T IC_IDI/ III Valvioay CII_7 IZIII ay COII		True
	IX_tblAnvaMoayen_Azmayesh	fldTitle	True

Extended Properties

Name	Value
Persianname	معاينه انواع

```
CREATE TABLE [dbo].[tblAnvaMoayen AzmayeshHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix_tblAnvaMoayen_AzmayeshHistory] ON [dbo].[tblAnvaMoayen_-
AzmayeshHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnvaMoayen Azmayesh]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL CONSTRAINT [DF tbl-
AnvaMoayen_Azmayesh fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblAnva-
Mo Start 05CEBF1D] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblanvaMo -
EndTi 06C2E356] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnvaMoayen Azmayesh] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnvaMoayen AzmayeshHistory])
GO
ALTER TABLE [dbo].[tblAnvaMoayen Azmayesh] ADD CONSTRAINT [IX tblAnvaMoayen Azmayesh]
UNIQUE NONCLUSTERED ([fldTitle]) ON [PRIMARY]
```

```
EXEC sp addextendedproperty N'MS Description', N'eامعاینه انواع', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayen Azmayesh', NULL, NULL
EXEC sp addextendedproperty N'Persianname', N'ومعاينه انواع', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayen Azmayesh', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'טםיט', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayen Azmayesh', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayen Azmayesh', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayen Azmayesh', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayen Azmayesh', 'COLUMN', N'fldOrder'
EXEC sp_addextendedproperty N'MS_Description', N'. اوبرایش به صربوط فیلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnvaMoayen_Azmayesh', 'COLUMN', N'fldTimeStamp
EXEC sp addextendedproperty N'MS Description', N' اعنوان', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayen Azmayesh', 'COLUMN', N'fldTitle'
EXEC sp addextendedproperty N'MS Description', N'نغبيرات شروع زمان'N 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayen Azmayesh', 'COLUMN', N'StartTime'
GΩ
```

Used By

```
[dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi]
[dbo].[tblDastoorAmal_Moayene]
[dbo].[tblEkhtesasMoayeneBeTree]
[dbo].[prs_tblAnvaMoayen_AzmayeshDelete]
[dbo].[prs_tblAnvaMoayen_AzmayeshInsert]
[dbo].[prs_tblAnvaMoayen_AzmayeshSelect]
[dbo].[prs_tblAnvaMoayen_AzmayeshUpdate]
[dbo].[prs_tblAnvaMoayeneVaAzmayesh_AmadegiSelect]
[dbo].[prs_tblDastoorAmalSelect]
[dbo].[prs_UpdateOrder]
```

[dbo].[tblAnvaMoayenat]

MS_Description

معاينات انواع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	8:26:18 AM Saturday, January 23, 2021
Last Modified	1:10:30 PM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnvaMoayenatHistory]
History Table Row Count (~)	2
History Table Created	12:10:44 PM Saturday, January 23, 2021
History Table Last Modified	9:11:47 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
ф	fldTitleMoayenat	nvarchar(200)	400	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

Key	Name	Key Columns	Unique

PK_tblAnvaMoayenat		fldId	True
	IX_tblAnvaMoayenat	fldTitleMoayenat	True

Extended Properties

Name	Value
PersianName	معاينات انواع

```
CREATE TABLE [dbo].[tblAnvaMoayenatHistory]
[fldId] [int] NOT NULL,
[fldTitleMoayenat] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAnvaMoayenatHistory] ON [dbo].[tblAnvaMoayenatHistory]
([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnvaMoayenat]
[fldId] [int] NOT NULL,
[fldTitleMoayenat] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblAnvaMoayenat fdDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblAnva-
Mo Start 08AB2BC8] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblanvaMo -
EndTi 099F5001] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnvaMoayenat] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnvaMoayenatHistory])
GO
ALTER TABLE [dbo].[tblAnvaMoayenat] ADD CONSTRAINT [IX tblAnvaMoayenat] UNIQUE
NONCLUSTERED ([fldTitleMoayenat]) ON [PRIMARY]
```

```
EXEC sp addextendedproperty N'MS Description', N'فواع', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayenat', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'ومعاينات انواع', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayenat', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'טםיט', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayenat', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayenat', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS_Description', N'نی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayenat', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayenat', 'COLUMN', N'fldOrder'
EXEC sp_addextendedproperty N'MS_Description', N'. ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnvaMoayenat', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS_Description', N'نمعاينات عنوان', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayenat', 'COLUMN', N'fldTitleMoayenat'
EXEC sp addextendedproperty N'MS Description', N'نغبيرات شروع زمان'N 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayenat', 'COLUMN', N'StartTime'
GΩ
```

Used By

[dbo].[tblCharkhe]
[dbo].[tblDastoorAmal]
[dbo].[prs_tblAnvaMoayenatDelete]
[dbo].[prs_tblAnvaMoayenatInsert]
[dbo].[prs_tblAnvaMoayenatSelect]
[dbo].[prs_tblAnvaMoayenatUpdate]
[dbo].[prs_tblCharkheSelect]
[dbo].[prs_tblDastoorAmalSelect]
[dbo].[prs_UpdateOrder]

[dbo].[tblAnvaMoayeneGrouping]

MS_Description

معاینه انواع گروه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	5
Created	8:24:46 AM Saturday, January 23, 2021
Last Modified	9:12:15 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnvaMoayeneGroupingHistory]
History Table Row Count (~)	5
History Table Created	12:12:02 PM Saturday, January 23, 2021
History Table Last Modified	9:12:15 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
ı.	fldNameGroup	nvarchar(200)	400	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

Key	Name	Key Columns	Unique	

PKP C	PK_tblAnvaMoayeneGrouping	fldld	True
	IX_tblAnvaMoayeneGrouping	fldNameGroup	True

Extended Properties

Name	Value
Persianname	معاینه انواع گروه

```
CREATE TABLE [dbo].[tblAnvaMoayeneGroupingHistory]
[fldId] [int] NOT NULL,
[fldNameGroup] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAnvaMoayeneGroupingHistory] ON [dbo].[tblAnvaMoayene-
GroupingHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAnvaMoayeneGrouping]
[fldId] [int] NOT NULL,
[fldNameGroup] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblAnvaMoayeneGrouping fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblAnva-
Mo Start 0B879873] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblanvaMo -
EndTi 0C7BBCAC] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnvaMoayeneGrouping] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnvaMoayeneGroupingHistory])
GO
ALTER TABLE [dbo].[tblAnvaMoayeneGrouping] ADD CONSTRAINT [IX tblAnvaMoayeneGrouping]
UNIQUE NONCLUSTERED ([fldNameGroup]) ON [PRIMARY]
```

```
EXEC sp addextendedproperty N'MS Description', N'ومعاينه انواع گروه', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGrouping', NULL, NULL
EXEC sp addextendedproperty N'Persianname', N'ومعاينه انواع گروه', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGrouping', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'טםיט', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGrouping', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneGrouping', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'". 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGrouping', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'ئووہ نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneGrouping', 'COLUMN', N'fldNameGroup'
EXEC sp_addextendedproperty N'MS_Description', N'برتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneGrouping', 'COLUMN', N'fldOrder'
EXEC sp_addextendedproperty N'MS_Description', N' ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnvaMoayeneGrouping', 'COLUMN', N'fldTimeStamp'
EXEC sp_addextendedproperty N'MS_Description', N'deo', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneGrouping', 'COLUMN', N'StartTime'
GΩ
```

Used By

[dbo].[tblAnvaMoayeneGroupingTree]
[dbo].[prs_tblAnvaMoayeneGroupingDelete]
[dbo].[prs_tblAnvaMoayeneGroupingInsert]
[dbo].[prs_tblAnvaMoayeneGroupingSelect]
[dbo].[prs_tblAnvaMoayeneGroupingTreeSelect]
[dbo].[prs_tblAnvaMoayeneGroupingUpdate]
[dbo].[prs_UpdateOrder]

[dbo].[tblAnvaMoayeneGroupingTree]

MS_Description

معاینه انواع گروه درختی ساختار

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	8:24:52 AM Saturday, January 23, 2021
Last Modified	9:12:38 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnvaMoayeneGroupingTreeHistory]
History Table Row Count (~)	6
History Table Created	12:14:34 PM Saturday, January 23, 2021
History Table Last Modified	9:12:38 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldPld	int	4	True	
FK	fldAnvaMoayeneGroupingId	int	4	False	
	fldName	nvarchar(200)	400	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetim e2],'9999-12-31 23:59:59.99999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblAnvaMoayeneGroupingTree	fldld	True

Foreign Keys

Name	Columns
FK_tblAnvaMoayeneGroupingTree_tblAnvaMoayene-Grouping	fldAnvaMoayeneGroupingId->[dbo].[tblAnvaMoayene-Grouping].[fldId]
FK_tblAnvaMoayeneGroupingTree_tblAnvaMoayene- GroupingTree	fldPld->[dbo].[tblAnvaMoayeneGroupingTree].[fldld]

Extended Properties

Name	Value
PersianName	معاينه انواع گروه درختي ساختار

```
CREATE TABLE [dbo].[tblAnvaMoayeneGroupingTreeHistory]
[fldId] [int] NOT NULL,
[fldPId] [int] NULL,
[fldAnvaMoayeneGroupingId] [int] NOT NULL,
[fldName] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblAnvaMoayeneGroupingTreeHistory] ON [dbo].[tblAnvaMoayene-
GroupingTreeHistory] ([EndTime], [StartTime]) WITH (DATA_COMPRESSION = PAGE) ON
[PRIMARY]
GO
CREATE TABLE [dbo].[tblAnvaMoayeneGroupingTree]
[fldId] [int] NOT NULL,
[fldPId] [int] NULL,
[fldAnvaMoayeneGroupingId] [int] NOT NULL,
[fldName] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblAnvaMoayeneGroupingTree fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
```

```
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblAnva-
Mo Start 0E64051E] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAnvaMo -
EndTi 0F582957] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnvaMoayeneGroupingTree] PRIMARY KEY CLUSTERED ([fldid]) ON
[PRIMARY]
) ON [PRIMARY]
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAnvaMoayeneGroupingTreeHistory])
)
GO
ALTER TABLE [dbo].[tblAnvaMoayeneGroupingTree] ADD CONSTRAINT [FK tblAnvaMoayene-
GroupingTree tblAnvaMoayeneGrouping] FOREIGN KEY ([fldAnvaMoayeneGroupingId])
REFERENCES [dbo].[tblAnvaMoayeneGrouping] ([fldId])
ALTER TABLE [dbo].[tblAnvaMoayeneGroupingTree] ADD CONSTRAINT [FK tblAnvaMoayene-
GroupingTree_tblAnvaMoayeneGroupingTree] FOREIGN KEY ([fldPId]) REFERENCES [dbo].[tbl-
AnvaMoayeneGroupingTree] ([fldId])
exec sp addextendedproperty N'MS_Description', N'امعاینه انواع گروه درختی ساختار,
'SCHEMA', N'dbo', 'TABLE', N'tblAnvaMoayeneGroupingTree', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'سعاینه انواع گروه درختی ساختار',
'SCHEMA', N'dbo', 'TABLE', N'tblAnvaMoayeneGroupingTree', NULL, NULL
GO
EXEC sp addextendedproperty N'MS_Description', N'בובוי تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'EndTime'
"SCHEMA", امعاینه انواع گروه ایدی "EXEC sp addextendedproperty N'MS Description', N
N'dbo', 'TABLE', N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'fldAnvaMoayeneGroupingId'
EXEC sp addextendedproperty N'MS_Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'عنوان', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'fldName'
EXEC sp addextendedproperty N'MS Description', N' , ایدر دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'fldPId'
EXEC sp addextendedproperty N'MS Description', N'ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'fldTimeStamp'
GO
EXEC sp_addextendedproperty N'MS_Description', N'طروع تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneGroupingTree', 'COLUMN', N'StartTime'
```

Uses

[dbo].[tblAnvaMoayeneGrouping]

Used By

[dbo].[tblEkhtesasMoayeneBeTree]

[dbo].[prs_tblAnvaMoayeneGroupingTreeDelete]

[dbo].[prs_tblAnvaMoayeneGroupingTreeInsert]

[dbo].[prs_tblAnvaMoayeneGroupingTreeSelect]

[dbo].[prs_tblAnvaMoayeneGroupingTreeUpdate]

[dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi]

MS_Description

آمادگی - معاینه انواع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	5
Created	8:24:38 AM Saturday, January 23, 2021
Last Modified	9:13:03 AM Sunday, January 31, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAnvaMoayeneVaAzmayesh_AmadegiHistory]
History Table Row Count (~)	21
History Table Created	12:17:24 PM Saturday, January 23, 2021
History Table Last Modified	9:13:03 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK _C	fldld	int	4	False	
# F	fldAmadegild	int	4	False	
# FK	fldAnvaMoayeneld	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9 999-12-31 23:59:59.9999999',(0)))

Indexes

ŀ	Key	Name	Key Columns	Unique
F	P C	PK_tblAnvaMoayeneVaAzmayesh_Amadegi	fldld	True
		IX_tblAnvaMoayeneVaAzmayesh_Amadegi	fldAmadegild, fldAnva- Moayeneld	True

Foreign Keys

Name	Columns
FK_tblAnvaMoayeneVaAzmayesh_Amadegi_tblAmadegi-GhablMoayenat	fldAmadegild->[dbo].[tblAmadegiGhablMoayenat].[fldld]
FK_tblAnvaMoayeneVaAzmayesh_Amadegi_tblAnva-Moayen_Azmayesh	fldAnvaMoayeneld->[dbo].[tblAnvaMoayen Azmayesh].[fldld]

Extended Properties

Name	Value
PersianName	آمادگی- معاینه انواع

```
CREATE TABLE [dbo].[tblAnvaMoayeneVaAzmayesh AmadegiHistory]
[fldId] [int] NOT NULL,
[fldAmadegiId] [int] NOT NULL,
[fldAnvaMoayeneId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblAnvaMoayeneVaAzmayesh AmadegiHistory] ON [dbo].[tblAnva-
MoayeneVaAzmayesh_AmadegiHistory] ([EndTime], [StartTime]) WITH (DATA_COMPRESSION =
PAGE) ON [PRIMARY]
GO
CREATE TABLE [dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi]
[fldId] [int] NOT NULL,
[fldAmadegiId] [int] NOT NULL,
[fldAnvaMoayeneId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT [DF_tblAnvaMoayeneVaAzmayesh_Amadegi_fldDesc] DEFAULT (''),
```

```
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblAnva-
Mo Start 114071C9] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAnvaMo -
EndTi 12349602] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAnvaMoayeneVaAzmayesh Amadegi] PRIMARY KEY CLUSTERED ([fldId]) ON
[PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY_TABLE = [dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi-
Historyl)
GO
ALTER TABLE [dbo].[tblAnvaMoayeneVaAzmayesh Amadeqi] ADD CONSTRAINT [IX tblAnvaMoayene-
VaAzmayesh Amadegi] UNIQUE NONCLUSTERED ([fldAmadegiId], [fldAnvaMoayeneId]) ON
[PRTMARY]
GO
ALTER TABLE [dbo].[tblAnvaMoayeneVaAzmayesh_Amadegi] ADD CONSTRAINT [FK tblAnvaMoayene-
VaAzmayesh Amadegi tblAmadegiGhablMoayenat] FOREIGN KEY ([fldAmadegiId]) REFERENCES
[dbo].[tblAmadegiGhablMoayenat] ([fldId])
GO
ALTER TABLE [dbo].[tblAnvaMoayeneVaAzmayesh Amadegi] ADD CONSTRAINT [FK tblAnvaMoayene-
VaAzmayesh Amadegi tblAnvaMoayen Azmayesh] FOREIGN KEY ([fldAnvaMoayeneId]) REFERENCES
[dbo].[tblAnvaMoayen Azmayesh] ([fldId])
GO
", 'SCHEMA', اآمادگی - معاینه انواع'N 'EXEC sp_addextendedproperty N'MS_Description', N'
N'dbo', 'TABLE', N'tblAnvaMoayeneVaAzmayesh Amadegi', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'فادگي- معانه انهاء N'dbo',
'TABLE', N'tblAnvaMoayeneVaAzmayesh Amadegi', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'يايان تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneVaAzmayesh Amadegi', 'COLUMN', N'EndTime'
EXEC sp_addextendedproperty N'MS_Description', N'دمعاینه از قبل آمادگی آیدی آبدای 'SCHEMA', N'dbo', 'TABLE', N'tblAnvaMoayeneVaAzmayesh_Amadegi', 'COLUMN', N'fldAmadegi'd'
EXEC sp_addextendedproperty N'MS_Description', N'ومعاينه انواع ايدى', 'SCHEMA', N'dbo', 'TABLE', N'tbl\Deltanva\DeltanoayeneVa\Deltanayesh_Amadegi', 'COLUMN', N'fld\Deltanva\DeltanoayeneId'
EXEC sp addextendedproperty N'MS Description', N'توفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaMoayeneVaAzmayesh Amadegi', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'us', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
AnvaMoayeneVaAzmayesh Amadegi', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'. اوبرایش به مربوط فیلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblAnvaMoayeneVaAzmayesh_Amadegi', 'COLUMN', N'fldTimeStamp'
EXEC sp_addextendedproperty N'MS_Description', N'فروع تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaMoayeneVaAzmayesh Amadegi', 'COLUMN', N'StartTime'
```

Project > 192.168.1.34 > User databases > MedicalExaminations > Tables > dbo.tblAnvaMoayeneVaAzmayesh_-Amadegi

Uses

[dbo].[tblAmadegiGhablMoayenat] [dbo].[tblAnvaMoayen_Azmayesh]

Used By

[dbo].[prs_tblAnvaMoayen_AzmayeshDelete]

[dbo].[prs_tblAnvaMoayen_AzmayeshInsert]

[dbo].[prs_tblAnvaMoayen_AzmayeshSelect]

[dbo].[prs_tblAnvaMoayen_AzmayeshUpdate]

[dbo].[prs_tblAnvaMoayeneVaAzmayesh_AmadegiDelete]

[dbo].[prs_tblAnvaMoayeneVaAzmayesh_AmadegiInsert]

[dbo].[prs_tblAnvaMoayeneVaAzmayesh_AmadegiSelect]

 $[dbo].[prs_tblAnvaMoayeneVaAzmayesh_AmadegiUpdate] \\$

[dbo].[tblAnvaPaye]

MS_Description

پایه انواع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	15
Created	9:00:17 AM Monday, January 25, 2021
Last Modified	9:31:05 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK# C	fldld	int	4	False	
	fldTitle	nvarchar(400)	800	False	
	fldType	tinyint	1	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldCodePaye	tinyint	1	True	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblAnvaPaye	fldld	True

```
CREATE TABLE [dbo].[tblAnvaPaye]

(
[fldId] [int] NOT NULL,

[fldTitle] [nvarchar] (400) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldType] [tinyint] NOT NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblAnvaPaye_fldDesc] DEFAULT (''),

[fldCodePaye] [tinyint] NULL

) ON [PRIMARY]
```

```
GO
ALTER TABLE [dbo].[tblAnvaPaye] ADD CONSTRAINT [PK_tblAnvaPaye] PRIMARY KEY CLUSTERED ((ffdrd]) ON (PRIMARY)

GO
EXEC sp_addextendedproperty N'MS_Description', N'واب الواع المحافظة المحافظ
```

Used By

[dbo].[tblAnvaPaye_Order]

[dbo].[tblPaye]

[dbo].[prs_PersonlInfoInsert]

[dbo].[prs_tblAnvaPayeDelete]

[dbo].[prs_tblAnvaPayeInsert]

[dbo].[prs_tblAnvaPayeSelect]

[dbo].[prs_tblAnvaPayeUpdate]

[dbo].[prs_tblAshkhasSelect]

[dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblAnvaPaye_Order]

MS_Description

پایه انواع ترتیب

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	6	
Created	9:11:20 AM Monday, January 25, 2021	
Last Modified	9:12:06 AM Monday, January 25, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK.C	fldld	int	4	False	
FK	fldAnvaPayeId	int	4	False	
	fldOrderld	tinyint	1	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblAnvaPaye_Order	fldld	True

Foreign Keys

Name	Columns	
FK_tblAnvaPaye_Order_tblAnvaPaye	fldAnvaPayeId->[dbo].[tblAnvaPaye].[fldId]	

```
CREATE TABLE [dbo].[tblAnvaPaye_Order]
(
[fldId] [int] NOT NULL,
[fldAnvaPayeId] [int] NOT NULL,
```

```
[fldOrderId] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblAnvaPaye Order fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblAnvaPaye Order] ADD CONSTRAINT [PK tblAnvaPaye Order] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblAnvaPaye Order] ADD CONSTRAINT [FK tblAnvaPaye Order tblAnvaPaye]
FOREIGN KEY ([fldAnvaPayeId]) REFERENCES [dbo].[tblAnvaPaye] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'بيابه انواع ترتيب', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaPaye_Order', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'باپه اتواع کد', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaPaye Order', 'COLUMN', N'fldAnvaPayeId'
EXEC sp addextendedproperty N'MS Description', N'ت فنحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaPaye_Order', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'us اى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblAnvaPaye Order', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'نرتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblAnvaPaye Order', 'COLUMN', N'fldOrderId'
```

Uses

[dbo].[tblAnvaPaye]

Used By

[dbo].[prs_tblAnvaPaye_OrderDelete] [dbo].[prs_tblAnvaPaye_OrderInsert] [dbo].[prs_tblAnvaPaye_OrderSelect] [dbo].[prs_tblAnvaPayeSelect]

[dbo].[tblApplicationPart]

MS_Description

برنامه های آیتم

Properties

Property Value		
Collation SQL_Latin1_General_CP1_CI_AS		
Row Count (~)	226	
Created	11:58:50 AM Saturday, December 14, 2019	
Last Modified	9:32:47 AM Sunday, January 31, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldID	int	4	False	
	fldTitle	nvarchar(100)	200	False	(")
FK	fldPID	int	4	True	
	fldClassName	varchar(200)	200	True	
	fldMethodName	varchar(200)	200	True	
	fldFileId	int	4	True	
	fldUserType	tinyint	1	True	
	fldTimeLimit	bit	1	True	((0))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblApplicationPart	fldID	True

Foreign Keys

Name	Columns	
FK_tblApplicationPart_tblApplicationPart1	fldPID->[dbo].[tblApplicationPart].[fldID]	

SQL Script

```
CREATE TABLE [dbo].[tblApplicationPart]
[fldID] [int] NOT NULL,
[fldTitle] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblApplicationPart_fldTitle] DEFAULT (''),
[fldPID] [int] NULL,
[fldClassName] [varchar] (200) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldMethodName] [varchar] (200) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldFileId] [int] NULL,
[fldUserType] [tinyint] NULL,
[fldTimeLimit] [bit] NULL CONSTRAINT [DF tblApplicationPart fldTimeLimit] DEFAULT ((0))
) ON [PRIMARY]
ALTER TABLE [dbo].[tblApplicationPart] ADD CONSTRAINT [PK tblApplicationPart] PRIMARY
KEY CLUSTERED ([fldID]) ON [PRIMARY]
ALTER TABLE [dbo].[tblApplicationPart] ADD CONSTRAINT [FK tblApplicationPart tbl-
ApplicationPart1] FOREIGN KEY ([fldPID]) REFERENCES [dbo].[tblApplicationPart] ([fld-
GO
EXEC sp addextendedproperty N'MS Description', N'dbo', 'رنامه هاى آنة 'N' (SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'בעש ناם, 'SCHEMA', N'dbo', 'TABLE',
N'tblApplicationPart', 'COLUMN', N'fldClassName'
EXEC sp addextendedproperty N'MS Description', N' آپيکون که', 'SCHEMA', N'dbo', 'TABLE',
N'tblApplicationPart', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS Description', N'L, 'SCHEMA', N'dbo', 'TABLE', N'tbl-
ApplicationPart', 'COLUMN', N'fldID'
EXEC sp_addextendedproperty N'MS_Description', N'd, 'SCHEMA', N'dbo', 'TABLE',
N'tblApplicationPart', 'COLUMN', N'fldMethodName'
EXEC sp addextendedproperty N'MS Description', N'ریشه نود', 'SCHEMA', N'dbo', 'TABLE',
N'tblApplicationPart', 'COLUMN', N'fldPID'
EXEC sp_addextendedproperty N'MS_Description', N'نوانی معدویت', 'SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart', 'COLUMN', N'fldTimeLimit'
EXEC sp addextendedproperty N'MS Description', N' اعنهان', 'SCHEMA', N'dbo', 'TABLE',
N'tblApplicationPart', 'COLUMN', N'fldTitle'
EXEC sp_addextendedproperty N'MS_Description', N'ياربر نوع', 'SCHEMA', N'dbo', 'TABLE',
N'tblApplicationPart', 'COLUMN', N'fldUserType'
GO
```

Used By

[dbo].[tblPermission]

[dbo].[tblTimeLimit_User]

[dbo].[tblTimeLimit_UserGroup]

[dbo].[tblUser_Permission]

[dbo].[prs_GetName_applicationpart]

[dbo].[prs_tblApplicationPartInsert]

[dbo].[prs_tblApplicationPartSelect]

[dbo].[prs_User_PermissionAppIdSelect]

[dbo].[tblApplicationPart_DigitablArchive]

MS_Description

برنامه آیتم دیجیتال بایگانی

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	8	
Created	8:47:56 AM Tuesday, January 19, 2021	
Last Modified	8:53:23 AM Tuesday, January 19, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK# C	fldld	int	4	False	
FK	fldPID	int	4	True	
	fldTitle	nvarchar(300)	600	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldArchiveTreeId	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblApplicationPart_DigitablArchive	fldld	True

Foreign Keys

Name	Columns
FK_tblApplicationPart_DigitablArchive_tblApplication- Part_DigitablArchive	fldPID->[dbo].[tblApplicationPart_DigitablArchive].[fldId]
FK_tblApplicationPart_DigitablArchive_tblArchiveTree	fldArchiveTreeId->[dbo].[tblArchiveTree].[fldId]

SQL Script

```
CREATE TABLE [dbo].[tblApplicationPart DigitablArchive]
[fldId] [int] NOT NULL,
[fldPID] [int] NULL,
[fldTitle] [nvarchar] (300) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblApplicationPart_DigitablArchive_fldDesc] DEFAULT (''),
[fldArchiveTreeId] [int] NULL
) ON [PRIMARY]
ALTER TABLE [dbo]. [tblApplicationPart DigitablArchive] ADD CONSTRAINT [PK tbl-
ApplicationPart Digitablarchive] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblApplicationPart DigitablArchive] ADD CONSTRAINT [FK tbl-
ApplicationPart DigitablArchive tblApplicationPart DigitablArchive] FOREIGN KEY ([fld-
PID]) REFERENCES [dbo].[tblApplicationPart DigitablArchive] ([fldId])
ALTER TABLE [dbo].[tblApplicationPart DigitablArchive] ADD CONSTRAINT [FK tbl-
ApplicationPart DigitablArchive tblArchiveTree] FOREIGN KEY ([fldArchiveTreeId])
REFERENCES [dbo].[tblArchiveTree] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N'برنامه آیتم دیجیتال بایگانی',
'SCHEMA', N'dbo', 'TABLE', N'tblApplicationPart_DigitablArchive', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'us آرشیو که 'SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart DigitablArchive', 'COLUMN', N'fldArchiveTreeId'
EXEC sp addextendedproperty N'MS Description', N'نوفيحات ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart DigitablArchive', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS_Description', N'دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart DigitablArchive', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N' "اپدر دی آی ستون, 'SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart DigitablArchive', 'COLUMN', N'fldPID'
EXEC sp addextendedproperty N'MS Description', N' عنوان ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblApplicationPart DigitablArchive', 'COLUMN', N'fldTitle'
```

Uses

[dbo].[tblArchiveTree]

Used By

```
[dbo].[tblPermission_DigitalArchive]
[dbo].[prs_DeleteArchiveTreeGroup]
[dbo].[prs_tblApplicationPart_DigitablArchiveInsert]
[dbo].[prs_tblApplicationPart_DigitablArchiveSelect]
[dbo].[prs_tblArchiveTreeInsert]
[dbo].[prs_tblArchiveTreeUpdate]
```

[dbo].[prs_tblPermission_DigitalArchiveSelect] [dbo].[prs_UpdatePldArchive]

[dbo].[tblArchive]

MS_Description

آرشيو

Properties

Property	Value
Row Count (~)	0
Created	10:41:53 AM Monday, February 1, 2021
Last Modified	1:05:20 PM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblArchiveHistory]
History Table Row Count (~)	0
History Table Created	1:05:20 PM Monday, February 1, 2021
History Table Last Modified	1:05:20 PM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldID	int	4	False	
FK	fdAshkhasId	int	4	False	
F/P	fldEnterCycleID	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblArchive	fldID	True

Foreign Keys

Name	Columns
------	---------

FK_tblArchive_tblAshkhas	fdAshkhasId->[dbo].[tblAshkhas].[fldId]
FK_tblArchive_tblEnterToCycle	fldEnterCycleID->[dbo].[tblEnterToCycle].[fldld]

```
CREATE TABLE [dbo].[tblArchiveHistory]
[fldID] [int] NOT NULL,
[fdAshkhasId] [int] NOT NULL,
[fldEnterCycleID] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WTTH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblArchiveHistory] ON [dbo].[tblArchiveHistory] ([EndTime],
[StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblArchive]
[fldID] [int] NOT NULL,
[fdAshkhasId] [int] NOT NULL,
[fldEnterCycleID] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Archiv Start 3FE65219] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblArchiv -
EndTi__40DA7652] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblArchive] PRIMARY KEY CLUSTERED ([fldID]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblArchiveHistory])
)
GO
ALTER TABLE [dbo].[tblArchive] ADD CONSTRAINT [FK tblArchive tblAshkhas] FOREIGN KEY
([fdAshkhasId]) REFERENCES [dbo].[tblAshkhas] ([fddId])
ALTER TABLE [dbo].[tblArchive] ADD CONSTRAINT [FK tblArchive_tblEnterToCycle] FOREIGN
KEY ([fldEnterCycleID]) REFERENCES [dbo].[tblEnterToCycle] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' آرشبو', 'SCHEMA', N'dbo', 'TABLE',
N'tblArchive', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'TABLE',
N'tblArchive', 'COLUMN', N'fdAshkhasId'
EXEC sp_addextendedproperty N'MS_Description', N' ، '$CHEMA', N'dbo',
'TABLE', N'tblArchive', 'COLUMN', N'fldEnterCycleID'
EXEC sp_addextendedproperty N'MS_Description', N' ادى اى ستون', 'SCHEMA', N'dbo',
```

```
'TABLE', N'tblArchive', 'COLUMN', N'fldID'
GO
```

Uses

[dbo].[tblAshkhas] [dbo].[tblEnterToCycle]

Used By

[dbo].[prs_SelectDistictAction_Cartable]
[dbo].[prs_tblArchiveDelete]
[dbo].[prs_tblArchiveSelect]
[dbo].[prs_tblCharkheSelect]
[dbo].[prs_tblEnterToCycleSelect]
[dbo].[prs_tblEtmamCharkheInsert]

[dbo].[tblArchiveTree]

MS_Description

ارشيو درختي ساختار

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	2	
Created	8:41:27 AM Tuesday, January 19, 2021	
Last Modified	9:32:47 AM Tuesday, January 19, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
F	fldPID	int	4	True	
	fldTitle	nvarchar(300)	600	False	
	fldFileUpload	bit	1	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblArchiveTree	fldld	True

Foreign Keys

Name	Columns		
FK_tblArchiveTree_tblArchiveTree1	fldPID->[dbo].[tblArchiveTree].[fldId]		

```
CREATE TABLE [dbo].[tblArchiveTree]
(
```

```
[fldId] [int] NOT NULL,
[fldPID] [int] NULL,
[fldTitle] [nvarchar] (300) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileUpload] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblArchiveTree fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblArchiveTree] ADD CONSTRAINT [PK tblArchiveTree] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblArchiveTree] ADD CONSTRAINT [FK tblArchiveTree tblArchiveTree1]
FOREIGN KEY ([fldPID]) REFERENCES [dbo].[tblArchiveTree] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' ارشبو درختی ساختار', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'usp', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree', 'COLUMN', N'fldDesc'
". 'SCHEMA', فايل ارسال نتيجه ستون 'N'MS_Description', N' فايل ارسال نتيجه ستون ', 'SCHEMA',
N'dbo', 'TABLE', N'tblArchiveTree', 'COLUMN', N'fldFileUpload'
EXEC sp addextendedproperty N'MS_Description', N'ادی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' اپدر دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree', 'COLUMN', N'fldPID'
EXEC sp addextendedproperty N'MS Description', N'us ', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree', 'COLUMN', N'fldTitle'
GO
```

Used By

```
[dbo].[tblApplicationPart_DigitablArchive]
[dbo].[tblArchiveTree_File]
[dbo].[tblFileMojaz]
[dbo].[tblParticularProperties]
[dbo].[prs_DeleteArchiveTreeGroup]
[dbo].[prs_tblArchiveTree_FileSelect]
[dbo].[prs_tblArchiveTreeDelete]
[dbo].[prs_tblArchiveTreeInsert]
[dbo].[prs_tblArchiveTreeSelect]
[dbo].[prs_tblArchiveTreeUpdate]
[dbo].[prs_tblArchiveTreeUpdate]
[dbo].[prs_tblFileMojazSelect]
[dbo].[prs_tblParticularPropertiesSelect]
[dbo].[prs_UpdatePldArchive]
```

[dbo].[tblArchiveTree_File]

MS_Description

فایل ارشیو درختی ساختار

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	8:44:46 AM Tuesday, January 19, 2021
Last Modified	9:41:52 AM Wednesday, February 3, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblArchiveTree_FileHistory]
History Table Row Count (~)	0
History Table Created	9:41:52 AM Wednesday, February 3, 2021
History Table Last Modified	9:41:52 AM Wednesday, February 3, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldTitle	nvarchar(150)	300	False	(")
FK	fldTreeArchiveId	int	4	False	
F	fldFileId	int	4	True	
FK	fldCharkheFirstId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldEghdamld	int	4	True	
FK	fldKartablld	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31

			00.50.50 00000001 (0)
			23:59:59.9999999',(0)))
			~~ ///

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblArchiveTree_File	fldld	True

Foreign Keys

Name	Columns		
FK_tblArchiveTree_File_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]		
FK_tblArchiveTree_File_tblArchiveTree	fldTreeArchiveId->[dbo].[tblArchiveTree].[fldId]		
FK_tblArchiveTree_File_tblCharkhe_FirstEghdam	fldCharkheFirstld->[dbo].[tblCharkhe_FirstEghdam].[fldld]		
FK_tblArchiveTree_File_tblFile	fldFileId->[dbo].[tblFile].[fldId]		
FK_tblArchiveTree_File_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]		

```
CREATE TABLE [dbo].[tblArchiveTree FileHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTreeArchiveId] [int] NOT NULL,
[fldFileId] [int] NULL,
[fldCharkheFirstId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldEghdamId] [int] NULL,
[fldKartablId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblArchiveTree FileHistory] ON [dbo].[tblArchiveTree File-
History] ([EndTime], [StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblArchiveTree_File]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblArchiveTree File fldTitle] DEFAULT (''),
[fldTreeArchiveId] [int] NOT NULL,
[fldFileId] [int] NULL,
[fldCharkheFirstId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
```

```
[DF tblArchiveTree File fldDesc] DEFAULT (''),
[fldEghdamId] [int] NULL,
[fldKartablId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Archiv Start 1F44785D] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblArchiv -
EndTi 20389C96] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblArchiveTree File] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblArchiveTree FileHistory])
)
GO
ALTER TABLE [dbo].[tblArchiveTree File] ADD CONSTRAINT [FK tblArchiveTree File tbl-
Actions] FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblArchiveTree File] ADD CONSTRAINT [FK tblArchiveTree File tbl-
ArchiveTree] FOREIGN KEY ([fldTreeArchiveId]) REFERENCES [dbo].[tblArchiveTree] ([fld-
ALTER TABLE [dbo].[tblArchiveTree File] ADD CONSTRAINT [FK tblArchiveTree File tbl-
Charkhe FirstEghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[bblCharkhe -
FirstEghdam] ([fldId])
ALTER TABLE [dbo].[tblArchiveTree File] ADD CONSTRAINT [FK tblArchiveTree File tblFile]
FOREIGN KEY ([fldFileId]) REFERENCES [dbo].[tblFile] ([fldId])
ALTER TABLE [dbo].[tblArchiveTree File] ADD CONSTRAINT [FK_tblArchiveTree_File_tbl-
Kartabl] FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'افايل ارشيو درختى ساختار', 'SCHEMA',
N'dbo', 'TABLE', N'tblArchiveTree File', NULL, NULL
EXEC sp addextendedproperty N'MS_Description', N'اقدام اولین چرخه کد', 'SCHEMA',
N'dbo', 'TABLE', N'tblarchiveTree File', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N'توضيفات', 'SCHEMA', N'dbo', 'TABLE',
N'tblArchiveTree File', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ופֿבום ע', 'SCHEMA', N'dbo', 'TABLE',
N'tblArchiveTree File', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N'فايل كه', 'SCHEMA', N'dbo', 'TABLE',
N'tblArchiveTree File', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree File', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'كارتابل كد', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree File', 'COLUMN', N'fldKartablId'
EXEC sp addextendedproperty N'MS Description', N'نفهان, 'SCHEMA', N'dbo', 'TABLE',
N'tblArchiveTree File', 'COLUMN', N'fldTitle'
EXEC sp addextendedproperty N'MS Description', N' درختی ساختاز کد', 'SCHEMA', N'dbo',
'TABLE', N'tblArchiveTree File', 'COLUMN', N'fldTreeArchiveId'
```

GO

Uses

[dbo].[tblActions]
[dbo].[tblArchiveTree]
[dbo].[tblCharkhe_FirstEghdam]

[dbo].[tblFile] [dbo].[tblKartabl]

Used By

[dbo].[fn_OprtionIdByCharkhe]

[dbo].[prs_tblArchiveTree_FileDelete]

[dbo].[prs_tblArchiveTree_FileInsert]

 $[dbo].[prs_tblArchiveTree_FileSelect]$

[dbo].[prs_tblArchiveTree_FileUpdate]

[dbo].[prs_UpdateCharkhFirstTableActions]

[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblAshkhas]

MS_Description

اشخاص

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	16
Created	2:34:11 PM Tuesday, January 19, 2021
Last Modified	11:57:46 AM Tuesday, February 9, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAshkhasHistory]
History Table Row Count (~)	1
History Table Created	12:39:45 PM Saturday, January 23, 2021
History Table Last Modified	11:44:11 AM Thursday, February 4, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldName	nvarchar(100)	200	False	
	fldFamily	nvarchar(150)	300	False	
	fldFatherName	nvarchar(100)	200	True	
<u>.</u>	fldCodeMeli	varchar(10)	10	False	
	fldEmail	varchar(100)	100	True	
	fldMobile	varchar(19)	19	True	
FK	fldFileId	int	4	True	
	fldDesc	nvarchar(100)	200	True	(")
	fldSh_Shenasname	varchar(10)	10	True	

FK	fldCodeMahalTavalod	int	4	True	
FK	fldCodeMahalSodoor	int	4	True	
	fldJensiyat	bit	1	True	
	fldTarikhTavalod	int	4	True	
	fldEstelam	bit	1	True	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],' 9999-12-31 23:59:59.9999999',(0)))

Indexes

ŀ	Key	Name	Key Columns	Unique
	/ C	PK_tblAshkhas	fldld	True
		IX_tblAshkhas	fldCodeMeli	True

Check Constraints

Name	On Column	Constraint
CK_tblAshkhas	fldCodeMeli	([dbo].[fn_CheckCodeMelli]([fldCodemeli])=(1))

Foreign Keys

Name	Columns
FK_tblAshkhas_tblCity	fldCodeMahalSodoor->[dbo].[tblCity].[fldId]
FK_tblAshkhas_tblCity1	fldCodeMahalTavalod->[dbo].[tblCity].[fldId]
FK_tblAshkhas_tblFile	fldFileId->[dbo].[tblFile].[fldId]

Extended Properties

Name	Value
PersianName	اشخاص

```
CREATE TABLE [dbo].[tblAshkhasHistory]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFamily] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFatherName] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[fldCodeMeli] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldEmail] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldMobile] [varchar] (19) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldSh Shenasname] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldCodeMahalTavalod] [int] NULL,
[fldCodeMahalSodoor] [int] NULL,
[fldJensiyat] [bit] NULL,
[fldTarikhTavalod] [int] NULL,
[fldEstelam] [bit] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblAshkhasHistory] ON [dbo].[tblAshkhasHistory] ([EndTime],
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAshkhas]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFamily] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFatherName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldCodeMeli] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldEmail] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldMobile] [varchar] (19) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL CONSTRAINT [DF tbl-
Ashkhas fldDesc] DEFAULT (''),
[fldSh_Shenasname] [varchar] (10) COLLATE SQL_Latin1 General CP1 CI AS NULL,
[fldCodeMahalTavalod] [int] NULL,
[fldCodeMahalSodoor] [int] NULL,
[fldJensiyat] [bit] NULL,
[fldTarikhTavalod] [int] NULL,
[fldEstelam] [bit] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Ashkha Start 394E6323] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblAshkha_-
EndTi 3A42875C] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999997,(0))),
```

```
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAshkhas] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAshkhasHistory])
)
GO
ALTER TABLE [dbo].[tblAshkhas] ADD CONSTRAINT [CK tblAshkhas] CHECK (([dbo].[fn Check-
CodeMelli] ([fldCodemeli]) = (1)))
ALTER TABLE [dbo]. [tblAshkhas] ADD CONSTRAINT [IX tblAshkhas] UNIQUE NONCLUSTERED
([fldCodeMeli]) ON [PRIMARY]
ALTER TABLE [dbo].[tblAshkhas] ADD CONSTRAINT [FK tblAshkhas tblCity] FOREIGN KEY ([fld-
CodeMahalSodoor]) REFERENCES [dbo].[tblCity] ([fldId])
ALTER TABLE [dbo]. [tblAshkhas] ADD CONSTRAINT [FK tblAshkhas tblCity1] FOREIGN KEY
([fldCodeMahalTavalod]) REFERENCES [dbo].[tblCity] ([fldId])
ALTER TABLE [dbo].[tblAshkhas] ADD CONSTRAINT [FK tblAshkhas tblFile] FOREIGN KEY ([fld-
FileId]) REFERENCES [dbo].[tblFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'اشخاص'', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'um', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Ashkhas', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' مدور صحل كد', 'SCHEMA', N'dbo',
'TABLE', N'tblAshkhas', 'COLUMN', N'fldCodeMahalSodoor'
EXEC sp addextendedproperty N'MS Description', N' نولد محل که', 'SCHEMA', N'dbo',
'TABLE', N'tblAshkhas', 'COLUMN', N'fldCodeMahalTavalod'
EXEC sp addextendedproperty N'MS Description', N'ملی کد', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldCodeMeli
EXEC sp addextendedproperty N'MS Description', N'eight ', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'العميل', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldEmail'
EXEC sp addextendedproperty N'MS Description', N' ושישלם', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldEstelam'
EXEC sp addextendedproperty N'MS Description', N'بانوادگی نام', 'SCHEMA', N'dbo',
'TABLE', N'tblAshkhas', 'COLUMN', N'fldFamily
EXEC sp addextendedproperty N'MS Description', N'پدر نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldFatherName'
EXEC sp addextendedproperty N'MS Description', N'فايل كه', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'TABLE', N'tbl-
```

```
Ashkhas', 'COLUMN', N'fdld'

GO

EXEC sp_addextendedproperty N'MS_Description', N'جنسید', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldJensiyat'

GO

EXEC sp_addextendedproperty N'MS_Description', N'موباید', 'SCHEMA', N'dbo', 'TABLE',
N'tblAshkhas', 'COLUMN', N'fldMobile'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ها', 'SCHEMA', N'dbo', 'TABLE', N'tbl-Ashkhas', 'COLUMN', N'fldName'

GO

EXEC sp_addextendedproperty N'MS_Description', N'هاره شهاره', 'SCHEMA', N'dbo', 'TABLE', N'tblAshkhas', 'COLUMN', N'fldSh_Shenasname'

GO

EXEC sp_addextendedproperty N'MS_Description', N'هارول تاريخ', 'SCHEMA', N'dbo', 'TABLE', N'tblAshkhas', 'COLUMN', N'fldTarikhTavalod'

GO

EXEC sp_addextendedproperty N'MS_Description', N'هارول قال المحالية المحالي
```

Uses

[dbo].[tblCity]

[dbo].[tblFile]

[dbo].[fn_CheckCodeMelli]

Used By

[dbo].[tblAcceptOrReject]

[dbo].[tblArchive]

[dbo].[tblAshkhas_Detail]

[dbo].[tblInputInfo_Person]

[dbo].[tblKarshenasanBehdasht]

[dbo].[tblPersonalInfo]

[dbo].[tblPezeshkan]

[dbo].[tblUser]

 $[dbo]. [fn_GetPersonalNameByUserId] \\$

[dbo].[prs_GetName_applicationpart]

[dbo].[prs GetUserGroupTree]

[dbo].[prs_KolAudiometriSelect]

 $[dbo].[prs_KolOptometriSelect] \\$

[dbo].[prs_PersonIInfoInsert]

[dbo].[prs_RptAvamelZiyanAvarNazariye]

[dbo].[prs_RptMoayenat]

[dbo].[prs_RptNazarNahaii]

[dbo].[prs_SelectDistictAction_Cartable]

[dbo].[prs_SelectKolSabeghe]

[dbo].[prs_SelectLastOpration_EnterCycleId]

[dbo].[prs_SelectTimeLine]

[dbo].[prs_SelectUserByUserId]

[dbo].[prs_SelectUserByUserIdTicket]

[dbo].[prs_tblAcceptOrRejectSelect]

[dbo].[prs_tblArchiveSelect]

[dbo].[prs_tblAshkhasDelete]

[dbo].[prs_tblAshkhasInsert]

[dbo].[prs_tblAshkhasSelect]

[dbo].[prs_tblAshkhasUpdate]

[dbo].[prs_tblAudiometri1Select]

[dbo].[prs_tblAudiometri2Select]

[dbo].[prs_tblAvamelZiyanAvarSelect]

[dbo].[prs_tblBazgashtBeGhablSelect]

[dbo].[prs_tblDidOmghSelect]

[dbo].[prs_tblEnterToCycleSelect]

[dbo].[prs tblErrorSelect]

[dbo].[prs_tblEtmamCharkheSelect]

[dbo].[prs_tblInputInfo_PersonSelect]

[dbo].[prs_tblInputInfoSelect]

[dbo].[prs_tblKarshenasanBehdashtSelect]

[dbo].[prs_tblMoayenatSelect]

[dbo].[prs_tblNazarNahaiiSelect]

[dbo].[prs_tblOptometriSelect]

[dbo].[prs_tblPersonalInfoSelect]

[dbo].[prs_tblPezeshkanSelect]

[dbo].[prs_tblSabegheSelect]

[dbo].[prs_tblSpirometriSelect]

[dbo].[prs_tblTicketSelect]

[dbo].[prs_tblUserGroupSelect]

[dbo].[prs_tblUserSelect]

[dbo].[prs_TicketForwardHistory]

[dbo].[prs_UpdateFilePersonal]

[dbo].[tblAshkhas_Detail]

MS_Description

اشخاص جزئيات

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	1	
Created	11:57:45 AM Tuesday, February 9, 2021	
Last Modified	11:57:46 AM Tuesday, February 9, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
PK	fldld	int	4	False	1 - 1	
FK	fldAshkhasId	int	4	False		
	fldWorkAddress	nvarchar(800)	1600	False		
	fldTedadFarzand	tinyint	1	False		
FK	fldTaaholld	tinyint	1	False		
FK	fldNezamVazifeId	tinyint	1	False		
	fldWorkTell	varchar(11)	11	False		(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblAshkhas_Detail	fldld	True

Foreign Keys

Name	Columns
FK_tblAshkhas_Detail_tblAshkhas	fldAshkhasId->[dbo].[tblAshkhas].[fldId]
FK_tblAshkhas_Detail_tblNezamVazife	fldNezamVazifeId->[dbo].[tblNezamVazife].[fldId]
FK_tblAshkhas_Detail_tblTaahol	fldTaaholld->[dbo].[tblTaahol].[fldld]

SQL Script

```
CREATE TABLE [dbo].[tblAshkhas Detail]
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldAshkhasId] [int] NOT NULL,
[fldWorkAddress] [nvarchar] (800) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTedadFarzand] [tinyint] NOT NULL,
[fldTaaholId] [tinyint] NOT NULL,
[fldNezamVazifeId] [tinyint] NOT NULL,
[fldWorkTell] [varchar] (11) COLLATE SQL Latin1 General_CP1_CI_AS NOT NULL CONSTRAINT
[DF_tblAshkhas_Detail_fldWorkTell] DEFAULT ('')
ON [PRIMARY]
ALTER TABLE [dbo].[tblAshkhas Detail] ADD CONSTRAINT [PK tblAshkhas Detail] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblAshkhas Detail] ADD CONSTRAINT [FK tblAshkhas Detail tblAshkhas]
FOREIGN KEY ([fldAshkhasId]) REFERENCES [dbo].[tblAshkhas] ([fldId])
ALTER TABLE [dbo].[tblAshkhas Detail] ADD CONSTRAINT [FK tblAshkhas Detail tblNezam-
Vazife] FOREIGN KEY ([fldNezamVazifeId]) REFERENCES [dbo].[tblNezamVazife] ([fldId])
ALTER TABLE [dbo].[tblAshkhas Detail] ADD CONSTRAINT [FK tblAshkhas Detail tblTaahol]
FOREIGN KEY ([fldTaaholId]) REFERENCES [dbo].[tblTaahol] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblAshkhas Detail', NULL, NULL
```

Uses

[dbo].[tblAshkhas] [dbo].[tblNezamVazife] [dbo].[tblTaahol]

Used By

[dbo].[prs_PersonIInfoInsert]
[dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblAudiometri1]

MS_Description

1اديومتري

Properties

Property	Value
Row Count (~)	4
Created	11:29:24 AM Thursday, February 4, 2021
Last Modified	8:52:58 AM Saturday, February 6, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAudiometri1History]
History Table Row Count (~)	25
History Table Created	11:56:36 AM Thursday, February 4, 2021
History Table Last Modified	8:52:58 AM Saturday, February 6, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldJahatGoosh	bit	1	False	
	fldNoeFerekans	bit	1	False	
	fldF500 F500	smallint	2	False	
	fldF1000 F1000	smallint	2	False	
	fldF2000 F2000	smallint	2	False	
	fldF3000 F3000	smallint	2	False	
	fldF4000 F4000	smallint	2	False	
	fldF6000 F6000	smallint	2	False	
	fldF8000 F8000	smallint	2	False	
FK	fldEghdamld	int	4	False	

F/P	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))
F	fldCharkheFirstId	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblAudiometri	fldld	True

Foreign Keys

Name	Columns
FK_tblAudiometri1_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblAudiometri1_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblAudiometri1_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	1 اوديومترى

```
CREATE TABLE [dbo].[tblAudiometri1History]
[fldId] [int] NOT NULL,
[fldJahatGoosh] [bit] NOT NULL,
[fldNoeFerekans] [bit] NOT NULL,
[fldF500] [smallint] NOT NULL,
[fldF1000] [smallint] NOT NULL,
[fldF2000] [smallint] NOT NULL,
[fldF3000] [smallint] NOT NULL,
[fldF4000] [smallint] NOT NULL,
[fldF6000] [smallint] NOT NULL,
[fldF8000] [smallint] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[\verb|fldCharkheFirstId|] [int] \verb| NULL|
```

```
) ON [PRIMARY]
GO
CREATE CLUSTERED INDEX [ix tblAudiometriHistory] ON [dbo].[tblAudiometriHistory] ([End-
Time], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblAudiometri1]
[fldId] [int] NOT NULL,
[fldJahatGoosh] [bit] NOT NULL,
[fldNoeFerekans] [bit] NOT NULL,
[fldF500] [smallint] NOT NULL,
[fldF1000] [smallint] NOT NULL,
[fldF2000] [smallint] NOT NULL,
[fldF3000] [smallint] NOT NULL,
[fldF4000] [smallint] NOT NULL,
[fldF6000] [smallint] NOT NULL,
[fldF8000] [smallint] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Audiom Start 5694AD47] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAudiom -
EndTi 5788D180] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
[fldCharkheFirstId] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblaudiometri] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAudiometri1History])
)
ALTER TABLE [dbo].[tblAudiometri1] ADD CONSTRAINT [FK tblAudiometri1 tblActions]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblAudiometri1] ADD CONSTRAINT [FK tblAudiometri1 tblCharkhe First-
Eghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe FirstEghdam]
([f]dTd])
GO
ALTER TABLE [dbo].[tblAudiometri1] ADD CONSTRAINT [FK tblAudiometri1 tblKartabl]
FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'ادبومتری', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'اودبومتری', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N'يلوست چرخه آيدی', 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometril', 'COLUMN', N'fldCharkheFirstId
EXEC sp addextendedproperty N'MS Description', N'نافدام آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometril', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N'F1000', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF1000'
```

```
GO
EXEC sp addextendedproperty N'MS Description', N'F2000', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF2000'
EXEC sp addextendedproperty N'MS Description', N'F3000', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF3000'
EXEC sp addextendedproperty N'MS Description', N'F4000', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF4000'
EXEC sp addextendedproperty N'MS Description', N'F500', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF500'
EXEC sp addextendedproperty N'MS Description', N'F6000', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF6000'
EXEC sp addextendedproperty N'MS Description', N'F8000', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldF8000'
EXEC sp addextendedproperty N'MS Description', N'آلدي ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'گوش جهد', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometril', 'COLUMN', N'fldJahatGoosh'
EXEC sp_addextendedproperty N'MS_Description', N'كارتابل آبدى', 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometril', 'COLUMN', N'fldKartablId'
EXEC sp addextendedproperty N'MS Description', N'ولاانس نوع', 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometril', 'COLUMN', N'fldNoeFerekans'
```

[dbo].[tblActions] [dbo].[tblCharkhe_FirstEghdam] [dbo].[tblKartabl]

Used By

[dbo].[prs_KolAudiometriSelect]
[dbo].[prs_RptAudiometri]
[dbo].[prs_SelectAudiometri]
[dbo].[prs_tblAudiometri1Insert]
[dbo].[prs_tblAudiometri1Select]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblAudiometri2]

MS_Description

2 اديومتري

Properties

Property	Value
Row Count (~)	2
Created	12:24:53 PM Thursday, February 4, 2021
Last Modified	12:58:07 PM Thursday, February 4, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAudiometri2iHistory]
History Table Row Count (~)	12
History Table Created	12:58:07 PM Thursday, February 4, 2021
History Table Last Modified	12:58:07 PM Thursday, February 4, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
	fldJahatGoosh	bit	1	False	
	fldSRT SRT	decimal(5,2)	5	False	
	fldSDS SDS	decimal(5,2)	5	False	
FK	fldTafsirld	int	4	True	
FK	fldCharkheFirstId	int	4	True	
FK	fldKartablld	int	4	False	
FK	fldEghdamld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblAudiometri2	fldld	True

Foreign Keys

Name	Columns
FK_tblAudiometri2_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblAudiometri2_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblAudiometri2_tblDescription	fldTafsirId->[dbo].[tblDescription].[fldId]
FK_tblAudiometri2_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	2اوديومترى

```
CREATE TABLE [dbo].[tblAudiometri2iHistory]
[fldId] [int] NOT NULL,
[fldJahatGoosh] [bit] NOT NULL,
[fldSRT] [decimal] (5, 2) NOT NULL,
[fldSDS] [decimal] (5, 2) NOT NULL,
[fldTafsirId] [int] NULL,
[fldCharkheFirstId] [int] NULL,
[fldKartablId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblAudiometri2iHistory] ON [dbo].[tblAudiometri2iHistory]
([{\tt EndTime}],\ [{\tt StartTime}])\ {\tt WITH}\ ({\tt DATA\_COMPRESSION}\ =\ {\tt PAGE})\ {\tt ON}\ [{\tt PRIMARY}]
CREATE TABLE [dbo].[tblAudiometri2]
[fldId] [int] NOT NULL,
[fldJahatGoosh] [bit] NOT NULL,
[fldSRT] [decimal] (5, 2) NOT NULL,
[fldSDS] [decimal] (5, 2) NOT NULL,
```

```
[fldTafsirId] [int] NULL,
[fldCharkheFirstId] [int] NULL,
[fldKartablId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Audiom Start 7425102E] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblaudiom -
EndTi 75193467] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAudiometri2] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAudiometri2iHistory])
)
GO
ALTER TABLE [dbo].[tblAudiometri2] ADD CONSTRAINT [FK tblAudiometri2 tblActions]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblAudiometri2] ADD CONSTRAINT [FK tblAudiometri2 tblCharkhe First-
Eghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe FirstEghdam]
([fldId])
GO
ALTER TABLE [dbo].[tblAudiometri2] ADD CONSTRAINT [FK tblAudiometri2 tblDescription]
FOREIGN KEY ([fldTafsirId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo]. [tblAudiometri2] ADD CONSTRAINT [FK tblAudiometri2 tblKartabl]
FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'us loughert, N'dbo',
'TABLE', N'tblAudiometri2', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'وب متری', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometri2', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نفرست چرخه آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometri2', 'COLUMN', N'fldCharkheFirstId
EXEC sp_addextendedproperty N'MS_Description', N'". 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometri2', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N' آبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometri2', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'2وش جهت', 'SCHEMA', N'dbo', 'TABLE',
N'tblAudiometri2', 'COLUMN', N'fldJahatGoosh'
EXEC sp addextendedproperty N'MS Description', N'كارتابل آبدي', 'SCHEMA', N'dbo',
'TABLE', N'tblAudiometri2', 'COLUMN', N'fldKartablId'
EXEC sp addextendedproperty N'MS Description', N'SDS', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Audiometri2', 'COLUMN', N'fldSDS'
GO
EXEC sp addextendedproperty N'MS Description', N'SRT', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Audiometri2', 'COLUMN', N'fldSRT'
EXEC sp addextendedproperty N'MS Description', N'ubo', 'SCHEMA', N'dbo',
```

```
'TABLE', N'tblAudiometri2', 'COLUMN', N'fldTafsirId'
GO
```

[dbo].[tblActions]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[tblDescription]
[dbo].[tblKartabl]

Used By

[dbo].[prs_KolAudiometriSelect]
[dbo].[prs_RptAudiometri]
[dbo].[prs_tblAudiometri2Insert]
[dbo].[prs_tblAudiometri2Select]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblAvamelMoasser_Upgrade]

MS_Description

موثر عوامل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	9:19:00 AM Tuesday, January 12, 2021
Last Modified	2:17:59 PM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK G	fidid	int	4	False	
	fldName	nvarchar(200)	400	False	
	fldEnglishNameFormul	nvarchar(200)	400	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tlAvamelMoasser_Upgrade	fldld	True

```
CREATE TABLE [dbo].[tblAvamelMoasser_Upgrade]

(
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldEnglishNameFormul] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF_tlAvamelMoasser_Upgrade_fldDesc] DEFAULT ('')

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblAvamelMoasser_Upgrade] ADD CONSTRAINT [PK_tlAvamelMoasser_-
```

```
Upgrade] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'obe', 'schema', N'obe', 'table', N'tblavamelMoasser_Upgrade', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'fldDesc', 'schema', N'obe', 'table', N'tblavamelMoasser_Upgrade', 'column', N'fldDesc'

GO

EXEC sp_addextendedproperty N'MS_Description', N'fldDesc', 'schema', N'obe', 'table', N'tblavamelMoasser_Upgrade', 'column', N'fldEnglishNameFormul'

GO

EXEC sp_addextendedproperty N'MS_Description', N'obe', 'schema', N'obe
```

Used By

```
[dbo].[tblFactorsAffectingValues_Detail]
[dbo].[prs_SelectAllAvamelMoasser_Upgrade_Effecting]
[dbo].[prs_SelectCheckUniqueFactors]
[dbo].[prs_tblAvamelMoasser_UpgradeDelete]
[dbo].[prs_tblAvamelMoasser_UpgradeInsert]
[dbo].[prs_tblAvamelMoasser_UpgradeSelect]
[dbo].[prs_tblAvamelMoasser_UpgradeUpdate]
[dbo].[prs_tblFactorsAffectingValues_DetailGroupSelect]
[dbo].[prs_tblFactorsAffectingValues_DetailSelect]
```

[dbo].[tblAvamelZiyanAvar]

MS_Description

آور زیان عوامل

Properties

Property	Value
Row Count (~)	1
Created	10:41:23 AM Monday, February 1, 2021
Last Modified	9:48:24 AM Tuesday, February 2, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAvamelZiyanAvarHistory]
History Table Row Count (~)	13
History Table Created	11:07:59 AM Monday, February 1, 2021
History Table Last Modified	11:07:59 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldCharkheFirstId	int	4	True	
FK	fldDescId	int	4	True	
FK	fldKarshenasBehdashtld	int	4	False	
FK	fldNazariyeld	int	4	True	
	fldTarikhShamsi	int	4	False	
FK	fldEghdamId	int	4	False	
FK	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9 999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblAvamelZiyanAvar	fldld	True

Foreign Keys

Name	Columns
FK_tblAvamelZiyanAvar_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblAvamelZiyanAvar_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldld]
FK_tblAvamelZiyanAvar_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]
FK_tblAvamelZiyanAvar_tblDescription1	fldNazariyeld->[dbo].[tblDescription].[fldId]
FK_tblAvamelZiyanAvar_tblKarshenasanBehdasht	fldKarshenasBehdashtld->[dbo].[tblKarshenasan- Behdasht].[fldld]
FK_tblAvamelZiyanAvar_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	آور زیان عوامل

```
CREATE TABLE [dbo].[tblAvamelZiyanAvarHistory]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldDescId] [int] NULL,
[fldKarshenasBehdashtId] [int] NOT NULL,
[fldNazariyeId] [int] NULL,
[fldTarikhShamsi] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblAvamelZiyanAvarHistory] ON [dbo].[tblAvamelZiyanAvar-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblAvamelZiyanAvar]
[fldId] [int] NOT NULL,
```

```
[fldCharkheFirstId] [int] NULL,
[fldDescId] [int] NULL,
[fldKarshenasBehdashtId] [int] NOT NULL,
[fldNazariyeId] [int] NULL,
[fldTarikhShamsi] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Avamel Start 70BE939E] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAvamel -
EndTi 71B2B7D7] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAvamelZiyanAvar] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAvamelZiyanAvarHistory])
)
ALTER TABLE [dbo].[tblAvamelZiyanAvar] ADD CONSTRAINT [FK tblAvamelZiyanAvar tbl-
Actions] FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tb]Actions] ([fldId])
ALTER TABLE [dbo].[tblAvamelZiyanAvar] ADD CONSTRAINT [FK tblAvamelZiyanAvar tbl-
Charkhe FirstEghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe -
FirstEghdam] ([fldId])
ALTER TABLE [dbo].[tblAvamelZiyanAvar] ADD CONSTRAINT [FK tblAvamelZiyanAvar tbl-
Description] FOREIGN KEY ([fldDescId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblAvamelZiyanAvar] ADD CONSTRAINT [FK tblAvamelZiyanAvar tbl-
Description1] FOREIGN KEY ([fldNazariyeId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblAvamelZiyanAvar] ADD CONSTRAINT [FK tblAvamelZiyanAvar tbl-
KarshenasanBehdasht] FOREIGN KEY ([fldKarshenasBehdashtId]) REFERENCES [dbo].[tbl-
KarshenasanBehdasht] ([fldId])
ALTER TABLE [dbo].[tblAvamelZiyanAvar] ADD CONSTRAINT [FK tblAvamelZiyanAvar tbl-
Kartabl] FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' آور زیان عواصل', 'SCHEMA', N'dbo',
'TABLE', N'tblAvamelZiyanAvar', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N'مور زیان عواصل', 'SCHEMA', N'dbo',
'TABLE', N'tblAvamelZiyanAvar', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' افرست چرخه آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblAvamelZiyanAvar', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N'نوفيحات آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblAvamelZiyanAvar', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N'اقدام آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblAvamelZiyanAvar', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N'آيدي ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblAvamelZiyanAvar', 'COLUMN', N'fldId'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'نطله', 'Yable', N'tblAvamelZiyanAvar', 'COLUMN', N'fldKarshenasBehdashtId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'وارتابل آيدي', 'SCHEMA', N'dbo', 'Table', N'tblAvamelZiyanAvar', 'COLUMN', N'fldKartablId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ellow', 'SCHEMA', N'dbo', 'Table', N'tblAvamelZiyanAvar', 'COLUMN', N'fldNazariyeId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ellow', 'Table', N'tblAvamelZiyanAvar', 'COLUMN', N'fldNazariyeId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ellow', 'SCHEMA', N'dbo', 'Table', N'tblAvamelZiyanAvar', 'COLUMN', N'fldTarikhShamsi'

GO
```

[dbo].[tblActions]

 $[dbo].[tblCharkhe_FirstEghdam] \\$

[dbo].[tblDescription]

[dbo].[tblKarshenasanBehdasht]

[dbo].[tblKartabl]

Used By

[dbo].[tblAvamelZiyanAvar_Detail]

[dbo].[prs_RptAvamelZiyanAvarItem]

[dbo].[prs_RptAvamelZiyanAvarNazariye]

 $[dbo].[prs_tblAvamelZiyanAvarInsert] \\$

[dbo].[prs_tblAvamelZiyanAvarSelect]

[dbo].[prs_UpdateCharkhFirstTableActions]

[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblAvamelZiyanAvar_Detail]

MS_Description

آور زیان عوامل جزئیات

Properties

Property	Value
Row Count (~)	50
Created	10:52:57 AM Monday, February 1, 2021
Last Modified	5:53:39 PM Sunday, February 7, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblAvamelZiyanAvar_DetailHistory]
History Table Row Count (~)	205
History Table Created	8:05:06 AM Thursday, February 4, 2021
History Table Last Modified	5:53:39 PM Sunday, February 7, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
FK	fldAvamelZiyanAvarId	int	4	False	
FK	fldItemId	int	4	False	
	fldValue	bit	1	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblAvamelZiyanAvar_Detail	fldld	True

Foreign Keys

Name	Columns
FK_tblAvamelZiyanAvar_Detail_tblAvamelZiyanAvar	fldAvamelZiyanAvarId->[dbo].[tblAvamelZiyanAvar].[fldld]
FK_tblAvamelZiyanAvar_Detail_tblItems	fldItemId->[dbo].[tblItems].[fldId]

Extended Properties

Name	Value
PersianName	آور زیان عوامل جزییات

```
CREATE TABLE [dbo].[tblAvamelZiyanAvar DetailHistory]
[fldId] [int] NOT NULL,
[fldAvamelZiyanAvarId] [int] NOT NULL,
[fldItemId] [int] NOT NULL,
[fldValue] [bit] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblAvamelZiyanAvar DetailHistory] ON [dbo].[tblAvamelZiyan-
Avar DetailHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON
[PRIMARY]
CREATE TABLE [dbo].[tblAvamelZiyanAvar Detail]
[fldId] [int] NOT NULL,
[fldAvamelZiyanAvarId] [int] NOT NULL,
[fldItemId] [int] NOT NULL,
[fldValue] [bit] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Avamel__Start__32574CD1] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblAvamel -
EndTi 334B710A] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblAvamelZiyanAvar Detail] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblAvamelZiyanAvar DetailHistory])
)
ALTER TABLE [dbo].[tblAvamelZiyanAvar Detail] ADD CONSTRAINT [FK tblAvamelZiyanAvar -
Detail tblAvamelZiyanAvar] FOREIGN KEY ([fldAvamelZiyanAvarId]) REFERENCES [dbo].[tbl-
```

```
AvamelZiyanAvar] ([fldId])
ALTER TABLE [dbo].[tblAvamelZiyanAvar Detail] ADD CONSTRAINT [FK tblAvamelZiyanAvar -
Detail tblItems] FOREIGN KEY ([fldItemId]) REFERENCES [dbo].[tblItems] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' عواصل جزئيات', 'SCHEMA',
N'dbo', 'TABLE', N'tblAvamelZiyanAvar Detail', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N'dbo', أور زيان عواصل جزييات', 'SCHEMA', N'dbo',
'TABLE', N'tblAvamelZiyanAvar Detail', NULL, NULL
_'SCHEMA', اور زیان عواصل آیدی'N' Description', N' اور زیان عواصل
N'dbo', 'TABLE', N'tblAvamelZiyanAvar_Detail', 'COLUMN', N'fldAvamelZiyanAvarId'
EXEC sp addextendedproperty N'MS Description', N'آبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblAvamelZiyanAvar Detail', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'قبتم آيدي', 'SCHEMA', N'dbo', 'TABLE',
N'tblAvamelZiyanAvar_Detail', 'COLUMN', N'fldItemId'
EXEC sp addextendedproperty N'MS Description', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblAvamelZiyanAvar Detail', 'COLUMN', N'fldValue'
GO
```

[dbo].[tblAvamelZiyanAvar] [dbo].[tblItems]

Used By

[dbo].[prs_RptAvamelZiyanAvarItem] [dbo].[prs_tblAvamelZiyanAvar_DetailInsert] [dbo].[prs_tblAvamelZiyanAvar_DetailSelect]

[dbo].[tblBazgashBeGhabl]

MS_Description

قبل به بازگشت

Properties

Property	Value
Row Count (~)	1
Created	10:45:47 AM Monday, February 1, 2021
Last Modified	9:48:24 AM Tuesday, February 2, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblBazgashBeGhablHistory]
History Table Row Count (~)	3
History Table Created	2:02:43 PM Monday, February 1, 2021
History Table Last Modified	2:02:43 PM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldActionId	int	4	False	
F	fldCharkheFirstld	int	4	True	
FK	fldDescId	int	4	True	(")
FK	fldEghdamId	int	4	False	
FK	fldKartablId	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

|--|



PK_tblBazgashBeGhabl

fldld

True

Foreign Keys

Name	Columns
FK_tblBazgashBeGhabl_tblActions	fldActionId->[dbo].[tblActions].[fldId]
FK_tblBazgashBeGhabl_tblActions1	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblBazgashBeGhabl_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblBazgashBeGhabl_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]
FK_tblBazgashBeGhabl_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	قبل به بازگشت

```
CREATE TABLE [dbo].[tblBazgashBeGhablHistory]
[fldId] [int] NOT NULL,
[fldActionId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldDescId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblBazgashBeGhablHistory] ON [dbo].[tblBazgashBeGhabl-
History] ([EndTime], [StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblBazgashBeGhabl]
[fldId] [int] NOT NULL,
[fldActionId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldDescId] [int] NULL CONSTRAINT [DF Table 1 fldDesc] DEFAULT (''),
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Bazgas__Start__6BC4D457] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblBazgas -
```

```
EndTi 6CB8F890] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblBazgashBeGhabl] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblBazgashBeGhablHistory])
GO
ALTER TABLE [dbo].[tblBazgashBeGhabl] ADD CONSTRAINT [FK tblBazgashBeGhabl tblActions]
FOREIGN KEY ([fldActionId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblBazgashBeGhabl] ADD CONSTRAINT [FK tblBazgashBeGhabl tblActions1]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblBazqashBeGhabl] ADD CONSTRAINT [FK tblBazqashBeGhabl tblCharkhe -
FirstEghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe First-
Eghdam] ([fldId])
GO
ALTER TABLE [dbo].[tblBazqashBeGhabl] ADD CONSTRAINT [FK tblBazqashBeGhabl tbl-
Description] FOREIGN KEY ([fldDescId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblBazgashBeGhabl] ADD CONSTRAINT [FK tblBazgashBeGhabl tblKartabl]
FOREIGN KEY ([fldKartablid]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'dbo', 'قبل به بازگشت', 'SCHEMA', N'dbo',
'TABLE', N'tblBazgashBeGhabl', NULL, NULL
EXEC sp addextendedproperty N'PersianName', اقبل به بازگشت', 'SCHEMA', N'dbo',
'TABLE', N'tblBazgashBeGhabl', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' اقعام کی', 'SCHEMA', N'dbo', 'TABLE',
N'tblBazgashBeGhabl', 'COLUMN', N'fldActionId'
GO
EXEC sp_addextendedproperty N'MS_Description', N' افدام چرخه کد', 'SCHEMA', N'dbo',
'TABLE', N'tblBazgashBeGhabl', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblBazgashBeGhabl', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N' اقعام کی', 'SCHEMA', N'dbo', 'TABLE',
N'tblBazgashBeGhabl', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblBazgashBeGhabl', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'كارتابل كعا", 'SCHEMA', N'dbo',
'TABLE', N'tblBazgashBeGhabl', 'COLUMN', N'fldKartablId'
GO
```

[dbo].[tblActions]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[tblDescription]

[dbo].[tblKartabl]

Used By

[dbo].[prs_SelectTimeLine]
[dbo].[prs_tblBazgashtBeGhablInsert]
[dbo].[prs_tblBazgashtBeGhablSelect]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblCharkhe]

MS_Description

چرخه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	2:59:34 PM Saturday, January 23, 2021
Last Modified	1:10:37 PM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblCharkheHistory]
History Table Row Count (~)	22
History Table Created	3:00:50 PM Saturday, January 23, 2021
History Table Last Modified	1:10:37 PM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK P	fldld	int	4	False	
	fldName	nvarchar(200)	400	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldFileId	int	4	True	
	fldStatus	bit	1	True	
FK	fldDefulteOpertionId	int	4	True	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime 2],'9999-12-31 23:59:59.9999999',(0)))

F	fldNoeGhebelCharkheshld	tinyint	1	True	
FK	fldAnvaMoayenatId	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblCharkhe	fldld	True

Foreign Keys

Name	Columns
FK_tblCharkhe_tblAnavinGhabelCharkhesh	fldNoeGhebelCharkheshld->[dbo].[tblAnavinGhabelCharkhesh].[fld-ld]
FK_tblCharkhe_tblAnvaMoayenat	fldAnvaMoayenatId->[dbo].[tblAnvaMoayenat].[fldId]
FK_tblCharkhe_tblFile	fldFileId->[dbo].[tblFile].[fldId]
FK_tblCharkhe_tblOpertion_Action	fldDefulteOpertionId->[dbo].[tblOpertion_Action].[fldld]

Extended Properties

Name	Value
PersianName	چرخه

```
CREATE TABLE [dbo].[tblCharkheHistory]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileId] [int] NULL,
[fldStatus] [bit] NULL,
[fldDefulteOpertionId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldNoeGhebelCharkheshId] [tinyint] NULL,
[fldAnvaMoayenatId] [int] NULL
) ON [PRIMARY]
WITH
DATA_COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix_tblCharkheHistory] ON [dbo].[tblCharkheHistory] ([EndTime],
```

```
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblCharkhe]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblCharkhe fldDesc] DEFAULT (''),
[fldFileId] [int] NULL,
[fldStatus] [bit] NULL,
[fldDefulteOpertionId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Charkh Start 5BA37B27] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblCharkh -
EndTi 5C979F60] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
[fldNoeGhebelCharkheshId] [tinyint] NULL,
[fldAnvaMoayenatId] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblCharkhe] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblCharkheHistory])
GO
ALTER TABLE [dbo].[tblCharkhe] ADD CONSTRAINT [FK_tblCharkhe_tblAnavinGhabelCharkhesh]
FOREIGN KEY ([fldNoeGhebelCharkheshId]) REFERENCES [dbo].[tblAnavinGhabelCharkhesh]
([fldTdl)
GO
ALTER TABLE [dbo].[tblCharkhe] ADD CONSTRAINT [FK tblCharkhe_tblAnvaMoayenat] FOREIGN
KEY ([fldAnvaMoayenatId]) REFERENCES [dbo].[tblAnvaMoayenat] ([fldId])
ALTER TABLE [dbo].[tblCharkhe] ADD CONSTRAINT [FK tblCharkhe tblFile] FOREIGN KEY ([fld-
FileId]) REFERENCES [dbo].[tblFile] ([fldId])
ALTER TABLE [dbo].[tblCharkhe] ADD CONSTRAINT [FK tblCharkhe tblOpertion Action]
FOREIGN KEY ([fldDefulteOpertionId]) REFERENCES [dbo].[tblOpertion Action] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'جرخه', 'SCHEMA', N'dbo', 'TABLE',
N'tblCharkhe', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'عرخه', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Charkhe, NULL, NULL
GO
EXEC sp addextendedproperty N'MS_Description', N' יֶבוְבוֹט נְמוֹט', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'نواع كه', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe', 'COLUMN', N'fldAnvaMoayenatId
EXEC sp_addextendedproperty N'MS_Description', N'فرض پیش اقدام کد', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe', 'COLUMN', N'fldDefulteOpertionId'
EXEC sp addextendedproperty N'MS Description', N' ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe', 'COLUMN', N'fldDesc'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'فايل آياي', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldFileId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'فاون', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldName'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldNoeGhebelCharkheshId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldStatus'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'StartTime'

GO

EXEC sp_addextendedproperty N'MS_Description', N'etable', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe', 'COLUMN', N'StartTime'

GO
```

[dbo].[tblAnavinGhabelCharkhesh]

[dbo].[tblAnvaMoayenat]

[dbo].[tblFile]

[dbo].[tblOpertion_Action]

Used By

[dbo].[tblCharkhe_Eghdam]

[dbo].[tblPermissionCharkhe]

[dbo].[tblRules]

[dbo].[tblUser_PermissionCharkhe]

[dbo].[fn_charkhePermission]

[dbo].[fn_OprtionIdByCharkhe]

[dbo].[prs_ApplictionPart_Charkhe]

[dbo].[prs_CopyCharkhe]

[dbo].[prs SelectLastOpration EnterCycleId]

[dbo].[prs_SelectTimeLine]

[dbo].[prs_SpecificCartablePermissionTreeSelect]

[dbo].[prs_tblCharkhe_EghdamSelect]

[dbo].[prs_tblCharkhe_FirstEghdamSelect]

[dbo].[prs_tblCharkheDelete]

[dbo].[prs_tblCharkheInsert]

[dbo].[prs_tblCharkheSelect]

[dbo].[prs_tblCharkheUpdate]

[dbo].[prs_tblEkhtesasActions_CartableSelect]

[dbo].[prs_tblEnterToCycleSelect]

[dbo].[prs_tblFactorsAffectingValues_HeaderSelect]

[dbo].[prs_tblReferralRulesSelect]

[dbo].[prs_tblRulesSelect]

Project > 192.168.1.34 > User databases > MedicalExaminations > Tables > dbo.tblCharkhe

 $[dbo].[prs_User_PermissionCharkheldSelect] \\$

[dbo].[tblCharkhe_Eghdam]

MS_Description

اقدام-چرخه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	9:38:50 AM Sunday, January 24, 2021
Last Modified	1:42:02 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblCharkhe_EghdamHistory]
History Table Row Count (~)	10
History Table Created	9:39:54 AM Sunday, January 24, 2021
History Table Last Modified	3:27:11 PM Monday, January 25, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldId	int	4	False	
FK	fldCharkheld	int	4	False	
FK	fldEghdamld	int	4	False	
	fldOrderId	tinyint	1	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldActive	bit	1	False	((1))
F/P	fldOpertionId_Defulte	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9 999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblCharkhe_Eghdam	fldld	True

Foreign Keys

Name	Columns
FK_tblCharkhe_Eghdam_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblCharkhe_Eghdam_tblCharkhe	fldCharkheld->[dbo].[tblCharkhe].[fldld]
FK_tblCharkhe_Eghdam_tblOpertion_Action	fldOpertionId_Defulte->[dbo].[tblOpertion_Action].[fldId]

Extended Properties

Name	Value
PersianName	اقدام- چرخه

```
CREATE TABLE [dbo].[tblCharkhe EghdamHistory]
[fldId] [int] NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[fldOrderId] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldActive] [bit] NOT NULL,
[fldOpertionId_Defulte] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
(
DATA COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix_tblCharkhe_EghdamHistory] ON [dbo].[tblCharkhe_Eghdam-
History] ([EndTime], [StarTTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblCharkhe Eghdam]
[fldId] [int] NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[fldOrderId] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
```

```
[DF tblCharkhe Eghdam fldDesc] DEFAULT (''),
[fldActive] [bit] NOT NULL CONSTRAINT [DF tblCharkhe Eghdam fldActive] DEFAULT ((1)),
[fldOpertionId Defulte] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Charkh Start 18AC8967] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF__tblCharkh__-
EndTi 19A0ADA0] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblCharkhe Eqhdam] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblCharkhe EghdamHistory])
)
GO
ALTER TABLE [dbo].[tblCharkhe_Eghdam] ADD CONSTRAINT [FK tblCharkhe Eghdam tblActions]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblCharkhe Eghdam] ADD CONSTRAINT [FK tblCharkhe Eghdam tblCharkhe]
FOREIGN KEY ([fldCharkheId]) REFERENCES [dbo].[tblCharkhe] ([fldId])
ALTER TABLE [dbo].[tblCharkhe Eghdam] ADD CONSTRAINT [FK tblCharkhe Eghdam tblOpertion -
Action] FOREIGN KEY ([fldOpertionId Defulte]) REFERENCES [dbo].[tblOpertion Action]
([fldId])
GO
EXEC sp addextendedproperty N'MS Description', N'طهار', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe Eghdam', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'القدام حرخه', 'SCHEMA', N'dbo', 'TABLE',
N'tblCharkhe Eghdam', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نغبيرات يايان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe Eghdam', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS_Description', N'انبودن فعال یا بودن 
N'dbo', 'TABLE', N'tblCharkhe Eghdam', 'COLUMN', N'fldActive'
EXEC sp addextendedproperty N'MS Description', N'جرخه کد', 'SCHEMA', N'dbo', 'TABLE',
N'tblCharkhe Eghdam', 'COLUMN', N'fldCharkheId'
EXEC sp addextendedproperty N'MS Description', N'توهيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblCharkhe Eghdam', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' اقعام که', 'SCHEMA', N'dbo', 'TABLE',
N'tblCharkhe Eghdam', 'COLUMN', N'fldEghdamId'
EXEC sp_addextendedproperty N'MS_Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe Eghdam', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'سنوش پیش اکشن آیدی', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe Eghdam', 'COLUMN', N'fldOpertionId Defulte'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblCharkhe Eghdam', 'COLUMN', N'fldOrderId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'نغيبرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe Eghdam', 'COLUMN', N'StartTime'
```

GO

Uses

[dbo].[tblActions]

[dbo].[tblCharkhe]

[dbo].[tblOpertion_Action]

Used By

[dbo].[tblEkhtesasActions_Cartable]

[dbo].[tblOpertion_Action]

[dbo].[tblReferralRules]

[dbo].[fn_OprtionIdByCharkhe]

[dbo].[prs_CopyCharkhe]

[dbo].[prs_InsertEnterToCycle_CharkheFirstEghdam]

[dbo].[prs_SelectDistictAction_Cartable]

[dbo].[prs_SelectDistictOperation_Action]

[dbo].[prs_selectEkhtesas]

[dbo].[prs_SelectEshterakOpration]

[dbo].[prs_SelectLastOpration_EnterCycleId]

[dbo].[prs_SelectLocomotiv_Action]

[dbo].[prs_SelectNextAction_CharkheEghdam]

[dbo].[prs_SelectTimeLine]

[dbo].[prs_SpecificCartablePermissionTreeSelect]

[dbo].[prs_tblActionsSelect]

[dbo].[prs_tblCharkhe_EghdamDelete]

[dbo].[prs_tblCharkhe_EghdamInsert]

[dbo].[prs_tblCharkhe_EghdamSelect]

[dbo].[prs_tblCharkhe_EghdamUpdate]

[dbo].[prs_tblCharkheDelete]

[dbo].[prs_tblCharkheSelect]

 $[dbo]. [prs_tblEkhtesasActions_CartableSelect] \\$

[dbo].[prs_tblOperationSelect]

[dbo].[prs_tblOpertion_ActionSelect]

[dbo].[prs_tblReferralRulesSelect]

 $[dbo]. [prs_UpdateCharkheEghdam_Opertion] \\$

[dbo].[tblCharkhe_FirstEghdam]

MS_Description

اثدام فرست- چرخه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	8:32:18 AM Tuesday, January 19, 2021
Last Modified	4:27:57 PM Sunday, February 7, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblCharkhe_FirstEghdamHistory]
History Table Row Count (~)	5
History Table Created	4:27:57 PM Sunday, February 7, 2021
History Table Last Modified	4:27:57 PM Sunday, February 7, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK	fldEnterCycleId	int	4	False	
FK	fldActionId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblCharkhe_FirstEghdam	fldld	True

Foreign Keys

Name	Columns
FK_tblCharkhe_FirstEghdam_tblActions	fldActionId->[dbo].[tblActions].[fldId]
FK_tblCharkhe_FirstEghdam_tblEnterToCycle	fldEnterCycleId->[dbo].[tblEnterToCycle].[fldId]

```
CREATE TABLE [dbo].[tblCharkhe FirstEghdamHistory]
[fldId] [int] NOT NULL,
[fldEnterCycleId] [int] NOT NULL,
[fldActionId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblCharkhe FirstEghdamHistory] ON [dbo].[tblCharkhe First-
EghdamHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblCharkhe FirstEghdam]
[fldId] [int] NOT NULL,
[fldEnterCycleId] [int] NOT NULL,
[fldActionId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblCharkhe FirstEghdam fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Charkh Start 27A4B434] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblCharkh -
EndTi 2898D86D] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblCharkhe FirstEghdam] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblCharkhe FirstEghdamHistory])
)
GO
ALTER TABLE [dbo].[tblCharkhe FirstEghdam] ADD CONSTRAINT [FK tblCharkhe First-
Eghdam tblActions] FOREIGN KEY ([fldActionId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblCharkhe FirstEghdam] ADD CONSTRAINT [FK tblCharkhe First-
Eghdam tblEnterToCycle] FOREIGN KEY ([fldEnterCycleId]) REFERENCES [dbo].[tblEnterTo-
Cycle] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' فرست- چرخه ', 'SCHEMA', N'dbo',
'TABLE', N'tblCharkhe FirstEghdam', NULL, NULL
```

```
EXEC sp_addextendedproperty N'MS_Description', N'نفدام کا', 'SCHEMA', N'dbo', 'TABLE', N'tblCharkhe_FirstEghdam', 'COLUMN', N'fldActionId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'implication of the state of the
```

[dbo].[tblActions]
[dbo].[tblEnterToCycle]

Used By

```
[dbo].[tblAcceptOrReject]
[dbo].[tblArchiveTree_File]
[dbo].[tblAudiometri1]
[dbo].[tblAudiometri2]
[dbo].[tblAvamelZiyanAvar]
[dbo].[tblBazgashBeGhabl]
[dbo].[tblDidOmgh]
[dbo].[tblEtmamCharkhe]
[dbo].[tblMoayenat]
[dbo].[tblNazarNahaii]
[dbo].[tblOptometri]
[dbo].[tblSabeghe]
[dbo].[tblSpirometri]
[dbo].[fn_OprtionIdByCharkhe]
[dbo].[prs_InsertEnterToCycle_CharkheFirstEghdam]
[dbo].[prs_KolAudiometriSelect]
[dbo].[prs_KolOptometriSelect]
[dbo].[prs_RptAudiometri]
[dbo].[prs_RptAvamelZiyanAvarItem]
[dbo].[prs_RptAvamelZiyanAvarNazariye]
[dbo].[prs_RptMoayenat]
[dbo].[prs_RptMoayenatAsab]
[dbo].[prs_RptMoayenatASabi]
[dbo].[prs_RptMoayenatCheshm]
[dbo].[prs_RptMoayenatDesc]
[dbo].[prs_RptMoayenatGhalb]
[dbo].[prs_RptMoayenatGoosh]
[dbo].[prs_RptMoayenatKoliye]
[dbo].[prs_RptMoayenatOmoomi]
[dbo].[prs_RptMoayenatPoost]
```

[dbo].[prs_RptMoayenatRiye]

- [dbo].[prs_RptMoayenatSar]
- [dbo].[prs_RptMoayenatShekam]
- [dbo].[prs_RptMoayenatSkeleti]
- [dbo].[prs_RptNazarNahaii]
- [dbo].[prs_RptOptometri]
- [dbo].[prs_RptSabeghe]
- [dbo].[prs_RptSpirometri]
- [dbo].[prs_SelectAudiometri]
- [dbo].[prs_SelectDistictAction_Cartable]
- [dbo].[prs_SelectKolSabeghe]
- [dbo].[prs_SelectLastOpration_EnterCycleId]
- [dbo].[prs SelectLocomotiv Action]
- [dbo].[prs_SelectOptometri]
- [dbo].[prs_SelectPorseshnameByAshkhasId]
- [dbo].[prs_SelectTimeLine]
- [dbo].[prs_tblAcceptOrRejectSelect]
- [dbo].[prs_tblArchiveTree_FileSelect]
- [dbo].[prs_tblAudiometri1Select]
- [dbo].[prs_tblAudiometri2Select]
- [dbo].[prs_tblAvamelZiyanAvarSelect]
- [dbo].[prs_tblBazgashtBeGhablSelect]
- [dbo].[prs_tblCharkhe_FirstEghdamSelect]
- [dbo].[prs_tblDidOmghSelect]
- [dbo].[prs_tblEtmamCharkheSelect]
- [dbo].[prs_tblMoayenatSelect]
- [dbo].[prs_tblNazarNahaiiSelect]
- [dbo].[prs_tblOptometriSelect]
- [dbo].[prs_tblSabegheSelect]
- [dbo].[prs_tblSpirometriSelect]
- [dbo].[prs_UpdateCharkhFirstTableActions]
- [dbo].[prs_UpdateCharkhFirstTableActions1]

■ [dbo].[tblCity]

MS_Description

شهر

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	10
Created	11:07:22 AM Monday, January 4, 2021
Last Modified	9:56:47 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK	fldld	int	4	False	1 - 1
	fldCode	int	4	True	
	fldName	nvarchar(50)	100	False	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblCity	fldld	True

Extended Properties

Name	Value
PersianName	شهر

```
CREATE TABLE [dbo].[tblCity]

(
[fldId] [int] NOT NULL IDENTITY(1, 1),

[fldCode] [int] NULL,

[fldName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]
```

```
ALTER TABLE [dbo].[tblCity] ADD CONSTRAINT [PK_tblCity] PRIMARY KEY CLUSTERED ([fld-Id]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'شهر', 'SCHEMA', N'dbo', 'TABLE', N'tbl-City', NULL, NULL

GO

EXEC sp_addextendedproperty N'PersianName', N'ap', 'SCHEMA', N'dbo', 'TABLE', N'tbl-City', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'ap', 'SCHEMA', N'dbo', 'TABLE', N'tbl-City', 'COLUMN', N'fldCode'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ap', 'SCHEMA', N'dbo', 'TABLE', N'tbl-City', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ap', 'SCHEMA', N'dbo', 'TABLE', N'tbl-City', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ap', 'SCHEMA', N'dbo', 'TABLE', N'tbl-City', 'COLUMN', N'fldName'

GO
```

Used By

[dbo].[tblAshkhas]
[dbo].[prs_PersonlInfoInsert]
[dbo].[prs_tblAshkhasSelect]
[dbo].[prs_tblCityInsert]
[dbo].[prs_tblCitySelect]
[dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblComputationFormula]

MS_Description

محاسبات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	5
Created	8:47:00 AM Thursday, March 12, 2020
Last Modified	7:58:00 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldFormul	nvarchar(max)	max	False	
	fldLibrary	varchar(max)	max	False	
	fldDesc	nvarchar(1000)	2000	False	(")
	fldCompiledCode	varbinary(max)	max	True	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblComputationFormula	fldld	True

```
CREATE TABLE [dbo].[tblComputationFormula]

(
[fldId] [int] NOT NULL,

[fldFormul] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldLibrary] [varchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDesc] [nvarchar] (1000) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblComputationFormula_fldDesc] DEFAULT (''),

[fldCompiledCode] [varbinary] (max) NULL
```

```
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblComputationFormula] ADD CONSTRAINT [PK tblComputationFormula]
PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
EXEC sp addextendedproperty N'MS Description', N'טבו שיום', 'SCHEMA', N'dbo', 'TABLE',
N'tblComputationFormula', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'ك اورى كدهاى', 'SCHEMA', N'dbo',
'TABLE', N'tblComputationFormula', 'COLUMN', N'fldCompiledCode'
EXEC sp addextendedproperty N'MS Description', N'توضيعات', 'SCHEMA', N'dbo', 'TABLE',
N'tblComputationFormula', 'COLUMN', N'fldDesc
EXEC sp addextendedproperty N'MS Description', N'فرمول', 'SCHEMA', N'dbo', 'TABLE',
N'tblComputationFormula', 'COLUMN', N'fldFormul'
EXEC sp addextendedproperty N'MS Description', N'J', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
ComputationFormula', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' ها كتابخانه', 'SCHEMA', N'dbo',
'TABLE', N'tblComputationFormula', 'COLUMN', N'fldLibrary'
GO
```

[Cnt].[tblContanctType] [dbo].[tblOperation] [dbo].[tblProperties] [dbo].[tblReferralRules] [dbo].[tblRules] [dbo].[tblWebService] [Trans].[tblEvent] [Trans].[tblEventTables] [Cnt].[prs_tblContanctTypeDelete] [Cnt].[prs_UpdateFormulTypeContact] [dbo].[prs_CopyCharkhe] [dbo].[prs_tblComputationFormulaDelete] [dbo].[prs_tblComputationFormulaInsert] [dbo].[prs_tblComputationFormulaSelect] [dbo].[prs tblComputationFormulaUpdate] [dbo].[prs_tblPropertiesDelete] [dbo].[prs_tblRulesDelete] [dbo].[prs_tblWebServiceDelete] [dbo].[prs_UpdateFormulRules] [Trans].[prs tblEventDelete] [Trans].[prs_UpdateFormuleEvent]

[dbo].[tblDastoorAmal]

MS_Description

العمل دستور

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	11:07:31 AM Tuesday, January 19, 2021
Last Modified	2:12:04 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblDastoorAmalHistory]
History Table Row Count (~)	1
History Table Created	12:19:54 PM Saturday, January 23, 2021
History Table Last Modified	2:12:04 PM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
P/C	fldld	int	4	False	
(2) ^F /	fldMoayenatId	int	4	False	
ф	fldTarikhEjra	int	4	False	
. i. .F / [™]	fldShoghlAmaliyatild	int	4	False	
	fldDesc	nvarchar(100)	200	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0))

fldOrder	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblDastoorAmal	fldId	True
	IX_tblDastoorAmal	fldMoayenatId, fldTarikhEjra	True
	IX_tblDastoorAmal_1	fldMoayenatId, fldShoghlAmaliyatiId	True

Foreign Keys

Name	Columns
FK_tblDastoorAmal_tblAnvaMoayenat	fldMoayenatId->[dbo].[tblAnvaMoayenat].[fldId]
FK_tblDastorAmal_tblShoghleAmaliyati	fldShoghlAmaliyatild->[dbo].[tblShoghleAmaliyati].[fldld]

Extended Properties

Name	Value
PersianName	دستو العمل

```
CREATE TABLE [dbo].[tblDastoorAmalHistory]
[fldId] [int] NOT NULL,
[fldMoayenatId] [int] NOT NULL,
[fldTarikhEjra] [int] NOT NULL,
[fldShoghlAmaliyatiId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblDastoorAmalHistory] ON [dbo].[tblDastoorAmalHistory]
([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblDastoorAmal]
[fldId] [int] NOT NULL,
```

```
[fldMoayenatId] [int] NOT NULL,
[fldTarikhEjra] [int] NOT NULL,
[fldShoghlAmaliyatiId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Dastoo Start 141CDE74] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblDastoo -
EndTi 151102AD] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblDastoorAmal] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblDastoorAmalHistory])
ALTER TABLE [dbo].[tblDastoorAmal] ADD CONSTRAINT [IX tblDastoorAmal 1] UNIQUE
NONCLUSTERED ([fldMoayenatId], [fldShoghlAmaliyatiId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblDastoorAmal] ADD CONSTRAINT [IX tblDastoorAmal] UNIQUE
NONCLUSTERED ([fldMoayenatId], [fldTarikhEjra]) ON [PRIMARY]
ALTER TABLE [dbo].[tblDastoorAmal] ADD CONSTRAINT [FK tblDastoorAmal tblAnvaMoayenat]
FOREIGN KEY ([fldMoayenatId]) REFERENCES [dbo].[tblAnvaMoayenat] ([fldId])
ALTER TABLE [dbo].[tblDastoorAmal] ADD CONSTRAINT [FK tblDastorAmal tblShoghle-
Amaliyati] FOREIGN KEY ([fldShoqhlAmaliyatiId]) REFERENCES [dbo].[tblShoqhleAmaliyati]
([fldId])
EXEC sp addextendedproperty N'MS Description', N', 'N', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'uni, 'SCHEMA', N'dbo', 'TABLE',
N'tblDastoorAmal', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نغييرات پاپان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblDastoorAmal', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' آبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblDastoorAmal', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' امعاینات ایدی ستون, 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal', 'COLUMN', N'fldMoayenatId'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblDastoorAmal', 'COLUMN', N'fldOrder'
EXEC sp addextendedproperty N'MS Description', N'نعملياتي شغل ستون ', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal', 'COLUMN', N'fldShoghlAmaliyatiId'
EXEC sp_addextendedproperty N'MS_Description', N'ناجرا تاريخ ستون ', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal', 'COLUMN', N'fldTarikhEjra'
```

```
EXEC sp_addextendedproperty N'MS_Description', N' ويرايش به مربوط فيلد', 'SCHEMA', N'dbo', 'TABLE', N'tblDastoorAmal', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N' تغييرات شروع زمان', 'SCHEMA', N'dbo', 'TABLE', N'tblDastoorAmal', 'COLUMN', N'StartTime'

GO
```

Uses

[dbo].[tblAnvaMoayenat] [dbo].[tblShoghleAmaliyati]

Used By

[dbo].[tbiDastoorAmal_Moayene] [dbo].[prs_tbiDastoorAmalDelete] [dbo].[prs_tbiDastoorAmalInsert] [dbo].[prs_tbiDastoorAmalSelect] [dbo].[prs_tbiDastoorAmalUpdate] [dbo].[prs_UpdateOrder]

[dbo].[tblDastoorAmal_Moayene]

MS_Description

معاينات العمل دستور

Properties

Property	Value
Row Count (~)	2
Created	11:08:20 AM Tuesday, January 19, 2021
Last Modified	12:21:48 PM Saturday, January 23, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblDastoorAmal_MoayeneHistory]
History Table Row Count (~)	2
History Table Created	12:21:48 PM Saturday, January 23, 2021
History Table Last Modified	12:21:48 PM Saturday, January 23, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
F	fldDastorAmalId	int	4	False	
FK	fldAnvaMoayeneId	int	4	False	
	fldDesc	int	4	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblDastoorAmal_Moayene	fldld	True

Foreign Keys

Name	Columns
FK_tblDastoorAmal_Moayene_tblAnvaMoayen Azmayesh	fldAnvaMoayeneld->[dbo].[tblAnvaMoayen Azmayesh].[fldld]
FK_tblDastoorAmal_Moayene_tblDastoorAmal	fldDastorAmalId->[dbo].[tblDastoorAmal].[fldId]

Extended Properties

Name	Value
PersianName	معاينه-العمل دستور

```
CREATE TABLE [dbo].[tblDastoorAmal MoayeneHistory]
[fldId] [int] NOT NULL,
[fldDastorAmalId] [int] NOT NULL,
[fldAnvaMoayeneId] [int] NOT NULL,
[fldDesc] [int] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix_tblDastoorAmal_MoayeneHistory] ON [dbo].[tblDastoorAmal_-
MoayeneHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblDastoorAmal_Moayene]
[fldId] [int] NOT NULL,
[fldDastorAmalId] [int] NOT NULL,
[fldAnvaMoayeneId] [int] NOT NULL,
[fldDesc] [int] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Dastoo Start 16F94B1F] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblDastoo_-
EndTi__17ED6F58] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblDastoorAmal Moayene] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblDastoorAmal MoayeneHistory])
```

```
GO
ALTER TABLE [dbo].[tblDastoorAmal Moayene] ADD CONSTRAINT [FK tblDastoorAmal -
Moayene tblAnvaMoayen Azmayesh] FOREIGN KEY ([fldAnvaMoayeneId]) REFERENCES [dbo].[tbl-
AnvaMoayen Azmayesh] ([fldId])
ALTER TABLE [dbo].[tblDastoorAmal Moayene] ADD CONSTRAINT [FK tblDastoorAmal -
Moayene tblDastoorAmal] FOREIGN KEY ([fldDastorAmalId]) REFERENCES [dbo].[tblDastoor-
Amal] ([fldId])
EXEC sp_addextendedproperty N'MS_Description', N'امعابنات العمل دستور', 'SCHEMA',
N'dbo', 'TABLE', N'tblDastoorAmal Moayene', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N' دستور', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal Moayene', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N' 'پاپان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal Moayene', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N'us, 'sCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal Moayene', 'COLUMN', N'fldAnvaMoayeneId'
EXEC sp_addextendedproperty N'MS_Description', N'دستورالعمل ایدی', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal Moayene', 'COLUMN', N'fldDastorAmalId'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblDastoorAmal Moayene', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'TABLE',
N'tblDastoorAmal Moayene', 'COLUMN', N'fldId'
GO
EXEC sp addextendedproperty N'MS_Description', N' ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblDastoorAmal Moayene', 'COLUMN', N'fldTimeStamp'
EXEC sp_addextendedproperty N'MS_Description', N'نغيبرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblDastoorAmal Moayene', 'COLUMN', N'StartTime'
GΩ
```

Uses

[dbo].[tblAnvaMoayen_Azmayesh] [dbo].[tblDastoorAmal]

Used By

```
[dbo].[prs_tblDastoorAmal_MoayeneDelete]
[dbo].[prs_tblDastoorAmal_MoayeneInsert]
[dbo].[prs_tblDastoorAmal_MoayeneSelect]
[dbo].[prs_tblDastoorAmal_MoayeneUpdate]
[dbo].[prs_tblDastoorAmalDelete]
[dbo].[prs_tblDastoorAmalInsert]
[dbo].[prs_tblDastoorAmalSelect]
[dbo].[prs_tblDastoorAmalUpdate]
```

III [dbo].[tblDataTypes]

MS_Description

ها داده نوع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	5
Created	8:07:15 AM Wednesday, December 2, 2020
Last Modified	12:25:08 PM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK G	fldld	int	4	False
	fldName	nvarchar(50)	100	False

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblDataTypes	fldld	True

```
CREATE TABLE [dbo].[tblDataTypes]

(
[fldId] [int] NOT NULL,

[fldName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblDataTypes] ADD CONSTRAINT [PK_tblDataTypes] PRIMARY KEY CLUSTERED

([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'ello',

'TABLE', N'tblDataTypes', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'ello',

'TABLE', N'tblDataTypes', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ello',

'TABLE', N'tblDataTypes', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ello',

'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ello',

'SCHEMA', N'ello',

'SCHEMA', N'ello',
```

```
'TABLE', N'tblDataTypes', 'COLUMN', N'fldName'
GO
```

[dbo].[tblInputArgument]

[dbo].[tblOperation]

[dbo].[tblService]

[dbo].[prs_SelectEshterakOpration]

[dbo].[prs_tblDataTypesSelect]

[dbo].[prs_tblInputArgumentSelect]

[dbo].[prs_tblOperationSelect]

[dbo].[prs_tblOpertion_ActionSelect]

[dbo].[prs_tblServiceSelect]

■ [dbo].[tblDateDim]

MS_Description

زمان و تاريخ

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	41143
Created	8:08:12 AM Wednesday, December 2, 2020
Last Modified	8:08:12 AM Wednesday, December 2, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK P C	fldDate	date	3	False
	fldTarikh	varchar(10)	10	False
	fldSal	smallint	2	False
	fldMah	tinyint	1	False
	fldRoz	tinyint	1	False
	fldYear	smallint	2	True
	fldMonth	tinyint	1	True
	fldDay	tinyint	1	True
	fldTypeFasl	tinyint	1	True
	fldDateStr	varchar(10)	10	True

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblDateDim	fldDate	True

```
CREATE TABLE [dbo].[tblDateDim]
[fldDate] [date] NOT NULL,
[fldTarikh] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldSal] [smallint] NOT NULL,
[fldMah] [tinyint] NOT NULL,
[fldRoz] [tinyint] NOT NULL,
[fldYear] [smallint] NULL,
[fldMonth] [tinyint] NULL,
[fldDay] [tinyint] NULL,
[fldTypeFasl] [tinyint] NULL,
[fldDateStr] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NULL
ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblDateDim] ADD CONSTRAINT [PK tblDateDim] PRIMARY KEY CLUSTERED
([fldDate]) ON [PRIMARY]
EXEC sp addextendedproperty N'MS_Description', N'بزمان و تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblDateDim', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'يلادى تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblDateDim', 'COLUMN', N'fldDate'
EXEC sp addextendedproperty N'MS Description', N'ناريخ', 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldDateStr'
EXEC sp addextendedproperty N'MS Description', N', 'SCHEMA', N'dbo', 'TABLE', ميلادي روز', 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldDay'
GO
EXEC sp addextendedproperty N'MS Description', N'همسي ماه', 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldMah'
EXEC sp addextendedproperty N'MS Description', N'وليلادي صاه', 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldMonth'
GO
EXEC sp addextendedproperty N'MS Description', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldRoz'
EXEC sp addextendedproperty N'MS_Description', N'", 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldSal'
EXEC sp_addextendedproperty N'MS_Description', N'اشمسی تاریخ', 'SCHEMA', N'dbo',
'TABLE', N'tblDateDim', 'COLUMN', N'fldTarikh
EXEC sp addextendedproperty N'MS Description', N' افصل نوع', 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldTypeFasl'
EXEC sp_addextendedproperty N'MS_Description', N'Us, 'SCHEMA', N'dbo', 'TABLE',
N'tblDateDim', 'COLUMN', N'fldYear'
GO
```

 $[dbo].[prs_tblArchiveTree_FileSelect]$

[dbo].[tblDegreeOfEducation]

MS_Description

تحصيلي مدارك

Properties

Property	Value
Collation	SQL_Latin1_General_CP1256_CI_AS
Row Count (~)	36
Created	2:34:50 PM Saturday, November 28, 2020
Last Modified	2:17:59 PM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
	fldCode	varchar(50)	50	False	
	fldTitle	nvarchar(200)	400	False	
	fldNameEn	varchar(100)	100	True	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblDegreeOfEduction	fldld	True

```
CREATE TABLE [dbo].[tblDegreeOfEducation]

(
[fldId] [int] NOT NULL,

[fldCode] [varchar] (50) COLLATE SQL_Latin1_General_CP1256_CI_AS NOT NULL,

[fldTitle] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1256_CI_AS NOT NULL,

[fldNameEn] [varchar] (100) COLLATE SQL_Latin1_General_CP1256_CI_AS NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1256_CI_AS NOT NULL CONSTRAINT

[DF_tblDegreeOfEduction_fldDesc] DEFAULT ('')

) ON [PRIMARY]
```

```
GO
ALTER TABLE [dbo].[tblDegreeOfEducation] ADD CONSTRAINT [PK_tblDegreeOfEduction]
PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'ULL, NULL

GO
EXEC sp_addextendedproperty N'MS_Description', N' aida ', 'SCHEMA', N'dbo', 'TABLE', N'tblDegreeOfEducation', 'COLUMN', N'fldCode'

GO
EXEC sp_addextendedproperty N'MS_Description', N' bidecode'

GO
EXEC sp_addextendedproperty N'MS_Description', N' bidecode'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldDesc'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldDesc'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldDesc'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldId'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldId'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldId'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldNameEn'

GO
EXEC sp_addextendedproperty N'MS_Description', N' fldTitle'

GO
```

```
[dbo].[tblDegreeOfEducationHistory]
[dbo].[tblFactorsAffectingValues_Detail]
[dbo].[tblPersonalInfo]
[dbo].[fn_DegreenameForFactors]
[dbo].[prs_PersonIInfoInsert]
[dbo].[prs_SelectCheckUniqueFactors]
[dbo].[prs_tblDegreeOfEducationInsert]
[dbo].[prs_tblDegreeOfEducationSelect]
[dbo].[prs_tblFactorsAffectingValues_DetailSelect]
[dbo].[prs_tblFactorsAffectingValues_HeaderSelect]
[dbo].[prs_tblPersonalInfoSelect]
```

[dbo].[tblDegreeOfEducationHistory]

MS_Description

تحصيلي مدارك تاريخچه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	11:08:00 AM Monday, January 4, 2021
Last Modified	11:10:07 AM Monday, January 4, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
PK	fldld	int	4	False	1 - 1	
FK	fldPersonalId	int	4	False		
FK	fldDegreeOfEducationId	int	4	False		
	fldTarikh	int	4	False		
	fldDesc	nvarchar(100)	200	False		(")

Indexes

K	еу	Name	Key Columns	Unique
PK		PK_tblDegreeOfEducationHistory	fldld	True

Foreign Keys

Name	Columns
FK_tblDegreeOfEducationHistory_tblDegreeOfEducation	fldDegreeOfEducationId->[dbo].[tblDegreeOf-Education].[fldId]
FK_tblDegreeOfEducationHistory_tblPersonalInfo	fldPersonalId->[dbo].[tblPersonalInfo].[fldId]

SQL Script

```
CREATE TABLE [dbo].[tblDegreeOfEducationHistory]
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldPersonalId] [int] NOT NULL,
[fldDegreeOfEducationId] [int] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblDegreeOfEducationHistory fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblDegreeOfEducationHistory] ADD CONSTRAINT [PK tblDegreeOfEducation-
History] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblDegreeOfEducationHistory] ADD CONSTRAINT [FK tblDegreeOfEducation-
History tblDegreeOfEducation] FOREIGN KEY ([fldDegreeOfEducationId]) REFERENCES
[dbo].[tblDegreeOfEducation] ([fldId])
ALTER TABLE [dbo].[tblDegreeOfEducationHistory] ADD CONSTRAINT [FK tblDegreeOfEducation-
History tblPersonalInfo] FOREIGN KEY ([fldPersonalId]) REFERENCES [dbo].[tblPersonal-
Info] ([fldId])
_'SCHEMA', نتحصيلى صدارک تاريخچه', 'SCHEMA',
N'dbo', 'TABLE', N'tblDegreeOfEducationHistory', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' ارگان جدول دی ای ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblDegreeOfEducationHistory', 'COLUMN', N'fldDegreeOfEducationId'
EXEC sp addextendedproperty N'MS Description', N' ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblDegreeOfEducationHistory', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblDegreeOfEducationHistory', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N' پرسنل جدول دی آی ستون, 'SCHEMA',
N'dbo', 'TABLE', N'tblDegreeOfEducationHistory', 'COLUMN', N'fldPersonalId'
EXEC sp addextendedproperty N'MS Description', N'ناريخ ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblDegreeOfEducationHistory', 'COLUMN', N'fldTarikh'
```

Uses

[dbo].[tblDegreeOfEducation] [dbo].[tblPersonalInfo]

Used By

[dbo].[prs_PersonlInfoInsert]
[dbo].[prs_tblDegreeOfEducationHistoryInsert]
[dbo].[prs_tblDegreeOfEducationHistorySelect]

■ [dbo].[tblDescription]

MS_Description

توضيحات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	53
Created	9:48:23 AM Tuesday, February 2, 2021
Last Modified	6:55:19 PM Saturday, February 6, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK G	fldId	int	4	False	1 - 1
	fldDesc	nvarchar(max)	max	False	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblDescription	fldld	True

```
CREATE TABLE [dbo].[tblDescription]

(
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldDesc] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblDescription] ADD CONSTRAINT [PK_tblDescription] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'uchec', 'TABLE',
N'tblDescription', NULL, NULL

GO
```

[dbo].[tblAcceptOrReject]

[dbo].[tblAudiometri2]

[dbo].[tblAvamelZiyanAvar]

[dbo].[tblBazgashBeGhabl]

[dbo].[tblEtmamCharkhe]

[dbo].[tblMoayenat]

[dbo].[tblMoayenat_Detail2]

[dbo].[tblNazarNahaii]

[dbo].[tblSabeghe_Detail]

[dbo].[tblSpirometri]

[dbo].[prs_KolAudiometriSelect]

[dbo].[prs_RptAudiometri]

[dbo].[prs_RptAvamelZiyanAvarNazariye]

[dbo].[prs_RptMoayenat]

[dbo].[prs_RptMoayenatDesc]

[dbo].[prs_RptNazarNahaii]

[dbo].[prs RptSabeghe]

[dbo].[prs_RptSpirometri]

[dbo].[prs_SelectKolSabeghe]

[dbo].[prs_SelectPorseshnameByAshkhasId]

[dbo].[prs_tblAcceptOrRejectInsert]

[dbo].[prs_tblAcceptOrRejectSelect]

[dbo].[prs_tblAudiometri2Insert]

[dbo].[prs_tblAudiometri2Select]

[dbo].[prs_tblAvamelZiyanAvarInsert]

[dbo].[prs_tblAvamelZiyanAvarSelect]

[dbo].[prs_tblBazgashtBeGhablInsert]

[dbo].[prs_tblBazgashtBeGhablSelect]

[dbo].[prs_tblEtmamCharkheInsert]

[dbo].[prs_tblMoayenat_Detail1Insert]

[dbo].[prs_tblMoayenat_Detail1Select]

[dbo].[prs_tblMoayenat_Detail2Insert]

[dbo].[prs_tblMoayenat_Detail2Select]

[dbo].[prs_tblMoayenatInsert]

[dbo].[prs_tblMoayenatSelect]

 $[dbo].[prs_tblNazarNahaiiInsert] \\$

[dbo].[prs_tblNazarNahaiiSelect]

 $[dbo].[prs_tblSabeghe_DetailInsert] \\$

 $[dbo].[prs_tblSabeghe_DetailSelect] \\$

[dbo].[prs_tblSpirometriInsert]

[dbo].[prs_tblSpirometriSelect]

[dbo].[tblDidOmgh]

MS_Description

عمق دید

Properties

Property	Value
Row Count (~)	1
Created	11:13:17 AM Thursday, February 4, 2021
Last Modified	11:55:27 AM Thursday, February 4, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblDidOmghHistory]
History Table Row Count (~)	12
History Table Created	11:16:24 AM Thursday, February 4, 2021
History Table Last Modified	11:55:27 AM Thursday, February 4, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
₽ <mark>≯</mark> C	fldld	int	4	False	
	fldSaniyeArk	tinyint	1	False	
	fldTarikh	int	4	False	
FK	fldCharkheFirstld	int	4	True	
FK	fldEghdamld	int	4	False	
FK	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

|--|



Foreign Keys

Name	Columns
FK_tblDidOmgh_tblActions	fldEghdamld->[dbo].[tblActions].[fldId]
FK_tblDidOmgh_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblDidOmgh_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	عمق دید

```
CREATE TABLE [dbo].[tblDidOmghHistory]
[fldId] [int] NOT NULL,
[fldSaniyeArk] [tinyint] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblDidOmqhHistory] ON [dbo].[tblDidOmqhHistory] ([EndTime],
[StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblDidOmgh]
(
[fldId] [int] NOT NULL,
[fldSaniyeArk] [tinyint] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblDid-
Omg__Start__68B35D82] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF__tblDidOmg__-
EndTi__69A781BB] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
```

```
CONSTRAINT [PK tblDidOmgh] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblDidOmghHistory])
GO
ALTER TABLE [dbo].[tblDidOmgh] ADD CONSTRAINT [FK tblDidOmgh tblActions] FOREIGN KEY
([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblDidOmgh] ADD CONSTRAINT [FK tblDidOmgh tblCharkhe FirstEghdam]
FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe FirstEqhdam] ([fldId])
ALTER TABLE [dbo].[tblDidOmgh] ADD CONSTRAINT [FK tblDidOmgh tblKartabl] FOREIGN KEY
([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' عمق دید', 'SCHEMA', N'dbo', 'TABLE',
N'tblDidOmgh', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'عمق دلا, 'SCHEMA', N'dbo', 'TABLE',
N'tblDidOmgh', NULL, NULL
EXEC sp addextendedproperty N'MS_Description', N'فرست چرخه آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblDidOmgh', 'COLUMN', N'fldCharkheFirstId'
EXEC sp_addextendedproperty N'MS_Description', N'اقعام آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblDidOmgh', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N' آپدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblDidOmgh', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'نارتابل آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblDidOmgh', 'COLUMN', N'fldKartablId'
EXEC sp addextendedproperty N'MS Description', N' أرى ثانيه', 'SCHEMA', N'dbo', 'TABLE',
N'tblDidOmgh', 'COLUMN', N'fldSaniyeArk'
EXEC sp addextendedproperty N'MS Description', N'الاريخ', 'SCHEMA', N'dbo', 'TABLE',
N'tblDidOmgh', 'COLUMN', N'fldTarikh'
```

Uses

```
[dbo].[tblActions]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[tblKartabl]
```

Used By

```
[dbo].[prs_KolOptometriSelect]
[dbo].[prs_RptOptometri]
[dbo].[prs_tblDidOmghInsert]
[dbo].[prs_tblDidOmghSelect]
[dbo].[prs_UpdateCharkhFirstTableActions]
```

Project > 192.168.1.34 > User databases > MedicalExaminations > Tables > dbo.tblDidOmgh

 $[dbo].[prs_UpdateCharkhFirstTableActions1]\\$

[dbo].[tblEkhtesasActions_Cartable]

MS_Description

كارتابل به اقدام اختصاص

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	11:52:49 AM Sunday, January 24, 2021
Last Modified	11:56:04 AM Sunday, January 24, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblEkhtesasActions_CartableHistory]
History Table Row Count (~)	12
History Table Created	11:55:58 AM Sunday, January 24, 2021
History Table Last Modified	11:56:04 AM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldCartableId	int	4	False	
	fldOrder	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldCharkhe_EghdamId	int	4	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],' 9999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblEkhtesasActions_Cartable	fldld	True

Foreign Keys

Name	Columns
FK_tblEkhtesasActions_Cartable_tblCharkhe_Eghdam	fldCharkhe_EghdamId->[dbo].[tblCharkhe_Eghdam].[fld-ld]
FK_tblEkhtesasActions_Cartable_tblKartabl	fldCartableId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	كار تابل-اقدام اختصاص

```
CREATE TABLE [dbo].[tblEkhtesasActions CartableHistory]
[fldId] [int] NOT NULL,
[fldCartableId] [int] NOT NULL,
[fldOrder] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldCharkhe EghdamId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
GO
CREATE CLUSTERED INDEX [ix tblEkhtesasActions CartableHistory] ON [dbo].[tblEkhtesas-
Actions CartableHistory] ([EndTime], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblEkhtesasActions Cartable]
[fldId] [int] NOT NULL,
[fldCartableId] [int] NOT NULL,
[fldOrder] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblEkhtesasActions_Cartable_fldDesc] DEFAULT (''),
[fldCharkhe EghdamId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Ekhtes Start 204DAB2F] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblEkhtes -
EndTi 2141CF68] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK_tblEkhtesasActions_Cartable] PRIMARY KEY CLUSTERED ([fldId]) ON
```

```
[PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblEkhtesasActions CartableHistory])
)
ALTER TABLE [dbo].[tblEkhtesasActions Cartable] ADD CONSTRAINT [FK tblEkhtesasActions -
Cartable_tblCharkhe_Eghdam] FOREIGN KEY ([fldCharkhe_EghdamId]) REFERENCES [dbo].[tbl-
Charkhe Eghdam] ([fldId])
ALTER TABLE [dbo].[tblEkhtesasActions Cartable] ADD CONSTRAINT [FK tblEkhtesasActions -
Cartable tblKartabl] FOREIGN KEY ([fldCartableId]) REFERENCES [dbo].[tblKartabl] ([fld-
GO
EXEC sp addextendedproperty N'MS Description', N'اکارتابل به اقدام اختصاص, 'SCHEMA',
N'dbo', 'TABLE', N'tblEkhtesasActions Cartable', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'سارتابل-اقدام اختصاص', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'نيان زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'EndTime'
, 'SCHEMA', سين الله عدول دى آي ستون "SCHEMA', اكارتابل جدول دى آي ستون "SCHEMA",
N'dbo', 'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'fldCartableId'
EXEC sp_addextendedproperty N'MS_Description', N' اقدام چرخه کد", 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'fldCharkhe EghdamId'
EXEC sp addextendedproperty N'MS Description', N'نوفيحات ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'fldDesc
EXEC sp_addextendedproperty N'MS_Description', N' ". 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'نرتيب ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'fldOrder'
EXEC sp addextendedproperty N'MS_Description', N'. ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'fldTimeStamp'
EXEC sp_addextendedproperty N'MS_Description', N'بشروع تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasActions Cartable', 'COLUMN', N'StartTime'
```

Uses

[dbo].[tblCharkhe_Eghdam] [dbo].[tblKartabl]

Used By

[dbo].[prs_SelectDistictAction_Cartable] [dbo].[prs_selectEkhtesas] $[dbo]. [prs_Specific Cartable Permission Tree Select] \\$

[dbo].[prs_tblActionsSelect]

[dbo].[prs_tblCharkhe_EghdamSelect]

[dbo].[prs_tblEkhtesasActions_CartableDelete]

[dbo].[prs_tblEkhtesasActions_CartableInsert]

[dbo].[prs_tblEkhtesasActions_CartableSelect]

[dbo].[prs_tblEkhtesasActions_CartableUpdate]

[dbo].[prs_tblKartablDelete]

[dbo].[prs_tblKartablSelect]

 $[dbo].[prs_UpdateCartable_CharkheEghdam] \\$

[dbo].[tblEkhtesasMoayeneBeTree]

MS_Description

درختی ساختار به معاینه اختصاص

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	8:24:33 AM Saturday, January 23, 2021
Last Modified	9:05:59 AM Thursday, January 28, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblEkhtesasMoayeneBeTreeHistory]
History Table Row Count (~)	4
History Table Created	12:30:44 PM Saturday, January 23, 2021
History Table Last Modified	9:05:59 AM Thursday, January 28, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK	fldAnvaMoayeneGroupingTreeId	int	4	False	
FK	fldAnvaMoayene_Azmayeshld	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([date time2],'9999-12-31 23:59:59.999999 9',(0)))

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblEkhtesasMoayeneBeTree	fldld	True

Foreign Keys

Name	Columns
FK_tblEkhtesasMoayeneBeTree_tblAnvaMoayen Azmayesh	fldAnvaMoayene_Azmayeshld->[dbo].[tblAnvaMoayenAzmayesh].[fldld]
FK_tblEkhtesasMoayeneBeTree_tblAnvaMoayene- GroupingTree	fldAnvaMoayeneGroupingTreeId->[dbo].[tblAnvaMoayene-GroupingTree].[fldId]

Extended Properties

Name	Value
PersianName	درختی ساختار به معاینه اختصاص

```
CREATE TABLE [dbo].[tblEkhtesasMoayeneBeTreeHistory]
[fldId] [int] NOT NULL,
[fldAnvaMoayeneGroupingTreeId] [int] NOT NULL,
[fldAnvaMoayene AzmayeshId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix tblEkhtesasMoayeneBeTreeHistory] ON [dbo].[tblEkhtesas-
MoayeneBeTreeHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON
[PRIMARY]
CREATE TABLE [dbo].[tblEkhtesasMoayeneBeTree]
[fldId] [int] NOT NULL,
[fldAnvaMoayeneGroupingTreeId] [int] NOT NULL,
[fldAnvaMoayene AzmayeshId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblEkhtesasMoayeneBeTree fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF__tbl-
Ekhtes Start 30B91D22] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblEkhtes -
EndTi 31AD415B] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblEkhtesasMoayeneBeTree] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
```

```
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblEkhtesasMoayeneBeTreeHistory])
GΟ
ALTER TABLE [dbo].[tblEkhtesasMoayeneBeTree] ADD CONSTRAINT [FK tblEkhtesasMoayeneBe-
Tree tblAnvaMoayen Azmayesh] FOREIGN KEY ([fldAnvaMoayene AzmayeshId]) REFERENCES
[dbo].[tblAnvaMoayen Azmayesh] ([fldId])
ALTER TABLE [dbo].[tblEkhtesasMoayeneBeTree] ADD CONSTRAINT [FK_tblEkhtesasMoayeneBe-
Tree tblAnvaMoayeneGroupingTree] FOREIGN KEY ([fldAnvaMoayeneGroupingTreeId])
REFERENCES [dbo].[tblAnvaMoayeneGroupingTree] ([fldId])
,'درختی ساختار به معاینه اختصاص'N'MS Description', N'درختی ساختار به معاینه اختصاص
'SCHEMA', N'dbo', 'TABLE', N'tblEkhtesasMoayeneBeTree', NULL, NULL
GO
_:SCHEMA', درختی ساختار به معاینه اختصاص', 'SCHEMA'
N'dbo', 'TABLE', N'tblEkhtesasMoayeneBeTree', NULL, NULL
EXEC sp addextendedproperty N'MS Description', א'בובוט נשוט נשוט נשוט נשוט נשוט נשוט איי 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasMoayeneBeTree', 'COLUMN', N'EndTime'
EXEC sp_addextendedproperty N'MS_Description', N'بهاینه انواع ایدی', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasMoayeneBeTree', 'COLUMN', N'fldAnvaMoayene AzmayeshId'
EXEC sp_addextendedproperty N'MS_Description', N'نمعاینه گروه ایدی ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblEkhtesasMoayeneBeTree', 'COLUMN', N'fldAnvaMoayeneGroupingTreeId'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblEkhtesasMoayeneBeTree', 'COLUMN', N'fldDesc'
GO
EXEC sp_addextendedproperty N'MS_Description', N'آيدى ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblEkhtesasMoayeneBeTree', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'يغيبرات شروع تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblEkhtesasMoayeneBeTree', 'COLUMN', N'StartTime'
```

Uses

[dbo].[tblAnvaMoayen_Azmayesh]
[dbo].[tblAnvaMoayeneGroupingTree]

Used Bv

[dbo].[prs_tblAnvaMoayeneGroupingTreeDelete] [dbo].[prs_tblEkhtesasMoayeneBeTreeDelete] [dbo].[prs_tblEkhtesasMoayeneBeTreeInsert] [dbo].[prs_tblEkhtesasMoayeneBeTreeSelect] [dbo].[prs_tblEkhtesasMoayeneBeTreeUpdate]

■ [dbo].[tblEllat]

MS_Description

ها علت

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	5
Created	8:17:55 AM Sunday, January 31, 2021
Last Modified	6:52:57 PM Saturday, February 6, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK	fldld	int	4	False
	fldName	nvarchar(150)	300	False
	fldOrder	int	4	False

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblEllat	fldld	True

```
CREATE TABLE [dbo].[tblEllat]

(

[fldId] [int] NOT NULL,

[fldName] [nvarchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldOrder] [int] NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblEllat] ADD CONSTRAINT [PK_tblEllat] PRIMARY KEY CLUSTERED ([fld-Id]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'ale ', 'SCHEMA', N'dbo', 'TABLE',

N'tblEllat', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'ale ', 'SCHEMA', N'dbo', 'TABLE',

EXEC sp_addextendedproperty N'MS_Description', N'ale ', 'SCHEMA', N'dbo', 'TABLE',
```

```
N'tblEllat', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'علت عنوان', 'SCHEMA', N'dbo', 'TABLE',
N'tblEllat', 'COLUMN', N'fldName'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblEllat', 'COLUMN', N'fldOrder'

GO
```

[dbo].[tblMaghadirEllat]
[dbo].[prs_RptNazarNahaii]
[dbo].[prs_tblEllatSelect]
[dbo].[prs_tblMaghadirEllatSelect]
[dbo].[prs_tblNazarNahaiiSelect]

[dbo].[tblEmploymentStatus]

MS_Description

اشتغال وضعيت

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	11
Created	8:24:05 AM Sunday, November 29, 2020
Last Modified	10:10:23 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldTitle	nvarchar(300)	600	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblEmploymentStatus	fldld	True

```
CREATE TABLE [dbo].[tblEmploymentStatus]

(
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (300) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF_tblEmploymentStatus_fldDesc] DEFAULT ('')

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblEmploymentStatus] ADD CONSTRAINT [PK_tblEmploymentStatus] PRIMARY
KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'abo',
'TABLE', N'tblEmploymentStatus', NULL, NULL

GO
```

```
EXEC sp_addextendedproperty N'MS_Description', N'itable', 'column', N'fldDesc' (COLUMN', N'fldId' (COLUMN', N'fldId' (COLUMN', N'fldId' (COLUMN', N'fldId' (COLUMN', N'fldId' (COLUMN', N'fldId' (COLUMN', N'fldTitle' (COLUMN', N'fldTitle') (COLUMN', N'fldTitle' (COLUMN', N'fldTitle' (COLUMN', N'fldTitle' (COLUMN', N'fldTitle') (COLUMN', N'fldTitle' (COLUMN', N'fldTitle') (COLUMN', N'fldTitl
```

[dbo].[tblEmploymentStatusHistory]

[dbo].[tblPersonalInfo]

[dbo].[prs_PersonIInfoInsert]

[dbo].[prs_tblAshkhasSelect]

[dbo].[prs_tblEmploymentStatusInsert]

[dbo].[prs_tblEmploymentStatusSelect]

[dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblEmploymentStatusHistory]

MS_Description

اشتغال وضعيت تاريخچه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	11:08:35 AM Monday, January 4, 2021
Last Modified	10:10:55 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
PK	fldld	int	4	False	1 - 1	
FK	fldPersonalId	int	4	False		
FK	fldEmploymentId	int	4	False		
	fldTarikh	int	4	False		
	fldDesc	nvarchar(100)	200	False		(")

Indexes

Ke	∍у	Name	Key Columns	Unique
PK		PK_tblEmploymentStatusHistory	fldld	True

Foreign Keys

Name	Columns
FK_tblEmploymentStatusHistory_tblEmploymentStatus	fldEmploymentId->[dbo].[tblEmploymentStatus].[fldld]
FK_tblEmploymentStatusHistory_tblPersonalInfo	fldPersonalId->[dbo].[tblPersonalInfo].[fldld]

SQL Script

```
CREATE TABLE [dbo].[tblEmploymentStatusHistory]
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldPersonalId] [int] NOT NULL,
[fldEmploymentId] [int] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblEmploymentStatusHistory fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblEmploymentStatusHistory] ADD CONSTRAINT [PK tblEmploymentStatus-
History] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblEmploymentStatusHistory] ADD CONSTRAINT [FK tblEmploymentStatus-
History tblEmploymentStatus] FOREIGN KEY ([fldEmploymentId]) REFERENCES [dbo].[tbl-
EmploymentStatus] ([fldId])
ALTER TABLE [dbo].[tblEmploymentStatusHistory] ADD CONSTRAINT [FK tblEmploymentStatus-
History tblPersonalInfo] FOREIGN KEY ([fldPersonalId]) REFERENCES [dbo].[tblPersonal-
Info] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' اشتغال وضعيت تاريخچه', 'SCHEMA',
N'dbo', 'TABLE', N'tblEmploymentStatusHistory', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'uso', 'SCHEMA', N'dbo',
'TABLE', N'tblEmploymentStatusHistory', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ارگان جدول دی ای ستون ', 'SCHEMA',
N'dbo', 'TABLE', N'tblEmploymentStatusHistory', 'COLUMN', N'fldEmploymentId'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblEmploymentStatusHistory', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N' پرسنل جدول دی آی ستون, 'SCHEMA',
N'dbo', 'TABLE', N'tblEmploymentStatusHistory', 'COLUMN', N'fldPersonalId'
EXEC sp addextendedproperty N'MS Description', N'ناريخ ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblEmploymentStatusHistory', 'COLUMN', N'fldTarikh'
```

Uses

[dbo].[tblEmploymentStatus] [dbo].[tblPersonalInfo]

Used By

[dbo].[prs_PersonIInfoInsert]
[dbo].[prs_tblEmploymentStatusHistoryInsert]
[dbo].[prs_tblEmploymentStatusHistorySelect]

■ [dbo].[tblEnterToCycle]

MS_Description

چرخه به ورود

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	8:26:20 AM Tuesday, January 19, 2021
Last Modified	10:41:53 AM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblEnterToCycleHistory]
History Table Row Count (~)	7
History Table Created	9:23:08 AM Saturday, January 30, 2021
History Table Last Modified	9:23:08 AM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
	fldAshkhasId	int	4	False	
	fldCharkheld	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldResult	nvarchar(1000)	2000	False	(")
	fldCharkhe_Pld	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblEnterToCycle	fldld	True

Extended Properties

Name	Value
PersianName	چرخه به ورود

```
CREATE TABLE [dbo].[tblEnterToCycleHistory]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldResult] [nvarchar] (1000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldCharkhe PId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblEnterToCycleHistory] ON [dbo].[tblEnterToCycleHistory]
([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblEnterToCycle]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblEnterToCycle_fldDesc] DEFAULT (''),
[fldResult] [nvarchar] (1000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblEnterToCycle_fldResult] DEFAULT (''),
[fldCharkhe PId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblEnter-
T__Start__51AFFC99] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblEnterT -
EndTi__52A420D2] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999,(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblEnterToCycle] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblEnterToCycleHistory])
```

```
GO
EXEC sp addextendedproperty N'MS Description', N'ورفه به ورود', 'SCHEMA', N'dbo',
'TABLE', N'tblEnterToCycle', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'برخه به ورود', 'SCHEMA', N'dbo', 'TABLE',
N'tblEnterToCycle', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' יבובוט נשוט, 'SCHEMA', N'dbo',
'TABLE', N'tblEnterToCycle', 'COLUMN', N'EndTime'
EXEC sp addextendedproperty N'MS Description', N' اشخاص كد', 'SCHEMA', N'dbo', 'TABLE',
N'tblEnterToCycle', 'COLUMN', N'fldAshkhasId'
EXEC sp addextendedproperty N'MS_Description', N' پدر چرخه کد', 'SCHEMA', N'dbo',
'TABLE', N'tblEnterToCycle', 'COLUMN', N'fldCharkhe PId
EXEC sp addextendedproperty N'MS Description', N'عرخه کد', 'SCHEMA', N'dbo', 'TABLE',
N'tblEnterToCycle', 'COLUMN', N'fldCharkheId'
EXEC sp addextendedproperty N'MS Description', N'توصيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblEnterToCycle', 'COLUMN', N'fldDesc'
GO
EXEC sp addextendedproperty N'MS Description', N'ني آي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblEnterToCycle', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'انتابع', 'SCHEMA', N'dbo', 'TABLE',
N'tblEnterToCycle', 'COLUMN', N'fldResult'
EXEC sp addextendedproperty N'MS Description', N'نغييرات شروع زمان', 'SCHEMA', N'dbo',
'TABLE', N'tblEnterToCycle', 'COLUMN', N'StartTime'
```

Used By

```
[dbo].[tblArchive]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[prs_InsertEnterToCycle_CharkheFirstEghdam]
[dbo].[prs_KolAudiometriSelect]
[dbo].[prs_KolOptometriSelect]
[dbo].[prs_RptMoayenat]
[dbo].[prs_RptSpirometri]
[dbo].[prs_SelectAudiometri]
[dbo].[prs SelectDistictAction Cartable]
[dbo].[prs_SelectKolSabeghe]
[dbo].[prs_SelectLastOpration_EnterCycleId]
[dbo].[prs_SelectLocomotiv_Action]
[dbo].[prs_SelectOptometri]
[dbo].[prs_SelectPorseshnameByAshkhasId]
[dbo].[prs_SelectTimeLine]
[dbo].[prs_tblArchiveTree_FileSelect]
[dbo].[prs_tblAudiometri1Select]
[dbo].[prs_tblAudiometri2Select]
[dbo].[prs_tblAvamelZiyanAvarSelect]
```

[dbo].[prs_tblBazgashtBeGhablSelect]

[dbo].[prs_tblCharkhe_FirstEghdamSelect]

[dbo].[prs_tblCharkheSelect]

[dbo].[prs_tblDidOmghSelect]

[dbo].[prs_tblEnterToCycleInsert]

[dbo].[prs_tblEnterToCycleSelect]

[dbo].[prs_tblEtmamCharkheInsert]

[dbo].[prs_tblEtmamCharkheSelect]

[dbo].[prs_tblMoayenatSelect]

[dbo].[prs_tblNazarNahaiiSelect]

[dbo].[prs_tblOperationSelect]

[dbo].[prs_tblOptometriSelect]

[dbo].[prs_tblSabegheSelect]

[dbo].[prs_tblSpirometriSelect]

[dbo].[tblError]

MS_Description

ها خطا

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	12:38:58 PM Monday, November 30, 2020
Last Modified	1:36:10 PM Monday, January 18, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
	fldMatn	nvarchar(max)	max	False	
	fldTarikh	date	3	False	
F.	fldUserId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
	fldDate	datetime	8	False	(getdate())
F/P	fldInputID	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblError	fldld	True
	IX_tblError	fldUserId	

Foreign Keys

Name	Columns
FK_tblError_tblInputInfo	fldInputID->[dbo].[tblInputInfo].[fldId]

FK_tblError_tblUser

fldUserId->[dbo].[tblUser].[fldId]

```
CREATE TABLE [dbo].[tblError]
[fldId] [int] NOT NULL,
[fldMatn] [nvarchar] (max) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTarikh] [date] NOT NULL,
[fldUserId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblError_fldDesc] DEFAULT (''),
[fldDate] [datetime] NOT NULL CONSTRAINT [DF tblError fldDate] DEFAULT (getdate()),
[fldInputID] [int] NULL
) ON [PRIMARY]
ALTER TABLE [dbo].[tblerror] ADD CONSTRAINT [PK tblerror] PRIMARY KEY CLUSTERED ([fld-
Id]) ON [PRIMARY]
CREATE NONCLUSTERED INDEX [IX tblError] ON [dbo].[tblError] ([fldUserId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblError] ADD CONSTRAINT [FK tblError tblInputInfo] FOREIGN KEY
([fldInputID]) REFERENCES [dbo].[tblInputInfo] ([fldId])
ALTER TABLE [dbo].[tblError] ADD CONSTRAINT [FK tblError tblUser] FOREIGN KEY ([fldUser-
Id]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' ها خطا', 'SCHEMA', N'dbo', 'TABLE',
N'tblError', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'dbo', 'sCHEMA', N'dbo',
'TABLE', N'tblError', 'COLUMN', N'fldDate'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblError', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'L, 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Error', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N'نحروج و ورود ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblError', 'COLUMN', N'fldInputID'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Error', 'COLUMN', N'fldMatn'
EXEC sp addextendedproperty N'MS Description', N'الاريخ', 'SCHEMA', N'dbo', 'TABLE',
N'tblError', 'COLUMN', N'fldTarikh'
EXEC sp addextendedproperty N'MS Description', N'טונען בא', 'SCHEMA', N'dbo', 'TABLE',
N'tblError', 'COLUMN', N'fldUserId'
```

Uses

[dbo].[tblInputInfo] [dbo].[tblUser]

Used By

[dbo].[prs_tblErrorInsert]
[dbo].[prs_tblErrorSelect]

[dbo].[tblEtmamCharkhe]

MS_Description

چرخه اتمام

Properties

Property	Value
Row Count (~)	0
Created	10:44:14 AM Monday, February 1, 2021
Last Modified	9:48:24 AM Tuesday, February 2, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblEtmamCharkheHistory]
History Table Row Count (~)	0
History Table Created	10:44:50 AM Monday, February 1, 2021
History Table Last Modified	10:45:25 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
F	fldCharkheFirstId	int	4	True	
FK	fldEghdamId	int	4	True	
FK	fldKartablId	int	4	True	
FK	fldDescld	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblEtmamCharkhe	fldld	True

Foreign Keys

Name	Columns
FK_tblEtmamCharkhe_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblEtmamCharkhe_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblEtmamCharkhe_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]
FK_tblEtmamCharkhe_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	چرخه اتمام

```
CREATE TABLE [dbo].[tblEtmamCharkheHistory]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NULL,
[fldKartablId] [int] NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
CREATE CLUSTERED INDEX [ix tblEtmamCharkheHistory] ON [dbo].[tblEtmamCharkheHistory]
([EndTime], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblEtmamCharkhe]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NULL,
[fldKartablId] [int] NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblEtmam-
C Start 2B203F5D] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblEtmamC_-
EndTi 2C146396] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblEtmamCharkhe] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblEtmamCharkheHistory])
ALTER TABLE [dbo].[tblEtmamCharkhe] ADD CONSTRAINT [FK tblEtmamCharkhe tblActions]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
```

```
GO
ALTER TABLE [dbo].[tblEtmamCharkhe] ADD CONSTRAINT [FK tblEtmamCharkhe tblCharkhe First-
Eghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkheFirstEqhdam]
([fldId])
ALTER TABLE [dbo].[tblEtmamCharkhe] ADD CONSTRAINT [FK tblEtmamCharkhe tblDescription]
FOREIGN KEY ([fldDescId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblEtmamCharkhe] ADD CONSTRAINT [FK tblEtmamCharkhe tblKartabl]
FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'برخه المام 'SCHEMA', N'dbo',
'TABLE', N'tblEtmamCharkhe', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblEtmamCharkhe', NULL, NULL
EXEC sp addextendedproperty N'MS_Description', N' رخه به ورود که ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblEtmamCharkhe', 'COLUMN', N'fldCharkheFirstId'
EXEC sp_addextendedproperty N'MS_Description', N'يوضيحات آيدى', 'SCHEMA', N'dbo',
'TABLE', N'tblEtmamCharkhe', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'TABLE',
N'tblEtmamCharkhe', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N'ني آي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblEtmamCharkhe', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'ענווע או', 'SCHEMA', N'dbo',
'TABLE', N'tblEtmamCharkhe', 'COLUMN', N'fldKartablId'
```

Uses

[dbo].[tblActions] [dbo].[tblCharkhe_FirstEghdam] [dbo].[tblDescription] [dbo].[tblKartabl]

Used By

[dbo].[fn_OprtionIdByCharkhe]
[dbo].[prs_tblEtmamCharkheDelete]
[dbo].[prs_tblEtmamCharkheInsert]
[dbo].[prs_tblEtmamCharkheSelect]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblFactorsAffectingValues_Detail]

MS_Description

موثر عوامل مقادير جزئيات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	2:17:59 PM Sunday, January 24, 2021
Last Modified	8:55:57 AM Tuesday, January 26, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblFactorsAffectingValues_DetailHistory]
History Table Row Count (~)	0
History Table Created	2:20:38 PM Sunday, January 24, 2021
History Table Last Modified	8:55:57 AM Tuesday, January 26, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
F	fldAvamelUpgradeId	int	4	False	
FK	fldHeaderId	int	4	False	
FK	fldDegreeEducationId	int	4	False	
	fldValue	nvarchar(200)	400	False	
	fldDesc	nvarchar(200)	400	False	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetim e2],'9999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblFactorsAffectingValues_Detail	fldld	True

Foreign Keys

Name	Columns
FK_tblFactorsAffectingValues_Detail_tblAvamelMoasser Upgrade	fldAvamelUpgradeId->[dbo].[tblAvamelMoasser Upgrade].[fldId]
FK_tblFactorsAffectingValues_Detail_tblDegreeOf-Education	fldDegreeEducationId->[dbo].[tblDegreeOfEducation].[fld-ld]
FK_tblFactorsAffectingValues_Detail_tblFactorsAffecting-Values_Header	fldHeaderId->[dbo].[tblFactorsAffectingValues Header].[fldId]

Extended Properties

Name	Value
PersianName	موثر مقادير مقدار جزييات

```
CREATE TABLE [dbo].[tblFactorsAffectingValues DetailHistory]
[fldId] [int] NOT NULL,
[fldAvamelUpgradeId] [int] NOT NULL,
[fldHeaderId] [int] NOT NULL,
[fldDegreeEducationId] [int] NOT NULL,
[fldValue] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (200) COLLATE SQL_Latin1_General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA_COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix_tblFactorsAffectingValues_DetailHistory] ON [dbo].[tbl-
FactorsAffectingValues DetailHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION =
PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblFactorsAffectingValues Detail]
[fldId] [int] NOT NULL,
[fldAvamelUpgradeId] [int] NOT NULL,
[fldHeaderId] [int] NOT NULL,
[fldDegreeEducationId] [int] NOT NULL,
```

```
[fldValue] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblFactorsAffectingValues Detail fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Factor Start 4D2051A6] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblFactor -
EndTi 4E1475DF] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999,(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblFactorsAffectingValues Detail] PRIMARY KEY CLUSTERED ([fldId]) ON
[PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblFactorsAffectingValues Detail-
Historyl)
GO
ALTER TABLE [dbo].[tblFactorsAffectingValues Detail] ADD CONSTRAINT [FK tblFactors-
AffectingValues_Detail_tblAvamelMoasser_Upgrade] FOREIGN KEY ([fldAvamelUpgradeId])
REFERENCES [dbo].[tblAvamelMoasser Upgrade] ([fldId])
ALTER TABLE [dbo].[tblFactorsAffectingValues Detail] ADD CONSTRAINT [FK tblFactors-
AffectingValues Detail tblDegreeOfEducation] FOREIGN KEY ([fldDegreeEducationId])
REFERENCES [dbo].[tblDegreeOfEducation] ([fldId])
ALTER TABLE [dbo].[tblFactorsAffectingValues Detail] ADD CONSTRAINT [FK tblFactors-
REFERENCES [dbo].[tblFactorsAffectingValues Header] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'رموثر عواصل مقادير جزئيات, 'SCHEMA',
N'dbo', 'TABLE', N'tblFactorsAffectingValues Detail', NULL, NULL
"SCHEMA", أموثر مقادير مقدار جزييات"، "SCHEMA", الموثر مقادير مقدار جزييات
N'dbo', 'TABLE', N'tblFactorsAffectingValues Detail', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N'ن پایه ارتقا در موثر عوامل دی آی ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues Detail', 'COLUMN', N'fldAvamel-
UpgradeId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'نحصيلي مقطع كد', 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Detail', 'COLUMN', N'fldDegreeEducationId'
EXEC sp_addextendedproperty N'MS_Description', N'نوضيحات ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues Detail', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N' مدر جدول كد", 'SCHEMA', N'dbo',
'TABLE', N'tblFactorsAffectingValues Detail', 'COLUMN', N'fldHeaderId'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFactorsAffectingValues_Detail', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'فقدار ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Detail', 'COLUMN', N'fldValue'
GO
```

Uses

[dbo].[tblAvamelMoasser_Upgrade]

[dbo].[tblDegreeOfEducation]

[dbo].[tblFactorsAffectingValues_Header]

Used By

[dbo].[prs_CopyCharkhe]

[dbo].[prs_SelectAllAvamelMoasser_Upgrade_Effecting]

[dbo].[prs_SelectCheckUniqueFactors]

[dbo].[prs_tblFactorsAffectingValues_DetailDelete]

 $[dbo]. [prs_tblFactors Affecting Values_Detail Group Select] \\$

[dbo].[prs_tblFactorsAffectingValues_DetailInsert]

[dbo].[prs_tblFactorsAffectingValues_DetailSelect]

[dbo].[prs_tblFactorsAffectingValues_DetailUpdate]

[dbo].[prs_tblFactorsAffectingValues_HeaderDelete]

[dbo].[prs_tblFactorsAffectingValues_HeaderSelect]

[dbo].[tblFactorsAffectingValues_Header]

MS_Description

موثر عوامل مقادير

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	2:16:22 PM Sunday, January 24, 2021
Last Modified	3:34:49 PM Monday, January 25, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblFactorsAffectingValues_HeaderHistory]
History Table Row Count (~)	0
History Table Created	3:34:49 PM Monday, January 25, 2021
History Table Last Modified	3:34:49 PM Monday, January 25, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
	fldTarikh	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldCharkheld	int	4	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Indexes



PK_tblFactorsAffectingValues_Header

fldId

True

Extended Properties

Name	Value
PersianName	موثر مقدار مقادير

```
CREATE TABLE [dbo].[tblFactorsAffectingValues HeaderHistory]
[fldId] [int] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblFactorsAffectingValues_HeaderHistory] ON [dbo].[tbl-
FactorsAffectingValues HeaderHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION =
PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblFactorsAffectingValues Header]
[fldId] [int] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblFactorsAffectingValues Header fldDesc] DEFAULT (''),
[fldCharkheId] [int] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF_tbl-
Factor Start 02883E1E] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblFactor -
EndTi 037C6257] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblFactorsAffectingValues_Header] PRIMARY KEY CLUSTERED ([fldId]) ON
[PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY_TABLE = [dbo].[tblFactorsAffectingValues_Header-
History])
GO
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'موثر عواصل مقادير, 'SCHEMA', N'dbo',
'TABLE', N'tblFactorsAffectingValues Header', NULL, NULL
```

```
EXEC sp_addextendedproperty N'PersianName', N'Jobe, 'schema', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', NULL, NULL (GO

EXEC sp_addextendedproperty N'MS_Description', N'عرف که', 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', 'COLUMN', N'fldCharkheId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'jobe, 'schema', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', 'COLUMN', N'fldDesc'

GO

EXEC sp_addextendedproperty N'MS_Description', N'jobe, 'schema', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'jobe, 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', 'COLUMN', N'fldTarikh'

GO

EXEC sp_addextendedproperty N'MS_Description', N'jobe, 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', 'COLUMN', N'fldTarikh'

GO

EXEC sp_addextendedproperty N'MS_Description', N'jobe, 'SCHEMA', N'dbo', 'SCHEMA', N'dbo', 'TABLE', N'tblFactorsAffectingValues_Header', 'COLUMN', N'fldTimeStamp'

GO
```

Used By

[dbo].[tblFactorsAffectingValues_Detail]

[dbo].[prs_CopyCharkhe]

[dbo].[prs_tblFactorsAffectingValues_DetailGroupSelect]

[dbo].[prs_tblFactorsAffectingValues_DetailSelect]

[dbo] [prs tblFactorsAffectingValues HeaderDelete]

[dbo].[prs_tblFactorsAffectingValues_HeaderInsert]

[dbo].[prs_tblFactorsAffectingValues_HeaderSelect]

[dbo].[prs_tblFactorsAffectingValues_HeaderUpdate]

[dbo].[tblFile]

MS_Description

ها فایل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	27
Created	12:47:45 PM Monday, November 30, 2020
Last Modified	7:58:00 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
	fldFile	varbinary(max)	max	False	
	fldPasvand	varchar(5)	5	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldFileName	nvarchar(150)	300	False	
	fldSize	decimal(8,3)	5	False	

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblFile	fldld	True

```
CREATE TABLE [dbo].[tblFile]

(
[fldId] [int] NOT NULL,

[fldFile] [varbinary] (max) NOT NULL,

[fldPasvand] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblFile_fldDesc] DEFAULT (''),
```

```
[fldFileName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldSize] [decimal] (8, 3) NOT NULL
ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblFile] ADD CONSTRAINT [PK tblFile] PRIMARY KEY CLUSTERED ([fld-
Id]) ON [PRIMARY]
EXEC sp addextendedproperty N'MS Description', N' اها فايل', 'SCHEMA', N'dbo', 'TABLE',
N'tblFile', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'ight-i, 'SCHEMA', N'dbo', 'TABLE',
N'tblFile', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'فابل', 'SCHEMA', N'dbo', 'TABLE',
N'tblFile', 'COLUMN', N'fldFile'
EXEC sp addextendedproperty N'MS Description', N'فايل نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblFile', 'COLUMN', N'fldFileName'
EXEC sp_addextendedproperty N'MS_Description', N'us', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
File', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'پسوند', 'SCHEMA', N'dbo', 'TABLE',
N'tblFile', 'COLUMN', N'fldPasvand'
GO
EXEC sp_addextendedproperty N'MS_Description', N'فايل سايز', 'SCHEMA', N'dbo', 'TABLE',
N'tblFile', 'COLUMN', N'fldSize'
GO
```

Used By

```
[Cnt].[tblContanctType]
[dbo].[tblActions]
[dbo].[tblArchiveTree File]
[dbo].[tblAshkhas]
[dbo].[tblCharkhe]
[dbo].[tblFileAyeenName]
[dbo].[tblHelp]
[dbo].[tblKartabl]
[dbo].[tblOperation]
[dbo].[tblTicket]
[Cnt].[prs_tblContactSelect]
[Cnt].[prs_tblContanctTypeDelete]
[Cnt].[prs_tblContanctTypeInsert]
[Cnt].[prs_tblContanctTypeSelect]
[Cnt].[prs_tblContanctTypeUpdate]
[dbo].[prs_PersonlInfoInsert]
[dbo].[prs_SelectDistictAction_Cartable]
[dbo].[prs_SelectDistictOperation_Action]
[dbo].[prs_selectEkhtesas]
[dbo].[prs_SelectEshterakOpration]
[dbo].[prs_SelectLastOpration_EnterCycleId]
[dbo].[prs SelectTimeLine]
```

- [dbo].[prs_tblActionsDelete]
- [dbo].[prs_tblActionsInsert]
- [dbo].[prs_tblActionsSelect]
- [dbo].[prs_tblActionsUpdate]
- [dbo].[prs_tblArchiveTree_FileDelete]
- [dbo].[prs_tblArchiveTree_FileInsert]
- [dbo].[prs_tblArchiveTree_FileUpdate]
- [dbo].[prs_tblAshkhasInsert]
- [dbo].[prs_tblAshkhasUpdate]
- [dbo].[prs_tblCharkhe_EghdamSelect]
- [dbo].[prs_tblCharkheDelete]
- [dbo].[prs tblCharkhelnsert]
- [dbo].[prs_tblCharkheSelect]
- [dbo].[prs_tblCharkheUpdate]
- [dbo].[prs_tblEkhtesasActions_CartableSelect]
- [dbo].[prs_tblEnterToCycleSelect]
- [dbo].[prs_tblFileAyeenNameDelete]
- [dbo].[prs_tblFileAyeenNameInsert]
- [dbo].[prs_tblFileAyeenNameUpdate]
- [dbo].[prs_tblFileDelete]
- [dbo].[prs_tblFileSelect]
- [dbo].[prs_tblHelpDelete]
- [dbo].[prs_tblHelpInsert]
- [dbo].[prs_tblHelpSelect]
- [dbo].[prs_tblHelpUpdate]
- [dbo].[prs_tblKartablDelete]
- [dbo].[prs_tblKartablInsert]
- [dbo].[prs_tblKartablSelect]
- [dbo].[prs_tblKartablUpdate]
- [dbo].[prs_tblOperationDelete]
- [dbo].[prs_tblOperationInsert]
- $[dbo].[prs_tblOperationSelect] \\$
- [dbo].[prs_tblOperationUpdate]
- [dbo].[prs_tblOpertion_ActionSelect]
- [dbo].[prs_tblTicketInsert]
- [dbo].[prs_UpdateFilePersonal]

[dbo].[tblFileAyeenName]

MS_Description

نامه آبين فايل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	1:06:06 PM Wednesday, December 2, 2020
Last Modified	9:38:34 AM Monday, December 14, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldFileId	int	4	False	
	fldTitle	nvarchar(200)	400	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblFileAyeenName	fldld	True

Foreign Keys

Name	Columns
FK_tblFileAyeenName_tblFile	fldFileId->[dbo].[tblFile].[fldId]

```
CREATE TABLE [dbo].[tblFileAyeenName]

(
[fldId] [int] NOT NULL,

[fldFileId] [int] NOT NULL,
```

```
[fldTitle] [nvarchar] (200) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblFileAyeenName fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblFileAyeenName] ADD CONSTRAINT [PK tblFileAyeenName] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblFileAyeenName] ADD CONSTRAINT [FK tblFileAyeenName tblFile]
FOREIGN KEY ([fldFileId]) REFERENCES [dbo].[tblFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'لنامه آبين فابل ', 'SCHEMA', N'dbo',
'TABLE', N'tblFileAyeenName', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'eight ', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileAyeenName', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'فايل كه', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileAyeenName', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS Description', N'ني ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFileAyeenName', 'COLUMN', N'fldId'
GO
EXEC sp addextendedproperty N'MS Description', N'عتوان', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileAyeenName', 'COLUMN', N'fldTitle'
```

Uses

[dbo].[tblFile]

Used By

[dbo].[prs_tblFileAyeenNameDelete] [dbo].[prs_tblFileAyeenNameInsert] [dbo].[prs_tblFileAyeenNameSelect]

[dbo].[prs_tblFileAyeenNameUpdate]

[dbo].[tblFileDesktop_User]

MS_Description

دسكتاپ فايل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	8:53:55 AM Saturday, January 2, 2021
Last Modified	10:16:46 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK C	fldld	int	4	False
	fldThem	varbinary(max)	max	True
	fldPasvand	varchar(5)	5	False
	fldSize	decimal(5,2)	5	False
	fldFileName	nvarchar(100)	200	False

Indexes

Key	Name	Key Columns	Unique
PKC	PK_tblThemFile	fldld	True

```
CREATE TABLE [dbo].[tblFileDesktop_User]

(
[fldId] [int] NOT NULL,

[fldThem] [varbinary] (max) NULL,

[fldPasvand] [varchar] (5) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldSize] [decimal] (5, 2) NOT NULL,

[fldFileName] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO
```

```
ALTER TABLE [dbo].[tblFileDesktop User] ADD CONSTRAINT [PK tblThemFile] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
EXEC sp_addextended property N'MS_Description', N'^{\prime}L 'SCHEMA', N'dbo', 'cm^{\prime}L' 'SCHEMA', N'dbo',
'TABLE', N'tblFileDesktop User', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'فايل نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileDesktop User', 'COLUMN', N'fldFileName'
EXEC sp addextendedproperty N'MS Description', N'اليدى', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileDesktop_User', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileDesktop User', 'COLUMN', N'fldPasvand'
EXEC sp_addextendedproperty N'MS_Description', N'ube', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileDesktop_User', 'COLUMN', N'fldSize'
EXEC sp_addextendedproperty N'MS_Description', N'use ', 'SCHEMA', N'dbo',
'TABLE', N'tblFileDesktop User', 'COLUMN', N'fldThem'
GO
```

Used By

[dbo].[tblThemDesktop_User]
[dbo].[prs_tblFileDesktop_UserSelect]
[dbo].[prs_tblThemDesktop_UserInsert]

[dbo].[tblFileMojaz]

MS_Description

مجاز فايل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	9:26:37 AM Tuesday, January 19, 2021
Last Modified	10:17:08 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldArchiveTreeId	int	4	False	
FK	fldFormatFileId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblFileMojaz	fldld	True

Foreign Keys

Name	Columns
FK_tblFileMojaz_tblArchiveTree	fldArchiveTreeId->[dbo].[tblArchiveTree].[fldId]
FK_tblFileMojaz_tblFormatFile	fldFormatFileId->[dbo].[tblFormatFile].[fldId]

```
CREATE TABLE [dbo].[tblFileMojaz]
(
[fldId] [int] NOT NULL,
```

```
[fldArchiveTreeId] [int] NOT NULL,
[fldFormatFileId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblFileMojaz fldDesc] DEFAULT ('')
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblFileMojaz] ADD CONSTRAINT [PK tblFileMojaz] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblFileMojaz] ADD CONSTRAINT [FK tblFileMojaz tblArchiveTree]
FOREIGN KEY ([fldArchiveTreeId]) REFERENCES [dbo].[tblArchiveTree] ([fldId])
ALTER TABLE [dbo].[tblFileMojaz] ADD CONSTRAINT [FK tblFileMojaz tblFormatFile] FOREIGN
KEY ([fldFormatFileId]) REFERENCES [dbo].[tblFormatFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblFileMojaz', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'. 'درختی آرشیو کد', 'SCHEMA', N'dbo',
'TABLE', N'tblFileMojaz', 'COLUMN', N'fldArchiveTreeId'
EXEC sp addextendedproperty N'MS Description', N'ight-i, 'SCHEMA', N'dbo', 'TABLE',
N'tblFileMojaz', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' فرمت فابل كد', 'SCHEMA', N'dbo',
'TABLE', N'tblFileMojaz', 'COLUMN', N'fldFormatFileId'
EXEC sp addextendedproperty N'MS_Description', N' ادى اى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFileMojaz', 'COLUMN', N'fldId'
```

Uses

[dbo].[tblArchiveTree] [dbo].[tblFormatFile]

Used By

[dbo].[prs_DeleteArchiveTreeGroup]
[dbo].[prs_tblArchiveTreeSelect]
[dbo].[prs_tblFileMojazDelete]
[dbo].[prs_tblFileMojazInsert]
[dbo].[prs_tblFileMojazSelect]
[dbo].[prs_tblFileMojazUpdate]

[dbo].[tblFormatFile]

MS_Description

فايل فرمت

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	2:30:30 PM Saturday, January 23, 2021
Last Modified	2:44:36 PM Saturday, January 23, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblFormatFileHistory]
History Table Row Count (~)	5
History Table Created	2:44:36 PM Saturday, January 23, 2021
History Table Last Modified	2:44:36 PM Saturday, January 23, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldFormatName	nvarchar(50)	100	False	
	fldPassvand	varchar(10)	10	False	
	fldlcon	varbinary(max)	max	True	
	fldDesc	nvarchar(100)	200	False	(")
	fldIconName	nvarchar(150)	300	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblFormatFile	fldld	True

Extended Properties

Name	Value
PersianName	فايل فرمت

```
CREATE TABLE [dbo].[tblFormatFileHistory]
[fldId] [int] NOT NULL,
[fldFormatName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldPassvand] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldIcon] [varbinary] (max) NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldIconName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblFormatFileHistory] ON [dbo].[tblFormatFileHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblFormatFile]
[fldId] [int] NOT NULL,
[fldFormatName] [nvarchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldPassvand] [varchar] (10) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldIcon] [varbinary] (max) NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblFormatFile fldDesc] DEFAULT (''),
[fldIconName] [nvarchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblFormatFile fldIconName] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Format Start 479C827A] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblFormat -
EndTi__4890A6B3] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999,(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblFormatFile] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
```

```
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblFormatFileHistory])
)
GO
EXEC sp_addextendedproperty N'MS_Description', N'فايل فرمت', 'SCHEMA', N'dbo', 'TABLE',
N'tblFormatFile', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N' فايل فرمت', 'SCHEMA', N'dbo', 'TABLE',
N'tblFormatFile', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'usp', 'SCHEMA', N'dbo',
'TABLE', N'tblFormatFile', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N' فرمت نام ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFormatFile', 'COLUMN', N'fldFormatName'
EXEC sp addextendedproperty N'MS_Description', N' آپکن ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFormatFile', 'COLUMN', N'fldIcon'
EXEC sp_addextendedproperty N'MS_Description', N'a', 'SCHEMA', N'dbo', 'TABLE',
N'tblFormatFile', 'COLUMN', N'fldIconName'
GO
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFormatFile', 'COLUMN', N'fldId'
GO
EXEC sp addextendedproperty N'MS_Description', N'uso', پسوند ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblFormatFile', 'COLUMN', N'fldPassvand'
EXEC sp addextendedproperty N'MS_Description', N'. ويرايش يه مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblFormatFile', 'COLUMN', N'fldTimeStamp'
```

Used By

[dbo].[tblFileMojaz]
[dbo].[prs_tblArchiveTreeSelect]
[dbo].[prs_tblFileMojazSelect]
[dbo].[prs_tblFormatFileDelete]
[dbo].[prs_tblFormatFileInsert]
[dbo].[prs_tblFormatFileSelect]
[dbo].[prs_tblFormatFileUpdate]

[dbo].[tblHelp]

MS_Description

راهنماها

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	39
Created	2:59:02 PM Tuesday, January 19, 2021
Last Modified	10:18:22 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldFormName	nvarchar(150)	300	False	
FK	fldFilePdfld	int	4	True	
FK	fldFileVideoId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PKC	PK_tblHelp	fldld	True

Foreign Keys

Name	Columns
FK_tblHelp_tblFile	fldFilePdfld->[dbo].[tblFile].[fldId]
FK_tblHelp_tblFile1	fldFileVideoId->[dbo].[tblFile].[fldId]

SQL Script

CREATE TABLE [dbo].[tblHelp]

```
[fldId] [int] NOT NULL,
[fldFormName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFilePdfId] [int] NULL,
[fldFileVideoId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblHelp_fldDesc] DEFAULT ('')
ON [PRIMARY]
ALTER TABLE [dbo].[tblHelp] ADD CONSTRAINT [PK tblHelp] PRIMARY KEY CLUSTERED ([fld-
Id]) ON [PRIMARY]
ALTER TABLE [dbo].[tblHelp] ADD CONSTRAINT [FK tblHelp tblFile] FOREIGN KEY ([fldFile-
PdfId]) REFERENCES [dbo].[tblFile] ([fldId])
ALTER TABLE [dbo].[tblHelp] ADD CONSTRAINT [FK tblHelp tblFile1] FOREIGN KEY ([fldFile-
VideoId]) REFERENCES [dbo].[tblFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' راهنماها', 'SCHEMA', N'dbo', 'TABLE',
N'tblHelp', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N'iche', 'SCHEMA', N'dbo', 'TABLE',
N'tblHelp', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' فايل كه', 'sCHEMA', N'dbo',
'TABLE', N'tblHelp', 'COLUMN', N'fldFilePdfld'
EXEC sp_addextendedproperty N'MS_Description', N'عاويديو فايل كد', 'SCHEMA', N'dbo',
'TABLE', N'tblHelp', 'COLUMN', N'fldFileVideoId'
EXEC sp addextendedproperty N'MS Description', N'فرم نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblHelp', 'COLUMN', N'fldFormName'
EXEC sp addextendedproperty N'MS Description', N' ادى اى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblHelp', 'COLUMN', N'fldId'
```

Uses

[dbo].[tblFile]

Used By

[dbo].[prs_tblHelpDelete] [dbo].[prs_tblHelpInsert] [dbo].[prs_tblHelpSelect] [dbo].[prs_tblHelpUpdate]

[dbo].[tblHistoryOrgan]

MS_Description

سازمان تاريخچه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	10:49:05 AM Monday, December 28, 2020
Last Modified	10:19:03 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldPersonalId	int	4	False	
	fldOrganId	int	4	False	
	fldTarikh	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblHistoryOrgan	fldld	True

```
CREATE TABLE [dbo].[tblHistoryOrgan]

(
[fldId] [int] NOT NULL,

[fldPersonalId] [int] NOT NULL,

[fldOrganId] [int] NOT NULL,

[fldTarikh] [int] NOT NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblHistoryOrgan_fldDesc] DEFAULT (''')
```

```
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblHistoryOrgan] ADD CONSTRAINT [PK tblHistoryOrgan] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
EXEC sp addextendedproperty N'MS Description', N'طان تاریخچه', 'SCHEMA', N'dbo',
'TABLE', N'tblHistoryOrgan', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N'ito', 'SCHEMA', N'dbo',
'TABLE', N'tblHistoryOrgan', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'us اى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblHistoryOrgan', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'ارگان جدول دی ای ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblHistoryOrgan', 'COLUMN', N'fldOrganId'
EXEC sp_addextendedproperty N'MS_Description', N'نی ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblHistoryOrgan', 'COLUMN', N'fldPersonalId'
EXEC sp addextendedproperty N'MS_Description', N'ناريخ ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblHistoryOrgan', 'COLUMN', N'fldTarikh'
GO
```

Used By

[dbo].[prs_PersonIInfoInsert]

[dbo].[tblInputArgument]

MS_Description

ورودي ارگومان

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	8:24:44 AM Monday, December 14, 2020
Last Modified	8:24:44 AM Monday, December 14, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldServiceId	int	4	False	
FK	fldDataTypeId	int	4	False	
	fldName	nvarchar(400)	800	False	
	fldDesc	nvarchar(500)	1000	False	(")
	fldOutputName	nvarchar(350)	700	False	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblInputArgument	fldld	True

Foreign Keys

Name	Columns
FK_tblInputArgument_tblDataTypes	fldDataTypeId->[dbo].[tblDataTypes].[fldId]
FK_tblInputArgument_tblService	fldServiceId->[dbo].[tblService].[fldld]

SQL Script

```
CREATE TABLE [dbo].[tblInputArgument]
[fldId] [int] NOT NULL,
[fldServiceId] [int] NOT NULL,
[fldDataTypeId] [int] NOT NULL,
[fldName] [nvarchar] (400) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (500) COLLATE SQL_Latin1_General CP1 CI AS NOT NULL CONSTRAINT
[DF tblInputArgument fldDesc] DEFAULT (''),
[fldOutputName] [nvarchar] (350) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblInputArqument] ADD CONSTRAINT [PK tblInputArqument] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblInputArgument] ADD CONSTRAINT [FK tblInputArgument tblDataTypes]
FOREIGN KEY ([fldDataTypeId]) REFERENCES [dbo].[tblDataTypes] ([fldId])
ALTER TABLE [dbo].[tblInputArqument] ADD CONSTRAINT [FK tblInputArqument tblService]
FOREIGN KEY ([fldServiceId]) REFERENCES [dbo].[tblService] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'رودی ارگومان', 'SCHEMA', N'dbo',
'TABLE', N'tblInputArgument', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N' داده نوع كد', 'SCHEMA', N'dbo',
'TABLE', N'tblInputArgument', 'COLUMN', N'fldDataTypeId'
EXEC sp addextendedproperty N'MS Description', N'توفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputArgument', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS_Description', N' دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputArgument', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'ارگومان نام', 'SCHEMA', N'dbo',
'TABLE', N'tblInputArgument', 'COLUMN', N'fldName
EXEC sp_addextendedproperty N'MS_Description', N'do', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputArgument', 'COLUMN', N'fldOutputName'
EXEC sp addextendedproperty N'MS Description', N' سرویس که', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputArgument', 'COLUMN', N'fldServiceId'
GΩ
```

Uses

[dbo].[tblDataTypes]
[dbo].[tblService]

Used By

[dbo].[prs_tblInputArgumentDelete] [dbo].[prs_tblInputArgumentInsert] [dbo].[prs_tblInputArgumentSelect] [dbo].[prs_tblInputArgumentUpdate]
[dbo].[prs_UpdateDescInputArgument]
[dbo].[prs_UpdateInputArgumentDataType]

[dbo].[tblInputInfo]

MS_Description

خروج و ورود

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1157
Created	1:36:10 PM Monday, January 18, 2021
Last Modified	10:19:49 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
	fldDateTime	datetime	8	False	
	fldIP	varchar(50)	50	False	
	fldMACAddress	varchar(50)	50	False	
	fldLoginType	tinyint	1	False	((1))
F	fldUserID	int	4	False	((1))
	fldDesc	nvarchar(100)	200	False	(")
	fldDate	datetime	8	False	(getdate())
	fldBrowserType	varchar(100)	100	True	
	fldKey	varchar(100)	100	True	
	fldAppType	tinyint	1	False	
FK	fldUserSecondId	int	4	False	

Indexes

Key	Name	Key Columns	Unique	
-----	------	-------------	--------	--



Foreign Keys

Name	Columns
FK_tblInputInfo_tblUser	fldUserID->[dbo].[tblUser].[fldId]
FK_tblInputInfo_tblUser1	fldUserSecondId->[dbo].[tblUser].[fldId]

```
CREATE TABLE [dbo].[tblInputInfo]
[fldId] [int] NOT NULL,
[fldDateTime] [datetime] NOT NULL,
[fldIP] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldMACAddress] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldLoginType] [tinyint] NOT NULL CONSTRAINT [DF tblInputInfo fldLoginType] DEFAULT
((1)),
[fldUserID] [int] NOT NULL CONSTRAINT [DF tblInputInfo fldUserID] DEFAULT ((1)),
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblInputInfo fldDesc] DEFAULT (''),
[fldDate] [datetime] NOT NULL CONSTRAINT [DF_tblInputInfo_fldDate] DEFAULT (getdate()),
[fldBrowserType] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldKey] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldAppType] [tinyint] NOT NULL,
[fldUserSecondId] [int] NOT NULL
) ON [PRIMARY]
ALTER TABLE [dbo]. [tblInputInfo] ADD CONSTRAINT [PK tblInputInfo] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblInputInfo] ADD CONSTRAINT [FK tblInputInfo tblUser] FOREIGN KEY
([fldUserID]) REFERENCES [dbo].[tblUser] ([fldId])
ALTER TABLE [dbo].[tblInputInfo] ADD CONSTRAINT [FK tblInputInfo tblUser1] FOREIGN KEY
([fldUserSecondId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N'اخروج و ورود', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', NULL, NULL
EXEC sp addextendedproperty N'MS_Description', N'ن آپـلیکشن نـوع ستون ', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldAppType'
EXEC sp addextendedproperty N'MS_Description', N'ن بروزر نوع ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldBrowserType'
EXEC sp addextendedproperty N'MS Description', N'نوان و تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldDate'
EXEC sp addextendedproperty N'MS Description', N'طان و تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldDateTime
```

```
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputInfo', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'בע', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
InputInfo', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'السبستم پي آي', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldIP'
EXEC sp addextendedproperty N'MS Description', N' كليد ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldKey'
EXEC sp addextendedproperty N'MS Description', N'etes, 'schema', N'dbo', 'TABLE', ''خروج/ورود', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputInfo', 'COLUMN', N'fldLoginType'
EXEC sp addextendedproperty N'MS Description', N'درس صک'', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputInfo', 'COLUMN', N'fldMACAddress'
EXEC sp_addextendedproperty N'MS_Description', N'טוער באי', 'SCHEMA', N'dbo', 'TABLE',
N'tblInputInfo', 'COLUMN', N'fldUserID'
EXEC sp addextendedproperty N'MS_Description', N', انقش در کاربر', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo', 'COLUMN', N'fldUserSecondId'
```

[dbo].[tblUser]

Used By

```
[dbo].[tblError]
[dbo].[tblLogTable]
[dbo].[tblTicket]
[dbo].[tblUser]
[dbo].[tblUserGroup]
[Trans].[tblSubTransaction]
[dbo].[fn_UserIdByRowId]
[dbo].[prs_ApplictionPart_Charkhe]
[dbo].[prs_GetUserGroupTree]
[dbo].[prs_tblAnnouncementManagerSelect]
[dbo].[prs_tblErrorInsert]
[dbo].[prs_tblInputInfoInsert]
[dbo].[prs_tblInputInfoSelect]
[dbo].[prs_tblInputInfoUpdate]
[dbo].[prs_tblKartablDelete]
[dbo].[prs_tblPermissionSelect]
[dbo].[prs_tblStationSelect]
[dbo].[prs_TreeUserGroupWithGrantSelect]
[dbo].[prs User PermissionCharkheldSelect]
```

[dbo].[tblInputInfo_Person]

MS_Description

پرسنل خروج و ورود

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	12:29:49 PM Saturday, December 12, 2020
Last Modified	10:20:14 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldDateTime	datetime	8	False	(getdate())
	fldIP	varchar(50)	50	False	
	fldMACAddress	varchar(50)	50	False	
	fldLoginType	bit	1	False	((1))
FK	fldAshkhasId	int	4	False	((1))
	fldDesc	nvarchar(100)	200	False	(")
	fldBrowserType	varchar(100)	100	True	
	fldKey	varchar(100)	100	True	
	fldAppType	tinyint	1	False	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblInputInfo_Person	fldld	True

Foreign Keys

Name	Columns
FK_tblInputInfo_Person_tblAshkhas	fldAshkhasId->[dbo].[tblAshkhas].[fldId]

```
CREATE TABLE [dbo].[tblInputInfo_Person]
[fldId] [int] NOT NULL,
[fldDateTime] [datetime] NOT NULL CONSTRAINT [DF tblInputInfo Person fldDateTime]
DEFAULT (getdate()),
[fldIP] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldMACAddress] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldLoginType] [bit] NOT NULL CONSTRAINT [DF tblInputInfo Person fldLoginType] DEFAULT
[fldAshkhasId] [int] NOT NULL CONSTRAINT [DF tblInputInfo Person fldAshkhasId] DEFAULT
((1)),
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblInputInfo Person fldDesc] DEFAULT (''),
[fldBrowserType] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldKey] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldAppType] [tinyint] NOT NULL
ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblInputInfo Person] ADD CONSTRAINT [PK tblInputInfo Person] PRIMARY
KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblInputInfo Person] ADD CONSTRAINT [FK tblInputInfo Person tbl-
Ashkhas] FOREIGN KEY ([fldAshkhasId]) REFERENCES [dbo].[tblAshkhas] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N'ورسنل خروج و ورود', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' آپلیکشن نوع ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldAppType
EXEC sp addextendedproperty N'MS Description', N'نكاربر دى آى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldAshkhasId'
EXEC sp_addextendedproperty N'MS_Description', N'وزر نوع ستون", 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldBrowserType
EXEC sp_addextendedproperty N'MS_Description', N' تاريخ ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldDateTime'
EXEC sp addextendedproperty N'MS Description', N'uschema', N'dbo', 'دوضيحات ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS_Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldId
EXEC sp_addextendedproperty N'MS_Description', N', 'SCHEMA', N'dbo',
'TABLE', N'tblInputInfo Person', 'COLUMN', N'fldIP'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'Jubo', 'TABLE', N'tblInputInfo_Person', 'COLUMN', N'fldKey'

GO

EXEC sp_addextendedproperty N'MS_Description', N'Jubo', 'AMEHCS', N'Jubo', 'TABLE', N'Table', N'Table
```

[dbo].[tblAshkhas]

Used By

[dbo].[prs_tblInputInfo_PersonInsert] [dbo].[prs_tblInputInfo_PersonSelect] [dbo].[prs_tblInputInfo_PersonUpdate]

[dbo].[tblltems]

MS_Description

ها آيتم

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	244
Created	2:29:59 PM Monday, February 1, 2021
Last Modified	5:53:20 PM Sunday, February 7, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
F P	fldOnvanAsliId	tinyint	1	False	
r F	fldOnvanFareeld	tinyint	1	False	
ı.	fldName	nvarchar(150)	300	False	
	fldDefault	bit	1	False	((0))

Indexes

Key	Name	Key Columns	Unique
PK P C	PK_tblItems	fldld	True
	IX_tblItems	fldOnvanAslild, fldOnvanFareeId, fldName	True

Foreign Keys

Name	Columns
FK_tblltems_tblOnvanAsli	fldOnvanAsliId->[dbo].[tblOnvanAsli].[fldId]
FK_tblltems_tblOnvanFaree	fldOnvanFareeld->[dbo].[tblOnvanFaree].[fldld]

SQL Script

```
CREATE TABLE [dbo].[tblItems]
[fldId] [int] NOT NULL,
[fldOnvanAsliId] [tinyint] NOT NULL,
[fldOnvanFareeId] [tinyint] NOT NULL,
[fldName] [nvarchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDefault] [bit] NOT NULL CONSTRAINT [DF tblItems fldDefault] DEFAULT ((0))
ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblltems] ADD CONSTRAINT [PK tblltems] PRIMARY KEY CLUSTERED ([fld-
Id]) ON [PRIMARY]
ALTER TABLE [dbo].[tblItems] ADD CONSTRAINT [IX tblItems] UNIQUE NONCLUSTERED ([fld-
OnvanAsliId], [fldOnvanFareeId], [fldName]) ON [PRIMARY]
ALTER TABLE [dbo].[tblItems] ADD CONSTRAINT [FK tblItems tblOnvanAsli] FOREIGN KEY
([fldOnvanAsliId]) REFERENCES [dbo].[tblOnvanAsli] ([fldId])
ALTER TABLE [dbo].[tblItems] ADD CONSTRAINT [FK tblItems tblOnvanFaree] FOREIGN KEY
([fldOnvanFareeId]) REFERENCES [dbo].[tblOnvanFaree] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' اها آيتم', 'SCHEMA', N'dbo', 'TABLE',
N'tblItems', NULL, NULL
GO
EXEC sp addextendedproperty N'MS Description', N' آپدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblItems', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' آپتم نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblItems', 'COLUMN', N'fldName'
EXEC sp addextendedproperty N'MS_Description', N'عنوان كد', 'SCHEMA', N'dbo',
'TABLE', N'tblItems', 'COLUMN', N'fldOnvanAsliId'
EXEC sp_addextendedproperty N'MS_Description', N'دوعي عنوان ايدي', 'SCHEMA', N'dbo',
'TABLE', N'tblItems', 'COLUMN', N'fldOnvanFareeId'
```

Uses

[dbo].[tblOnvanAsli] [dbo].[tblOnvanFaree]

Used By

```
[dbo].[tblAvamelZiyanAvar_Detail]
[dbo].[tblMoayenat_Detail2]
[dbo].[prs_RptAvamelZiyanAvarItem]
[dbo].[prs_RptMoayenatAsab]
[dbo].[prs_RptMoayenatASabi]
[dbo].[prs_RptMoayenatCheshm]
[dbo].[prs_RptMoayenatDesc]
[dbo].[prs_RptMoayenatGhalb]
```

[dbo].[prs_RptMoayenatGoosh]

[dbo].[prs_RptMoayenatKoliye]

[dbo].[prs_RptMoayenatOmoomi]

[dbo].[prs_RptMoayenatPoost]

[dbo].[prs_RptMoayenatRiye]

[dbo].[prs_RptMoayenatSar]

[dbo].[prs_RptMoayenatShekam]

[dbo].[prs_RptMoayenatSkeleti]

[dbo].[prs_SelectMoayenat]

[dbo].[prs_tblItemsSelect]

[dbo].[tblKarshenasanBehdasht]

MS_Description

بهداشت كارشناسان

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	8:47:09 AM Monday, February 1, 2021
Last Modified	10:07:31 AM Wednesday, February 3, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblKarshenasanBehdashtHistory]
History Table Row Count (~)	3
History Table Created	9:19:23 AM Monday, February 1, 2021
History Table Last Modified	10:07:31 AM Wednesday, February 3, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK®	fldAshkhasId	int	4	False	
<u>.</u>	fldCode	nvarchar(15)	30	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblKarshenasanBehdasht	fldld	True
	IX_tblKarshenasanBehdasht	fldAshkhasId, fldCode	True

Foreign Keys

Name	Columns	
FK_tblKarshenasanBehdasht_tblAshkhas	fldAshkhasId->[dbo].[tblAshkhas].[fldId]	

Extended Properties

Name	Value
PersianName	بهداشت کار شناسان

```
CREATE TABLE [dbo].[tblKarshenasanBehdashtHistory]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldCode] [nvarchar] (15) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblKarshenasanBehdashtHistory] ON [dbo].[tblKarshenasan-
BehdashtHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblKarshenasanBehdasht]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldCode] [nvarchar] (15) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF_tbl-
Karshe__Start__106C4921] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblKarshe -
EndTi 11606D5A] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999,(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblKarshenasanBehdasht] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblKarshenasanBehdashtHistory])
)
GO
ALTER TABLE [dbo].[tblKarshenasanBehdasht] ADD CONSTRAINT [IX tblKarshenasanBehdasht]
UNIQUE NONCLUSTERED ([fldAshkhasId], [fldCode]) ON [PRIMARY]
```

```
GO
ALTER TABLE [dbo].[tblKarshenasanBehdasht] ADD CONSTRAINT [FK tblKarshenasan-
Behdasht tblAshkhas] FOREIGN KEY ([fldAshkhasId]) REFERENCES [dbo].[tblAshkhas] ([fld-
Id])
EXEC sp addextendedproperty N'MS Description', N'نهداشت کارشناسان', 'SCHEMA', N'dbo',
'TABLE', N'tblKarshenasanBehdasht', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'سهداشت کارشناسان', 'SCHEMA', N'dbo',
'TABLE', N'tblKarshenasanBehdasht', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'سخاص آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblKarshenasanBehdasht', 'COLUMN', N'fldAshkhasId'
EXEC sp addextendedproperty N'MS Description', N'us', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
KarshenasanBehdasht', 'COLUMN', N'fldCode'
EXEC sp addextendedproperty N'MS Description', N' آبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblKarshenasanBehdasht', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N' ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblKarshenasanBehdasht', 'COLUMN', N'fldTimeStamp
GO
```

[dbo].[tblAshkhas]

Used By

[dbo].[tblAvamelZiyanAvar]

[dbo].[prs_RptAvamelZiyanAvarNazariye]

 $[dbo].[prs_tblKarshenasanBehdashtDelete] \\$

[dbo].[prs_tblKarshenasanBehdashtInsert]

[dbo].[prs_tblKarshenasanBehdashtSelect]

 $[dbo].[prs_tblKarshenasanBehdashtUpdate] \\$

■ [dbo].[tblKartabl]

MS_Description

كارتابل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	7:47:45 AM Sunday, January 24, 2021
Last Modified	5:53:20 PM Sunday, February 7, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblKartablHistory]
History Table Row Count (~)	7
History Table Created	7:49:19 AM Sunday, January 24, 2021
History Table Last Modified	7:49:19 AM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK P	fldld	int	4	False	
	fldName	nvarchar(100)	200	False	
FK	fldFileId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblKartabl	fldld	True

Foreign Keys

Name	Columns
FK_tblKartabl_tblFile	fldFileId->[dbo].[tblFile].[fldId]

Extended Properties

Name	Value
PersianName	كار تابل

```
CREATE TABLE [dbo].[tblKartablHistory]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblKartablHistory] ON [dbo].[tblKartablHistory] ([EndTime],
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblKartabl]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblKartabl fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Kartab Start 6FAA73D4] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblKartab -
EndTi 709E980D] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblKartabl] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
```

```
) ON [PRIMARY]
WITH
(
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblKartablHistory])
GO
ALTER TABLE [dbo].[tblKartabl] ADD CONSTRAINT [FK tblKartabl tblFile] FOREIGN KEY ([fld-
FileId]) REFERENCES [dbo].[tblFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'كارتابل', 'SCHEMA', N'dbo', 'TABLE',
N'tblKartabl', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'كارتابل', 'SCHEMA', N'dbo', 'TABLE',
N'tblKartabl', NULL, NULL
GO
EXEC sp addextendedproperty N'MS Description', N' ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblKartabl', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' آبکن دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblKartabl', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS_Description', N' ادى آى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblKartabl', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'نارتابل اسم ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblKartabl', 'COLUMN', N'fldName'
EXEC sp_addextendedproperty N'MS_Description', N' . "ويرايش به مربوط فيلد", 'SCHEMA',
N'dbo', 'TABLE', N'tblKartabl', 'COLUMN', N'fldTimeStamp
GO
```

[dbo].[tblFile]

Used By

```
[dbo].[tblAcceptOrReject]
[dbo].[tblArchiveTree_File]
[dbo].[tblAudiometri1]
[dbo].[tblAudiometri2]
[dbo].[tblAvamelZiyanAvar]
[dbo].[tblBazgashBeGhabl]
[dbo].[tblDidOmgh]
[dbo].[tblEkhtesasActions_Cartable]
[dbo].[tblEtmamCharkhe]
[dbo].[tblMoayenat]
[dbo].[tblNazarNahaii]
[dbo].[tblOptometri]
[dbo].[tblSabeghe]
[dbo].[tblSpirometri]
[dbo].[prs_KolAudiometriSelect]
[dbo].[prs_KolOptometriSelect]
```

[dbo].[prs_selectEkhtesas]

[dbo].[prs_SelectKolSabeghe]

 $[dbo].[prs_SelectLastOpration_EnterCycleId]$

[dbo].[prs_SelectTimeLine]

 $[dbo]. [prs_Specific Cartable Permission Tree Select] \\$

[dbo].[prs_tblAcceptOrRejectSelect]

[dbo].[prs_tblArchiveTree_FileSelect]

[dbo].[prs_tblAudiometri1Select]

[dbo].[prs_tblAudiometri2Select]

[dbo].[prs_tblAvamelZiyanAvarSelect]

[dbo].[prs_tblBazgashtBeGhablSelect]

[dbo].[prs tblCharkhe EghdamSelect]

[dbo].[prs_tblDidOmghSelect]

[dbo].[prs_tblEkhtesasActions_CartableSelect]

[dbo].[prs_tblEtmamCharkheSelect]

[dbo].[prs_tblKartablDelete]

[dbo].[prs_tblKartablInsert]

[dbo].[prs_tblKartablSelect]

[dbo].[prs_tblKartablUpdate]

[dbo].[prs_tblMoayenatSelect]

[dbo].[prs_tblNazarNahaiiSelect]

[dbo].[prs_tblOptometriSelect]

[dbo].[prs_tblSabegheSelect]

[db0].[bis_tbiSabegileSelect]

[dbo].[prs_tblSpirometriSelect]

[dbo].[tblLimitationIP]

MS_Description

پی آی محدودیت

Properties

Property	Value
Collation SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	0
Created	1:01:29 PM Saturday, November 28, 2020
Last Modified	9:09:45 AM Tuesday, January 12, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK P C	fldld	int	4	False	
F P	fldUserLimId	int	4	False	
.t.	fldIPValid	varchar(50)	50	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblLimitationIP	fldId	True
	IX_tblLimitationIP	fldIPValid, fldUserLimId	True

Foreign Keys

Name	Columns		
FK_tblLimitationIP_tblUser	fldUserLimId->[dbo].[tblUser].[fldId]		

```
CREATE TABLE [dbo].[tblLimitationIP]
```

```
[fldId] [int] NOT NULL,
[fldUserLimId] [int] NOT NULL,
[fldIPValid] [varchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblLimitationIP fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationIP] ADD CONSTRAINT [PK tblLimitationIP] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationIP] ADD CONSTRAINT [IX tblLimitationIP] UNIQUE
NONCLUSTERED ([fldIPValid], [fldUserLimId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationIP] ADD CONSTRAINT [FK tblLimitationIP tblUser] FOREIGN
KEY ([fldUserLimId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationIP', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblLimitationIP', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ني آي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationIP', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'نوليد پي ای', 'SCHEMA', N'dbo', 'TABLE', N'tblLimitationIP', 'COLUMN', N'fldIPValid'
EXEC sp_addextendedproperty N'MS_Description', N' اسحدود كاربر كد', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationIP', 'COLUMN', N'fldUserLimId'
```

[dbo].[tblUser]

Used By

[dbo].[Fn_LimitationType_User]
[dbo].[Fn_LimitationUser]
[dbo].[prs_CheckIPUnique]
[dbo].[prs_CountLimitationUser]
[dbo].[prs_tblLimitationIPDelete]
[dbo].[prs_tblLimitationIPInsert]
[dbo].[prs_tblLimitationIPSelect]
[dbo].[prs_tblLimitationIPUpdate]

[dbo].[tblLimitationMacAddress]

MS_Description

آدرس مک محدودیت

Properties

Property Value		
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	0	
Created	1:02:47 PM Saturday, November 28, 2020	
Last Modified	9:09:45 AM Tuesday, January 12, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK#C	fldld	int	4	False	
F.	fldUserLimId	int	4	False	
ф	fldMacValid	varchar(100)	100	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblLimitationMacAddress	fldId	True
	IX_tblLimitationMacAddress	fldMacValid, fldUserLimId	True

Foreign Keys

Name	Columns		
FK_tblLimitationMacAddress_tblUser	fldUserLimId->[dbo].[tblUser].[fldId]		

```
CREATE TABLE [dbo].[tblLimitationMacAddress]
```

```
[fldId] [int] NOT NULL,
[fldUserLimId] [int] NOT NULL,
[fldMacValid] [varchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblLimitationMacAddress fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationMacAddress] ADD CONSTRAINT [PK tblLimitationMacAddress]
PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationMacAddress] ADD CONSTRAINT [IX tblLimitationMacAddress]
UNIQUE NONCLUSTERED ([fldMacValid], [fldUserLimId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationMacAddress] ADD CONSTRAINT [FK tblLimitationMac-
Address tbluser] FOREIGN KEY ([fldUserLimId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'". 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationMacAddress', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblLimitationMacAddress', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ني آي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationMacAddress', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'فرس صک', 'SCHEMA', N'dbo', 'TABLE',
N'tblLimitationMacAddress', 'COLUMN', N'fldMacValid'
EXEC sp addextendedproperty N'MS Description', N'لمحدود كاربر كد', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationMacAddress', 'COLUMN', N'fldUserLimId'
```

[dbo].[tblUser]

Used By

[dbo].[Fn_LimitationType_User]
[dbo].[Fn_LimitationUser]
[dbo].[prs_CountLimitationUser]
[dbo].[prs_tblLimitationMacAddressDelete]
[dbo].[prs_tblLimitationMacAddressInsert]
[dbo].[prs_tblLimitationMacAddressSelect]
[dbo].[prs_tblLimitationMacAddressUpdate]

■ [dbo].[tblLimitationTime]

MS_Description

زماني محدوديت

Properties

Property Value		
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	0	
Created	1:37:46 PM Saturday, November 28, 2020	
Last Modified	9:09:45 AM Tuesday, January 12, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldUserLimId	int	4	False	
	fldRoozHafte	nvarchar(50)	100	False	
	fldAzSaat	int	4	False	
	fldTaSaat	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblLimitationTime	fldld	True

Foreign Keys

Name	Columns		
FK_tblLimitationTime_tblUser	fldUserLimId->[dbo].[tblUser].[fldId]		

SQL Script

```
CREATE TABLE [dbo].[tblLimitationTime]
[fldId] [int] NOT NULL,
[fldUserLimId] [int] NOT NULL,
[fldRoozHafte] [nvarchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldAzSaat] [int] NOT NULL,
[fldTaSaat] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblLimitationTime fldDesc] DEFAULT ('')
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblLimitationTime] ADD CONSTRAINT [PK tblLimitationTime] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblLimitationTime] ADD CONSTRAINT [FK tblLimitationTime tblUser]
FOREIGN KEY ([fldUserLimId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N'نمانی محدودیت', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationTime', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'الساعت از', 'SCHEMA', N'dbo', 'TABLE',
N'tblLimitationTime', 'COLUMN', N'fldAzSaat'
EXEC sp addextendedproperty N'MS Description', N'توفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblLimitationTime', 'COLUMN', N'fldDesc'
GO
EXEC sp addextendedproperty N'MS Description', N'us ادى اى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationTime', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N', 'sCHEMA', N'dbo', 'TABLE',
N'tblLimitationTime', 'COLUMN', N'fldRoozHafte'
EXEC sp_addextendedproperty N'MS_Description', N'" اساعت نا', 'SCHEMA', N'dbo', 'TABLE',
N'tblLimitationTime', 'COLUMN', N'fldTaSaat'
EXEC sp addextendedproperty N'MS Description', N' محدود كاربري كد', 'SCHEMA', N'dbo',
'TABLE', N'tblLimitationTime', 'COLUMN', N'fldUserLimId'
```

Uses

[dbo].[tblUser]

Used By

```
[dbo].[Fn_LimitationType_User]
[dbo].[Fn_LimitationUser]
[dbo].[prs_CountLimitationUser]
[dbo].[prs_tblLimitationTimeDelete]
[dbo].[prs_tblLimitationTimeInsert]
[dbo].[prs_tblLimitationTimeSelect]
[dbo].[prs_tblLimitationTimeUpdate]
```

[dbo].[tblLogTable]

MS_Description

جداول تاريحچه

Properties

Property	Value	
Row Count (~)	13300	
Created	11:57:28 AM Saturday, November 28, 2020	
Last Modified	1:36:10 PM Monday, January 18, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
PKP C	fldId	bigint	8	False	1 - 1	
FK	fldNameTableId	int	4	False		
	fldTableId	int	4	False		
FK	fldInputId	int	4	True		
	fldDate	datetime	8	False		(getdate())
	fldType	tinyint	1	False		

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblLogTable	fldld	True

Foreign Keys

Name	Columns		
FK_tblLogTable_tblInputInfo	fldInputId->[dbo].[tblInputInfo].[fldId]		
FK_tblLogTable_tblNameTable	fldNameTableId->[dbo].[tblNameTable].[fldId]		

```
CREATE TABLE [dbo].[tblLogTable]
(
[fldId] [bigint] NOT NULL IDENTITY(1, 1),
```

```
[fldNameTableId] [int] NOT NULL,

[fldTableId] [int] NOT NULL,

[fldInputId] [int] NULL,

[fldDate] [datetime] NOT NULL CONSTRAINT [DF_tblLogTable_fldDate] DEFAULT (getdate()),

[fldType] [tinyint] NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblLogTable] ADD CONSTRAINT [PK_tblLogTable] PRIMARY KEY CLUSTERED

([fldId]) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblLogTable] ADD CONSTRAINT [FK_tblLogTable_tblInputInfo] FOREIGN

KEY ([fldInputId]) REFERENCES [dbo].[tblInputInfo] ([fldId])

GO

ALTER TABLE [dbo].[tblLogTable] ADD CONSTRAINT [FK_tblLogTable_tblNameTable] FOREIGN

KEY ([fldNameTableId]) REFERENCES [dbo].[tblNameTable] ([fldId])

GO

EXEC sp_addextendedproperty N'MS_Description', N'apply 'SCHEMA', N'dbo',

'TABLE', N'tblLogTable', NULL, NULL

GO
```

[dbo].[tblInputInfo]
[dbo].[tblNameTable]

Used By

```
[dbo].[prs DeleteArchiveTreeGroup]
[dbo].[prs_DeleteChildUserGroupPermission]
[dbo].[prs_DeleteChildUserGroupPermissionCharkhe]
[dbo].[prs_tblAnnouncement_TreeInsert]
[dbo].[prs_tblAnnouncementManagerAttachmentDelete]
[dbo].[prs_tblAnnouncementManagerAttachmentUpdate]
[dbo].[prs_tblAnnouncementSeenDelete]
[dbo].[prs_tblAnnouncementSeenInsert]
[dbo].[prs tblAnnouncementSeenUpdate]
[dbo].[prs_tblAnvaPayeDelete]
[dbo].[prs_tblAnvaPayeInsert]
[dbo].[prs tblAnvaPayeUpdate]
[dbo].[prs_tblApplicationPart_DigitablArchiveInsert]
[dbo].[prs_tblArchiveDelete]
[dbo].[prs_tblArchiveTree_FileDelete]
[dbo].[prs_tblArchiveTree_FileSelect]
[dbo].[prs tblArchiveTree FileUpdate]
[dbo].[prs_tblArchiveTreeDelete]
[dbo].[prs_tblArchiveTreeUpdate]
[dbo].[prs_tblAvamelMoasser_UpgradeDelete]
[dbo].[prs_tblAvamelMoasser_UpgradeInsert]
[dbo].[prs_tblAvamelMoasser_UpgradeUpdate]
[dbo].[prs_tblCharkhe_FirstEghdamSelect]
[dbo].[prs_tblComputationFormulaDelete]
[dbo].[prs_tblComputationFormulaUpdate]
```

- [dbo].[prs_tblDegreeOfEducationHistoryInsert]
- [dbo].[prs_tblDegreeOfEducationInsert]
- [dbo].[prs_tblEmploymentStatusHistoryInsert]
- [dbo].[prs_tblEmploymentStatusInsert]
- [dbo].[prs_tblFactorsAffectingValues_DetailInsert]
- [dbo].[prs_tblFileAyeenNameDelete]
- [dbo].[prs_tblFileAyeenNameInsert]
- [dbo].[prs_tblFileAyeenNameUpdate]
- [dbo].[prs_tblFileDelete]
- [dbo].[prs_tblFileMojazDelete]
- [dbo].[prs_tblFileMojazInsert]
- [dbo].[prs tblFileMojazUpdate]
- [dbo].[prs_tblInputArgumentDelete]
- [dbo].[prs_tblInputArgumentInsert]
- [dbo].[prs_tblInputArgumentUpdate]
- [dbo].[prs_tblLimitationIPDelete]
- [dbo].[prs_tblLimitationIPInsert]
- [dbo].[prs_tblLimitationIPUpdate]
- [dbo].[prs_tblLimitationMacAddressDelete]
- [dbo].[prs_tblLimitationMacAddressInsert]
- [dbo].[prs_tblLimitationMacAddressUpdate]
- [dbo].[prs_tblLimitationTimeDelete]
- [dbo].[prs_tblLimitationTimeInsert]
- [dbo].[prs_tblLimitationTimeUpdate]
- [dbo].[prs_tblMahalSazmaniInsert]
- [dbo].[prs_tblNahiInsert]
- [dbo].[prs_tblNahiUpdate]
- [dbo].[prs_tblPageHtmlDelete]
- [dbo].[prs_tblPageHtmlInsert]
- [dbo].[prs_tblPageHtmlUpdate]
- [dbo].[prs_tblParticularPropertiesDelete]
- [dbo].[prs_tblParticularPropertiesInsert]
- [dbo].[prs_tblParticularPropertiesUpdate]
- [dbo].[prs_tblPayeInsert]
- [dbo].[prs_tblPermission_DigitalArchiveDelete]
- [dbo].[prs_tblPermission_DigitalArchiveInsert]
- [dbo].[prs_tblPermissionCharkheDelete]
- [dbo].[prs_tblPermissionCharkheInsert]
- [dbo].[prs_tblPermissionDelete]
- [dbo].[prs_tblPermissionInsert]
- [dbo].[prs_tblPermissionUpdate]
- $[dbo].[prs_tblPersonalInfoDelete] \\$
- [dbo].[prs_tblPersonalInfoInsert]
- [dbo].[prs_tblPersonalInfoUpdate]
- [dbo].[prs_tblServiceDelete]
- $[dbo].[prs_tblServiceInsert] \\$
- [dbo].[prs_tblServiceUpdate]
- [dbo].[prs_tblSpecificCartablePermission_UserGroupDelete]
- [dbo].[prs_tblSpecificCartablePermission_UserGroupInsert]
- [dbo].[prs_tblSpecificCartablePermissionDelete]
- [dbo].[prs_tblSpecificCartablePermissionInsert]
- [dbo].[prs_tblStationUpdate]
- [dbo].[prs_tblThemDesktop_UserInsert]

[dbo].[prs_tblTicketInsert]

[dbo].[prs_tblTicketPermissionDelete]

[dbo].[prs_tblTicketPermissionInsert]

[dbo].[prs_tblTicketPermissionUpdate]

 $[dbo].[prs_tblTimeLimit_UserGroupInsert] \\$

[dbo].[prs_tblTimeLimit_UserInsert]

[dbo].[prs_tblTimeLimit_UserUpdate]

[dbo].[prs_tblTreeStructureInsert]

[dbo].[prs_tblUser_GroupDelete]

[dbo].[prs_tblUser_GroupInsert]

[dbo].[prs_tblUser_GroupUpdate]

[dbo].[prs tblUser PermissionCharkheDelete]

[dbo].[prs_tblUser_PermissionCharkheInsert]

[dbo].[prs_tblUser_PermissionDelete]

[dbo].[prs_tblUser_PermissionInsert]

[dbo].[prs_tblUser_PermissionUpdate]

[dbo].[prs_tblUserInsert]

[dbo].[prs_tblUserUpdate]

[dbo].[prs_UpdateDataTypeService]

[dbo].[prs_UpdateDescInputArgument]

[dbo].[prs_UpdateInputArgumentDataType]

[dbo].[prs_UpdatePassPersonal]

[dbo].[prs_UpdatePldArchive]

[dbo].[prs_UpdateSharhAmalkardService]

[dbo].[tblMaghadirEllat]

MS_Description

علل مقادير

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	10
Created	1:16:52 PM Monday, February 1, 2021
Last Modified	6:55:19 PM Saturday, February 6, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblMaghadirEllatHistory]
History Table Row Count (~)	13
History Table Created	7:56:32 AM Monday, February 1, 2021
History Table Last Modified	2:10:42 PM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FKP	fldEllatId	int	4	False	
.	fldName	nvarchar(150)	300	False	
	fldOrder	int	4	False	
	fldDesc	nvarchar(50)	100	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblMaghadirEllat	fldld	True
	IX_tblMaghadirEllat_1	fldName, fldEllatId	True

Foreign Keys

Name	Columns
FK_tblMaghadirEllat_tblEllat	fldEllatId->[dbo].[tblEllat].[fldId]

Extended Properties

Name	Value
PersianName	علل مقادير

```
CREATE TABLE [dbo].[tblMaghadirEllatHistory]
[fldId] [int] NOT NULL,
[fldEllatId] [int] NOT NULL,
[fldName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldOrder] [int] NOT NULL,
[fldDesc] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblMaghadirEllatHistory] ON [dbo].[tblMaghadirEllatHistory]
([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblMaghadirEllat]
[fldId] [int] NOT NULL,
[fldEllatId] [int] NOT NULL,
[fldName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldOrder] [int] NOT NULL,
[fldDesc] [nvarchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblMaghadirEllat_fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Maghad__Start__685E57C7] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblMaghad -
```

```
EndTi 69527C00] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblMaghadirEllat] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblMaghadirEllatHistory])
GO
ALTER TABLE [dbo].[tblMaghadirEllat] ADD CONSTRAINT [IX tblMaghadirEllat 1] UNIQUE
NONCLUSTERED ([fldName], [fldEllatId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblMaghadirEllat] ADD CONSTRAINT [FK tblMaghadirEllat tblEllat]
FOREIGN KEY ([fldEllatId]) REFERENCES [dbo].[tblEllat] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' علل مقادير', 'SCHEMA', N'dbo',
'TABLE', N'tblMaghadirEllat', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'علل مقادير', 'SCHEMA', N'dbo', 'TABLE',
N'tblMaghadirEllat', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'iche', 'SCHEMA', N'dbo', 'TABLE',
N'tblMaghadirEllat', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'علت آبدی', 'SCHEMA', N'dbo', 'TABLE',
N'tblMaghadirEllat', 'COLUMN', N'fldEllatId'
EXEC sp_addextendedproperty N'MS_Description', N'قيدى ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblMaghadirEllat', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N' مقادير نام', 'SCHEMA', N'dbo',
'TABLE', N'tblMaghadirEllat', 'COLUMN', N'fldName'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblMaghadirEllat', 'COLUMN', N'fldOrder'
GO
EXEC sp_addextendedproperty N'MS_Description', N'. اوبرایش به صربوط فیلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblMaghadirEllat', 'COLUMN', N'fldTimeStamp'
GO
```

[dbo].[tblEllat]

Used By

```
[dbo].[tblNazarNahaii]
[dbo].[prs_RptNazarNahaii]
[dbo].[prs_tblMaghadirEllatDelete]
[dbo].[prs_tblMaghadirEllatInsert]
[dbo].[prs_tblMaghadirEllatSelect]
[dbo].[prs_tblMaghadirEllatUpdate]
[dbo].[prs_tblNazarNahaiiSelect]
[dbo].[prs_UpdateOrder]
```

[dbo].[tblMahalSazmani]

MS_Description

سازمانی محل

Properties

Property	Value		
Collation	SQL_Latin1_General_CP1_CI_AS		
Row Count (~)	126		
Created	11:19:20 AM Saturday, November 28, 2020		
Last Modified	11:10:06 AM Monday, January 4, 2021		

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fidid	int	4	False	
	fldTitle	nvarchar(max)	max	False	
	fldDesc	nvarchar(1000)	2000	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblMahalSazmani	fldld	True

```
CREATE TABLE [dbo].[tblMahalSazmani]

(
[fldId] [int] NOT NULL,

[fldTitle] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDesc] [nvarchar] (1000) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblMahalSazmani_fldDesc] DEFAULT ('')

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblMahalSazmani] ADD CONSTRAINT [PK_tblMahalSazmani] PRIMARY KEY

CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'dbo',

'TABLE', N'tblMahalSazmani', NULL, NULL
```

```
GO
EXEC sp_addextendedproperty N'MS_Description', N'ice ", 'schema', N'dbo', 'TABLE', N'tblMahalSazmani', 'COLUMN', N'fldDesc'

GO
EXEC sp_addextendedproperty N'MS_Description', N'ice ", 'SCHEMA', N'dbo', 'TABLE', N'tblMahalSazmani', 'COLUMN', N'fldId'

GO
EXEC sp_addextendedproperty N'MS_Description', N'ice ", 'SCHEMA', N'ice ", 'Ice ", 'SCHEMA', N'ice ", 'Ice ", 'SCHEMA', N'ice ", 'TABLE', N'tblMahalSazmani', 'COLUMN', N'fldTitle'

GO
```

Used By

[dbo].[tblPersonalInfo]
[dbo].[prs_GetName_applicationpart]
[dbo].[prs_GetUserGroupTree]
[dbo].[prs_PersonlInfoInsert]
[dbo].[prs_tblAshkhasSelect]
[dbo].[prs_tblMahalSazmaniInsert]
[dbo].[prs_tblMahalSazmaniSelect]
[dbo].[prs_tblNahiSelect]
[dbo].[prs_tblPersonalInfoSelect]
[dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblMoayenat]

MS_Description

معاينات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	12:23:09 PM Wednesday, February 3, 2021
Last Modified	12:26:56 PM Wednesday, February 3, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblMoayenatHistory]
History Table Row Count (~)	6
History Table Created	12:26:20 PM Wednesday, February 3, 2021
History Table Last Modified	12:26:56 PM Wednesday, February 3, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
F	fldCharkheFirstId	int	4	True	
	fldVazn	tinyint	1	False	
	fldGhad	tinyint	1	False	
	fldFesharKhoon	varchar(6)	6	False	
	fldTedadNabz	tinyint	1	False	
	fldTarikh	int	4	False	
FK	fldPezeshkld	int	4	False	
FK	fldDescld	int	4	True	
FK	fldKartablld	int	4	False	

FK	fldEghdamld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblMoayenat	fldld	True

Foreign Keys

Name	Columns	
FK_tblMoayenat_tblActions	fldEghdamld->[dbo].[tblActions].[fldId]	
FK_tblMoayenat_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldld]	
FK_tblMoayenat_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]	
FK_tblMoayenat_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]	
FK_tblMoayenat_tblPezeshkan	fldPezeshkId->[dbo].[tblPezeshkan].[fldId]	

Extended Properties

Name	Value
PersianName	معاينات

```
CREATE TABLE [dbo].[tblMoayenatHistory]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldVazn] [tinyint] NOT NULL,
[fldGhad] [tinyint] NOT NULL,
[fldFesharKhoon] [varchar] (6) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTedadNabz] [tinyint] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldPezeshkId] [int] NOT NULL,
[fldDescId] [int] NULL,
[fldKartablId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
CREATE CLUSTERED INDEX [ix_tblMoayenatHistory] ON [dbo].[tblMoayenatHistory] ([End-
```

```
Time], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblMoayenat]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldVazn] [tinyint] NOT NULL,
[fldGhad] [tinyint] NOT NULL,
[fldFesharKhoon] [varchar] (6) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTedadNabz] [tinyint] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldPezeshkId] [int] NOT NULL,
[fldDescId] [int] NULL,
[fldKartablId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF__tbl-
Moayen Start 2DC7A1DE] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblMoayen -
EndTi 2EBBC617] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblMoayenat] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblMoayenatHistory])
)
GO
ALTER TABLE [dbo].[tblMoayenat] ADD CONSTRAINT [FK tblMoayenat tblActions] FOREIGN KEY
([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblMoayenat] ADD CONSTRAINT [FK tblMoayenat tblCharkhe FirstEghdam]
FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkheFirstEqhdam] ([fldId])
ALTER TABLE [dbo].[tblMoayenat] ADD CONSTRAINT [FK tblMoayenat tblDescription] FOREIGN
KEY ([fldDescId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblMoayenat] ADD CONSTRAINT [FK tblMoayenat tblKartabl] FOREIGN KEY
([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
ALTER TABLE [dbo].[tblMoayenat] ADD CONSTRAINT [FK tblMoayenat tblPezeshkan] FOREIGN
KEY ([fldPezeshkId]) REFERENCES [dbo].[tblPezeshkan] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'معاينات', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'aعابنات', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat', NULL, NULL
GO
EXEC sp addextendedproperty N'MS_Description', N'فرست چرخه آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N'يوفيحات آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N'اقدام آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat', 'COLUMN', N'fldEghdamId'
```

```
GO
EXEC sp addextendedproperty N'MS Description', N' نون فشار', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat', 'COLUMN', N'fldFesharKhoon'
EXEC sp addextendedproperty N'MS Description', N'قعا', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Moayenat', 'COLUMN', N'fldGhad'
EXEC sp addextendedproperty N'MS Description', N'بالهای 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N'טונדויל ווינטי, 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat', 'COLUMN', N'fldKartablId'
EXEC sp addextendedproperty N'MS Description', N'بيزشك آبدى', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat', 'COLUMN', N'fldPezeshkId'
EXEC sp addextendedproperty N'MS Description', N'اتاريخ', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat', 'COLUMN', N'fldTarikh'
EXEC sp addextendedproperty N'MS Description', N'ichema', N'dbo', 'TABLE',
N'tblMoayenat', 'COLUMN', N'fldTedadNabz'
EXEC sp addextendedproperty N'MS Description', N'وزن', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Moayenat', 'COLUMN', N'fldVazn'
GΩ
```

[dbo].[tblActions]

[dbo].[tblCharkhe_FirstEghdam]

[dbo].[tblDescription]

[dbo].[tblKartabl]

[dbo].[tblPezeshkan]

Used By

[dbo].[tblMoayenat Detail2]

[dbo].[prs_RptMoayenat]

[dbo].[prs_RptMoayenatAsab]

[dbo].[prs_RptMoayenatASabi]

[dbo].[prs_RptMoayenatCheshm]

[dbo].[prs_RptMoayenatDesc]

[dbo].[prs_RptMoayenatGhalb]

[dbo].[prs_RptMoayenatGoosh]

[dbo].[prs_RptMoayenatKoliye]

[dbo].[prs_RptMoayenatOmoomi]

[dbo].[prs_RptMoayenatPoost]

[dbo].[prs_RptMoayenatRiye]

[dbo].[prs_RptMoayenatSar]

[dbo].[prs_RptMoayenatShekam]

[dbo].[prs_RptMoayenatSkeleti]

[dbo].[prs_tblMoayenatInsert]

[dbo].[prs_tblMoayenatSelect]

[dbo].[prs_UpdateCharkhFirstTableActions] [dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblMoayenat_Detail1]

MS_Description

1معاینات جزئیات

Properties

Property	Value
Row Count (~)	12
Created	1:44:44 PM Monday, February 1, 2021
Last Modified	1:45:46 PM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblMoayenat_Detail1History]
History Table Row Count (~)	12
History Table Created	1:45:01 PM Monday, February 1, 2021
History Table Last Modified	1:45:46 PM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
₽ <mark>≯</mark> C	fldld	int	4	False	
	fldMoayenatid	int	4	False	
	fldOnvanAsliId	tinyint	1	False	
	fldDescId	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999-12- 31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblMoayenat_Detail1	fldld	True

Extended Properties

Name	Value
PersianName	1معاینات جزییات

```
CREATE TABLE [dbo].[tblMoayenat Detail1History]
[fldId] [int] NOT NULL,
[fldMoayenatid] [int] NOT NULL,
[fldOnvanAsliId] [tinyint] NOT NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
GO
CREATE CLUSTERED INDEX [ix tblMoayenat Detail1History] ON [dbo].[tblMoayenat -
Detail1History] ([EndTime], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblMoayenat Detail1]
[fldId] [int] NOT NULL,
[fldMoayenatid] [int] NOT NULL,
[fldOnvanAsliId] [tinyint] NOT NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Moayen Start 3D09E56E] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblMoayen -
EndTi 3DFE09A7] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblMoayenat Detail1] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblMoayenat Detail1History])
)
GO
EXEC sp addextendedproperty N'MS Description', N'- امعابنات جزئبات المات 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detail1', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'dbo', امعاینات جزییات'N' 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detail1', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نوفيحات آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detaill', 'COLUMN', N'fldDescId'
EXEC sp_addextendedproperty N'MS_Description', N'قيدى ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat Detaill', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'معاينات آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat_Detail1', 'COLUMN', N'fldMoayenatid'
EXEC sp addextendedproperty N'MS Description', N'سلى عنوان آيدى', 'SCHEMA', N'dbo',
```

```
'TABLE', N'tblMoayenat_Detail1', 'COLUMN', N'fldOnvanAsliId'
GO
```

Used By

[dbo].[prs_RptMoayenatDesc] [dbo].[prs_tblMoayenat_Detail1Insert] [dbo].[prs_tblMoayenat_Detail1Select]

[dbo].[tblMoayenat_Detail2]

MS_Description

2معاينات جزئيات

Properties

Property	Value
Row Count (~)	194
Created	12:08:41 PM Monday, February 1, 2021
Last Modified	12:23:09 PM Wednesday, February 3, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblMoayenat_Detail2History]
History Table Row Count (~)	194
History Table Created	1:01:22 PM Monday, February 1, 2021
History Table Last Modified	1:01:22 PM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK G	fldld	int	4	False	
F	fldMoayenatId	int	4	False	
FK	fldItemId	int	4	False	
	fldValue	bit	1	False	
F	fldDescId	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999-12- 31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblMoayenat_Detail2	fldld	True

Foreign Keys

Name	Columns
FK_tblMoayenat_Detail2_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]
FK_tblMoayenat_Detail2_tblItems	fldItemId->[dbo].[tblItems].[fldId]
FK_tblMoayenat_Detail2_tblMoayenat	fldMoayenatId->[dbo].[tblMoayenat].[fldId]

Extended Properties

Name	Value
PersianName	2معاینات جزبیات

```
CREATE TABLE [dbo].[tblMoayenat Detail2History]
[fldId] [int] NOT NULL,
[fldMoayenatId] [int] NOT NULL,
[fldItemId] [int] NOT NULL,
[fldValue] [bit] NOT NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblMoayenat Detail2History] ON [dbo].[tblMoayenat -
Detail2History] ([EndTime], [StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblMoayenat_Detail2]
[fldId] [int] NOT NULL,
[fldMoayenatId] [int] NOT NULL,
[fldItemId] [int] NOT NULL,
[fldValue] [bit] NOT NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Moayen Start 3A2D78C3] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblMoayen -
EndTi__3B219CFC] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblMoayenat Detail2] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblMoayenat Detail2History])
```

```
GO
ALTER TABLE [dbo].[tblMoayenat Detail2] ADD CONSTRAINT [FK tblMoayenat Detail2 tbl-
Description] FOREIGN KEY ([fldDescId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblMoayenat Detail2] ADD CONSTRAINT [FK tblMoayenat Detail2 tbl-
Items] FOREIGN KEY ([fldItemId]) REFERENCES [dbo].[tblItems] ([fldId])
ALTER TABLE [dbo].[tblMoayenat Detail2] ADD CONSTRAINT [FK tblMoayenat Detail2 tbl-
Moayenat] FOREIGN KEY ([fldMoayenatId]) REFERENCES [dbo].[tblMoayenat] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N'تمعاينات جزئيات', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detail2', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'- ععابنات جزيبات N' ععابنات جزيبات (2', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detail2', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نوفيحات آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detail2', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N' آبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat_Detail2', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'آيتم آيدي', 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat Detail2', 'COLUMN', N'fldItemId'
EXEC sp addextendedproperty N'MS Description', N'معاينات آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblMoayenat Detail2', 'COLUMN', N'fldMoayenatId'
EXEC sp addextendedproperty N'MS Description', N'امقدار, 'SCHEMA', N'dbo', 'TABLE',
N'tblMoayenat Detail2', 'COLUMN', N'fldValue'
```

Uses

[dbo].[tblDescription]

[dbo].[tblltems]

[dbo].[tblMoayenat]

Used By

[dbo].[prs_RptMoayenatAsab]

[dbo].[prs_RptMoayenatASabi]

[dbo].[prs_RptMoayenatCheshm]

[dbo].[prs_RptMoayenatDesc]

[dbo].[prs_RptMoayenatGhalb]

[dbo].[prs_RptMoayenatGoosh]

[dbo].[prs_RptMoayenatKoliye]

[dbo].[prs_RptMoayenatOmoomi]

[dbo].[prs_RptMoayenatPoost]

[dbo].[prs_RptMoayenatRiye]

[dbo].[prs RptMoayenatSar]

[dbo].[prs_RptMoayenatShekam]

[dbo].[prs_RptMoayenatSkeleti]

[dbo].[prs_tblMoayenat_Detail2Insert]

 $Project > 192.168.1.34 > User\ databases > Medical Examinations > Tables > dbo.tbl Moayenat_Detail 2$

 $[dbo].[prs_tblMoayenat_Detail2Select] \\$

[dbo].[tblNahi]

MS_Description

کل اداره

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	21
Created	12:47:00 PM Sunday, November 29, 2020
Last Modified	10:11:31 AM Wednesday, December 2, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldCode	int	4	False	
	fldNameNahi	nvarchar(100)	200	False	
	fldCode_Personal	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
	fldX	decimal(6,4)	5	True	
	fldY	decimal(6,4)	5	True	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblNahi	fldCode	True

```
CREATE TABLE [dbo].[tblNahi]

(
[fldCode] [int] NOT NULL,

[fldNameNahi] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldCode_Personal] [int] NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
```

```
[DF tblNahi fldDesc] DEFAULT (''),
[fldX] [decimal] (6, 4) NULL,
[fldY] [decimal] (6, 4) NULL
) ON [PRIMARY]
ALTER TABLE [dbo].[tblNahi] ADD CONSTRAINT [PK tblNahi] PRIMARY KEY CLUSTERED ([fld-
Code]) ON [PRIMARY]
EXEC sp_addextendedproperty N'MS_Description', N'טט ונונס', 'SCHEMA', N'dbo', 'TABLE',
N'tblNahi', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'وي آي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblNahi', 'COLUMN', N'fldCode'
EXEC sp_addextendedproperty N'MS_Description', N'نوسنلی کد ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblNahi', 'COLUMN', N'fldCode Personal'
EXEC sp_addextendedproperty N'MS_Description', N'". 'SCHEMA', N'dbo',
'TABLE', N'tblNahi', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'ناحيه نام ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblNahi', 'COLUMN', N'fldNameNahi'
EXEC sp addextendedproperty N'MS Description', N' مخرافیایی مختصات ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblNahi', 'COLUMN', N'fldx'
". 'SCHEMA', فيرافيايي مختصات ستون'N'MS Description', N' مغرافيايي مختصات ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblNahi', 'COLUMN', N'fldy'
```

Used By

```
[dbo].[tblTreeStructure]
[dbo].[fn_Namelstgah_Edarekol_TreeStructure]
[dbo].[prs_GetTreeStructureTitle]
[dbo].[prs_tblMahalSazmaniSelect]
[dbo].[prs_tblNahilnsert]
[dbo].[prs_tblNahiSelect]
[dbo].[prs_tblNahiUpdate]
[dbo].[prs_tblPersonalInfoSelect]
[dbo].[prs_tblStationSelect]
[dbo].[prs_tblTicketSelect]
[dbo].[prs_tblTreeStructureSelect]
[dbo].[prs_tblUser_StationSelect]
```

[dbo].[tblNameTable]

MS_Description

جدول نام

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	83
Created	2:01:13 PM Wednesday, December 23, 2020
Last Modified	2:01:14 PM Wednesday, December 23, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldId	int	4	False	
	fldName	nvarchar(150)	300	False	
	fldEnName	varchar(250)	250	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblNameTable	fldld	True

```
CREATE TABLE [dbo].[tblNameTable]

(
[fldId] [int] NOT NULL,
[fldIname] [nvarchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldEnName] [varchar] (250) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF_tblNameTable_fldEnName] DEFAULT ('')

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblNameTable] ADD CONSTRAINT [PK_tblNameTable] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'ello', 'SCHEMA', N'dbo', 'TABLE',
N'tblNameTable', NULL, NULL

GO
```

П	6	_	٨	Е	2 1
u	S	е	u		١V

[dbo].[tblLogTable]

[dbo].[tblNazarNahaii]

MS_Description

نهایی نظر

Properties

Property	Value
Row Count (~)	1
Created	6:55:19 PM Saturday, February 6, 2021
Last Modified	6:55:46 PM Saturday, February 6, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblNazarNahaiiHistory]
History Table Row Count (~)	5
History Table Created	6:55:29 PM Saturday, February 6, 2021
History Table Last Modified	6:55:46 PM Saturday, February 6, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldNazar	tinyint	1	False	
FK	fldEllatId	int	4	True	
FK	fldDescld	int	4	True	
	fldTarikh	int	4	False	
FK	fldPezeshkld	int	4	False	
FK	fldCharkheFirstId	int	4	True	
FK	fldEghdamld	int	4	False	
FK	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblNazarNahaii	fldld	True

Foreign Keys

Name	Columns
FK_tblNazarNahaii_tblActions	fldEghdamld->[dbo].[tblActions].[fldId]
FK_tblNazarNahaii_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblNazarNahaii_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]
FK_tblNazarNahaii_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]
FK_tblNazarNahaii_tblMaghadirEllat	fldEllatId->[dbo].[tblMaghadirEllat].[fldId]
FK_tblNazarNahaii_tblPezeshkan	fldPezeshkId->[dbo].[tblPezeshkan].[fldId]

Extended Properties

Name	Value
PersianName	نهایی نظر

```
CREATE TABLE [dbo].[tblNazarNahaiiHistory]
[fldId] [int] NOT NULL,
[fldNazar] [tinyint] NOT NULL,
[fldEllatId] [int] NULL,
[fldDescId] [int] NULL,
[fldTarikh] [int] NOT NULL,
[fldPezeshkId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
GO
CREATE CLUSTERED INDEX [ix tblNazarNahaiiHistory] ON [dbo].[tblNazarNahaiiHistory]
([EndTime], [StartTime]) ON [PRIMARY]
GO
CREATE TABLE [dbo].[tblNazarNahaii]
[fldId] [int] NOT NULL,
[fldNazar] [tinyint] NOT NULL,
[fldEllatId] [int] NULL,
```

```
[fldDescId] [int] NULL,
[fldTarikh] [int] NOT NULL,
[fldPezeshkId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblNazar-
N Start 158603F9] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblNazarN -
EndTi 167A2832] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.9999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblNazarNahaii] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblNazarNahaiiHistory])
ALTER TABLE [dbo].[tblNazarNahaii] ADD CONSTRAINT [FK tblNazarNahaii tblActions]
FOREIGN KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblNazarNahaii] ADD CONSTRAINT [FK tblNazarNahaii tblCharkhe First-
Eqhdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe FirstEqhdam]
([fldId])
ALTER TABLE [dbo].[tblNazarNahaii] ADD CONSTRAINT [FK tblNazarNahaii tblDescription]
FOREIGN KEY ([fldDescId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblNazarNahaii] ADD CONSTRAINT [FK tblNazarNahaii tblKartabl]
FOREIGN KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
ALTER TABLE [dbo].[tblNazarNahaii] ADD CONSTRAINT [FK tblNazarNahaii tblMaghadirEllat]
FOREIGN KEY ([fldEllatId]) REFERENCES [dbo].[tblMaghadirEllat] ([fldId])
ALTER TABLE [dbo].[tblNazarNahaii] ADD CONSTRAINT [FK tblNazarNahaii tblPezeshkan]
FOREIGN KEY ([fldPezeshkId]) REFERENCES [dbo].[tblPezeshkan] ([fldId])
EXEC sp addextendedproperty N'MS Description', N', 'نهابي نظر', 'SCHEMA', N'dbo', 'TABLE',
N'tblNazarNahaii', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'نهابی نظر', 'SCHEMA', N'dbo', 'TABLE',
N'tblNazarNahaii', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'فرست چرخه آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldCharkheFirstId
EXEC sp addextendedproperty N'MS Description', N'ט.', 'SCHEMA', N'dbo',
'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldDescId'
EXEC sp addextendedproperty N'MS Description', N'افدام آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N'علت آبدی', 'SCHEMA', N'dbo', 'TABLE',
N'tblNazarNahaii', 'COLUMN', N'fldEllatId'
EXEC sp addextendedproperty N'MS Description', N' آپدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblNazarNahaii', 'COLUMN', N'fldId'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'كارتابل آيدي', 'SCHEMA', N'dbo', 'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldKartablId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'نظر نوع', 'SCHEMA', N'dbo', 'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldNazar'

GO

EXEC sp_addextendedproperty N'MS_Description', N'يزشك آيدي', 'SCHEMA', N'dbo', 'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldPezeshkId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ياريخ', 'SCHEMA', N'dbo', 'TABLE', N'tblNazarNahaii', 'COLUMN', N'fldTarikh'

GO
```

Uses

[dbo].[tblActions]

[dbo].[tblCharkhe_FirstEghdam]

[dbo].[tblDescription]

[dbo].[tblKartabl]

[dbo].[tblMaghadirEllat]

[dbo].[tblPezeshkan]

Used By

[dbo].[prs_RptNazarNahaii]

[dbo].[prs_tblNazarNahaiiInsert]

[dbo].[prs_tblNazarNahaiiSelect]

 $[dbo].[prs_UpdateCharkhFirstTableActions] \\$

[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblNezamVazife]

MS_Description

وظيفه نظام

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	8:23:31 AM Thursday, February 4, 2021
Last Modified	11:57:46 AM Tuesday, February 9, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PKP C	fldld	tinyint	1	False
	fldName	nvarchar(50)	100	False

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblNezamVazife	fldld	True

```
CREATE TABLE [dbo].[tblNezamVazife]

(
[fldId] [tinyint] NOT NULL,
[fldName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblNezamVazife] ADD CONSTRAINT [PK_tblNezamVazife] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'ede',
'TABLE', N'tblNezamVazife', NULL, NULL

GO
```

Used By

[dbo].[tblAshkhas_Detail] [dbo].[prs_PersonlInfoInsert] [dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblOnvanAsli]

MS_Description

اصلى عنوان

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	14
Created	1:43:03 PM Monday, February 1, 2021
Last Modified	8:15:54 AM Wednesday, February 3, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK G	fldld	tinyint	1	False	1 - 1
.	fldName	nvarchar(100)	200	False	
	fldType	tinyint	1	True	

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblOnvanAsli	fldld	True
	IX_tblOnvanAsli	fldName	True

```
CREATE TABLE [dbo].[tblOnvanAsli]

(
[fldId] [tinyint] NOT NULL IDENTITY(1, 1),

[fldName] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldType] [tinyint] NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblOnvanAsli] ADD CONSTRAINT [PK_tblOnvanAsli] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblOnvanAsli] ADD CONSTRAINT [IX_tblOnvanAsli] UNIQUE NONCLUSTERED ([fldName]) ON [PRIMARY]
```

```
GO

EXEC sp_addextendedproperty N'MS_Description', N'ideo', 'TABLE', N'tblOnvanAsli', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'ideo', 'SCHEMA', N'dbo', 'TABLE', N'tblOnvanAsli', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ideo', 'SCHEMA', N'dbo', 'TABLE', N'tblOnvanAsli', 'COLUMN', N'MS_Description', N'ideo', 'SCHEMA', N'dbo', 'TABLE', N'tblOnvanAsli', 'COLUMN', N'fldName'

GO
```

Used By

[dbo].[tblItems]
[dbo].[prs_SelectMoayenat]
[dbo].[prs_tblItemsSelect]
[dbo].[prs_tblOnvanAsliSelect]

[dbo].[tblOnvanFaree]

MS_Description

فرعي عنوان

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	7
Created	1:47:00 PM Monday, February 1, 2021
Last Modified	8:16:53 AM Wednesday, February 3, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK	fldld	tinyint	1	False	1 - 1
#	fldName	nvarchar(150)	300	False	
	fldType	tinyint	1	True	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblOnvanFaree	fldld	True
	IX_tblOnvanFaree	fldName	True

```
CREATE TABLE [dbo].[tblOnvanFaree]

(
[fldId] [tinyint] NOT NULL IDENTITY(1, 1),
[fldName] [nvarchar] (150) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldType] [tinyint] NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblOnvanFaree] ADD CONSTRAINT [PK_tblOnvanFaree] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblOnvanFaree] ADD CONSTRAINT [IX_tblOnvanFaree] UNIQUE NONCLUSTERED
([fldName]) ON [PRIMARY]
```

```
GO

EXEC sp_addextendedproperty N'MS_Description', N'ious', 'schema', N'dbo', 'table', N'tblonvanFaree', Null, Null

GO

EXEC sp_addextendedproperty N'MS_Description', N'ious', 'schema', N'dbo', 'table', N'tblonvanFaree', 'column', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ious', 'schema', N'dbo', 'schema', N'dbo', 'table', N'tblonvanFaree', 'column', N'fldName'

GO

GO
```

Used By

```
[dbo].[tblltems]
[dbo].[prs_RptAvamelZiyanAvarItem]
[dbo].[prs_RptMoayenatAsab]
[dbo].[prs_RptMoayenatASabi]
[dbo].[prs_RptMoayenatCheshm]
[dbo].[prs_RptMoayenatGhalb]
[dbo].[prs_RptMoayenatGoosh]
[dbo].[prs_RptMoayenatKoliye]
[dbo].[prs_RptMoayenatOmoomi]
[dbo].[prs_RptMoayenatPoost]
[dbo].[prs_RptMoayenatRiye]
[dbo].[prs_RptMoayenatSar]
[dbo].[prs_RptMoayenatShekam]
[dbo].[prs_RptMoayenatSkeleti]
[dbo].[prs_SelectAvamelZiyanAvar]
[dbo].[prs_SelectMoayenat]
[dbo].[prs_tblItemsSelect]
[dbo].[prs_tblOnvanFareeSelect]
```

■ [dbo].[tblOperation]

MS_Description

اكشن

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	20
Created	12:25:08 PM Sunday, January 31, 2021
Last Modified	2:56:29 PM Sunday, February 7, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblOperationHistory]
History Table Row Count (~)	103
History Table Created	12:29:05 PM Sunday, January 31, 2021
History Table Last Modified	2:56:29 PM Sunday, February 7, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldName	nvarchar(250)	500	False	
	fldDescAction	nvarchar(500)	1000	False	(")
FK	fldFileId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldDataTypeId	int	4	True	
	fldGroup	bit	1	False	((0))
	fldUsable	bit	1	False	((0))
	fldeffective	bit	1	False	
FK	fldFormulld	int	4	True	

fldMethodName	nvarchar(500)	1000	True	
fldSpecificShow	bit	1	True	
fldFA_Name	nvarchar(250)	500	False	(")
fldNameTable	varchar(150)	150	False	(")
fldActive_Deactive	bit	1	False	((1))
fldTimeStamp	timestamp	8	False	
StartTime	datetime2	8	False	(getutcdate())
EndTime	datetime2	8	False	(CONVERT([datetime2],'9 999-12-31 23:59:59.9999999',(0)))
fldType	bit	1	False	
fldTable_Name	varchar(150)	150	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblOperation	fldld	True

Foreign Keys

Name	Columns
FK_tblOperation_tblComputationFormula	fldFormulId->[dbo].[tblComputationFormula].[fldId]
FK_tblOperation_tblDataTypes	fldDataTypeId->[dbo].[tblDataTypes].[fldId]
FK_tblOperation_tblFile	fldFileId->[dbo].[tblFile].[fldId]

Extended Properties

Name	Value
PersianName	اکشن

```
CREATE TABLE [dbo].[tblOperationHistory]
```

```
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDescAction] [nvarchar] (500) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDataTypeId] [int] NULL,
[fldGroup] [bit] NOT NULL,
[fldUsable] [bit] NOT NULL,
[fldeffective] [bit] NOT NULL,
[fldFormulId] [int] NULL,
[fldMethodName] [nvarchar] (500) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldSpecificShow] [bit] NULL,
[fldFA Name] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldNameTable] [varchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldActive Deactive] [bit] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldType] [bit] NOT NULL,
[fldTable Name] [varchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
CONSTRAINT [DF tblOperationHistory fldTable Name] DEFAULT ('')
CREATE CLUSTERED INDEX [ix tblOperationHistory] ON [dbo].[tblOperationHistory] ([End-
Time], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblOperation]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (250) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDescAction] [nvarchar] (500) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
CONSTRAINT [DF tblOperation fldDescAction] DEFAULT (''),
[fldFileId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblOperation fldDesc] DEFAULT (''),
[fldDataTypeId] [int] NULL,
[fldGroup] [bit] NOT NULL CONSTRAINT [DF tblOperation fldGroup] DEFAULT ((0)),
[fldUsable] [bit] NOT NULL CONSTRAINT [DF tblOperation fldUsable] DEFAULT ((0)),
[fldeffective] [bit] NOT NULL,
[fldFormulId] [int] NULL,
[fldMethodName] [nvarchar] (500) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldSpecificShow] [bit] NULL,
[fldFA_Name] [nvarchar] (250) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblOperation fldFA Name] DEFAULT (''),
[fldNameTable] [varchar] (150) COLLATE SQL Latin1 General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblOperation fldNameTable] DEFAULT (''),
[fldActive Deactive] [bit] NOT NULL CONSTRAINT [DF tblOperation fldActive Deactive]
DEFAULT ((1)),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Operat Start 7EECB764] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblOperat -
EndTi__7FE0DB9D] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999,(0))),
[fldType] [bit] NOT NULL,
[fldTable Name] [varchar] (150) COLLATE SQL Latin1_General_CP1_CI_AS NOT NULL
CONSTRAINT [DF tblOperation fldTable Name] DEFAULT (''),
```

```
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblOperation] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblOperationHistory])
)
GO
ALTER TABLE [dbo].[tblOperation] ADD CONSTRAINT [FK tblOperation tblComputationFormula]
FOREIGN KEY ([fldFormulid]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
ALTER TABLE [dbo].[tblOperation] ADD CONSTRAINT [FK tblOperation tblDataTypes] FOREIGN
KEY ([fldDataTypeId]) REFERENCES [dbo].[tblDataTypes] ([fldId])
ALTER TABLE [dbo].[tblOperation] ADD CONSTRAINT [FK tblOperation tblFile] FOREIGN KEY
([fldFileId]) REFERENCES [dbo].[tblFile] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'الكشن', 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'اكشن', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Operation', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'ابودن غيرفعال يا فعال, 'SCHEMA',
        'TABLE', N'tblOperation', 'COLUMN', N'fldActive Deactive
EXEC sp addextendedproperty N'MS_Description', N' داده نوع کد', 'SCHEMA', N'dbo',
'TABLE', N'tblOperation', 'COLUMN', N'fldDataTypeId'
EXEC sp_addextendedproperty N'MS_Description', N'ight-i, 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', 'COLUMN', N'fldDesc'
GO
EXEC sp addextendedproperty N'MS Description', N' اکشن تو ضبحات'', 'SCHEMA', N'dbo',
'TABLE', N'tblOperation', 'COLUMN', N'fldDescAction'
EXEC sp addextendedproperty N'MS Description', N'موثر اكشن', 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', 'COLUMN', N'fldeffective'
EXEC sp addextendedproperty N'MS Description', N'd', 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', 'COLUMN', N'fldFA Name'
EXEC sp addextendedproperty N'MS Description', N' عكس كيا, 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', 'COLUMN', N'fldFileId'
EXEC sp_addextendedproperty N'MS_Description', N' فرمول كد ', 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', 'COLUMN', N'fldFormulId'
EXEC sp addextendedproperty N'MS_Description', N'گروهی اکشن', 'SCHEMA', N'dbo',
'TABLE', N'tblOperation', 'COLUMN', N'fldGroup'
EXEC sp addextendedproperty N'MS Description', N' عمليات كد', 'SCHEMA', N'dbo',
'TABLE', N'tblOperation', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'متد نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblOperation', 'COLUMN', N'fldMethodName'
EXEC sp addextendedproperty N'MS Description', N'abo', 'SCHEMA', N'dbo',
```

```
"TABLE', N'tbloperation', 'COLUMN', N'fldName'

GO

EXEC sp_addextendedproperty N'MS_Description', N'جدول نام', 'SCHEMA', N'dbo', 'TABLE',
N'tbloperation', 'COLUMN', N'fldNameTable'

GO

EXEC sp_addextendedproperty N'MS_Description', N'mobo', 'Table', N'dbo', 'Table', N'tbloperation', 'COLUMN', N'fldSpecificShow'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'COLUMN', N'fldTable_Name'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'COLUMN', N'fldTable_Name'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'Table', N'tbloperation', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'SCHEMA', N'dbo', 'Table', N'tbloperation', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'SCHEMA', N'dbo', 'Table', N'tbloperation', 'COLUMN', N'fldType'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'SCHEMA', N'dbo', 'Table', N'tbloperation', 'COLUMN', N'fldUsable'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ntbloperation', 'SCHEMA', N'dbo', 'Table', 'SCHEMA', N'dbo', 'Table', N'tbloperation', 'COLUMN', N'fldUsable'

GO
```

Uses

[dbo]. [tbl Computation Formula]

[dbo].[tblDataTypes]

[dbo].[tblFile]

Used By

[dbo].[tblOpertion_Action]

[dbo].[tblOpertion_NoeCharkhesh]

[dbo].[fn_OprtionIdByCharkhe]

[dbo].[prs_SelectCheckActionMoayenat]

[dbo].[prs_SelectDistictOperation_Action]

[dbo].[prs_SelectEshterakOpration]

[dbo].[prs_SelectLastOpration_EnterCycleId]

[dbo].[prs_SelectTimeLine]

 $[dbo]. [prs_Specific Cartable Permission Tree Select] \\$

[dbo].[prs_tblCharkhe_EghdamSelect]

[dbo].[prs tblCharkheSelect]

[dbo].[prs_tblComputationFormulaInsert]

 $[dbo].[prs_tblOperationDelete] \\$

[dbo].[prs_tblOperationInsert]

[dbo].[prs_tblOperationSelect]

[dbo].[prs_tblOperationUpdate]

[dbo].[prs_tblOpertion_ActionSelect]

[dbo].[prs_tblOpertion_NoeCharkheshInsert]

[dbo].[prs_tblOpertion_NoeCharkheshUpdate]

[dbo].[prs_tblReferralRulesSelect]

[dbo].[tblOpertion_Action]

MS_Description

اكشن- اقدام

Properties

Property	Value		
Collation	SQL_Latin1_General_CP1_CI_AS		
Row Count (~)	23		
Created	8:23:14 AM Sunday, January 24, 2021		
Last Modified	12:25:08 PM Sunday, January 31, 2021		
System Versioned	True Disabled		
Remote Data Archive			
History Table	[dbo].[tblOpertion_ActionHistory]		
History Table Row Count (~)	60		
History Table Created	8:24:26 AM Sunday, January 24, 2021		
History Table Last Modified	11:07:32 AM Monday, January 25, 2021		

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
₽ <mark>≯</mark> G	fldld	int	4	False	
F	fldOpertionId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
F	fldCharkhe_EghdamId	int	4	True	
	fldFaal	bit	1	False	((1))
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],' 9999-12-31 23:59:59.9999999',(0)))

Indexes

|--|



Foreign Keys

Name	Columns		
FK_tblOpertion_Action_tblCharkhe_Eghdam	fldCharkhe_Eghdamld->[dbo].[tblCharkhe_Eghdam].[fldld]		
FK_tblOpertion_Action_tblOperation	fldOpertionId->[dbo].[tblOperation].[fldId]		

Extended Properties

Name	Value		
PersianName	اقدام -اكثنن		

```
CREATE TABLE [dbo].[tblOpertion ActionHistory]
[fldId] [int] NOT NULL,
[fldOpertionId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldCharkhe EghdamId] [int] NULL,
[fldFaal] [bit] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix_tblOpertion_ActionHistory] ON [dbo].[tblOpertion_Action-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblOpertion Action]
[fldId] [int] NOT NULL,
[fldOpertionId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblOpertion Action fldDesc] DEFAULT (''),
[fldCharkhe_EghdamId] [int] NULL,
[fldFaal] [bit] NOT NULL CONSTRAINT [DF tblOpertion Action fldFaal] DEFAULT ((1)),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Operti__Start__OC46B282] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblOperti -
PERIOD FOR SYSTEM_TIME (StartTime, EndTime),
CONSTRAINT [PK tblOpertion Action] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
```

```
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblOpertion ActionHistory])
)
GO
ALTER TABLE [dbo]. [tblOpertion Action] ADD CONSTRAINT [FK tblOpertion Action tbl-
Charkhe Eghdam] FOREIGN KEY ([fldCharkhe EghdamId]) REFERENCES [dbo].[tblCharkhe -
Eghdam] ([fldId])
GO
ALTER TABLE [dbo]. [tblOpertion Action] ADD CONSTRAINT [FK tblOpertion Action tbl-
Operation] FOREIGN KEY ([fldOpertionId]) REFERENCES [dbo].[tblOperation] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' اکشن- اقدام', 'SCHEMA', N'dbo',
'TABLE', N'tblOpertion_Action', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'اقدام - اكشن', 'SCHEMA', N'dbo', 'TABLE',
N'tblOpertion Action', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'. اقدام چرخه کد', 'SCHEMA', N'dbo',
'TABLE', N'tblOpertion_Action', 'COLUMN', N'fldCharkhe EghdamId'
EXEC sp addextendedproperty N'MS Description', N'توهيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblOpertion Action', 'COLUMN', N'fldDesc'
GO
EXEC sp_addextended
property N'MS_Description', N' فيرفعال يا فعال', 'SCHEMA', N'dbo', 'TABLE', N'tblOpertion_Action', 'COLUMN', N'fldFaal'
EXEC sp addextendedproperty N'MS Description', N'ندی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblOpertion Action', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N', "able', 'SCHEMA', N'dbo', 'TABLE',
N'tblOpertion Action', 'COLUMN', N'fldOpertionId'
```

Uses

[dbo].[tblCharkhe_Eghdam] [dbo].[tblOperation]

Used By

```
[dbo].[tblCharkhe]
[dbo].[tblCharkhe_Eghdam]
[dbo].[tblReferralRules]
[dbo].[tblSpecificCartablePermission]
[dbo].[tblSpecificCartablePermission_UserGroup]
[dbo].[fn_OprtionIdByCharkhe]
[dbo].[prs_CopyCharkhe]
[dbo].[prs_SelectDistictAction_Cartable]
[dbo].[prs_SelectDistictOperation_Action]
[dbo].[prs_SelectEshterakOpration]
[dbo].[prs_SelectLastOpration_EnterCycleId]
[dbo].[prs_SelectTimeLine]
[dbo].[prs_SpecificCartablePermissionTreeSelect]
[dbo].[prs_tblCharkhe_EghdamSelect]
```

[dbo].[prs_tblCharkheSelect]

[dbo].[prs_tblKartablSelect]

[dbo].[prs_tblOperationSelect]

[dbo].[prs_tblOpertion_ActionDelete]

[dbo].[prs_tblOpertion_ActionInsert]

[dbo].[prs_tblOpertion_ActionSelect]

[dbo].[prs_tblOpertion_ActionUpdate]

[dbo].[prs_tblReferralRulesSelect]

[dbo].[tblOpertion_NoeCharkhesh]

MS_Description

چرخش قابل نوع- اکشن

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	23
Created	9:30:21 AM Sunday, January 31, 2021
Last Modified	4:59:18 PM Tuesday, February 2, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblOpertion_NoeCharkheshHistory]
History Table Row Count (~)	53
History Table Created	4:59:18 PM Tuesday, February 2, 2021
History Table Last Modified	4:59:18 PM Tuesday, February 2, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
P⊁C	fldld	int	4	False	
FK	fldOpertionId	int	4	False	
FK	fldNoeGhabekCharkheshId	tinyint	1	False	
	fldDesc	nvarchar(50)	100	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime 2],'9999-12-31 23:59:59.9999999',(0))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblOpertion_NoeCharkhesh	fldld	True

Foreign Keys

Name	Columns		
FK_tblOpertion_NoeCharkhesh_tblAnavinGhabel-Charkhesh	fldNoeGhabekCharkheshld->[dbo].[tblAnavinGhabel-Charkhesh].[fldld]		
FK_tblOpertion_NoeCharkhesh_tblOperation	fldOpertionId->[dbo].[tblOperation].[fldId]		

```
CREATE TABLE [dbo].[tblOpertion NoeCharkheshHistory]
[fldId] [int] NOT NULL,
[fldOpertionId] [int] NOT NULL,
[fldNoeGhabekCharkheshId] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblOpertion NoeCharkheshHistory] ON [dbo].[tblOpertion Noe-
CharkheshHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblOpertion NoeCharkhesh]
[fldId] [int] NOT NULL,
[fldOpertionId] [int] NOT NULL,
[fldNoeGhabekCharkheshId] [tinyint] NOT NULL,
[fldDesc] [nvarchar] (50) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Operti__Start__1A7FC340] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblOperti -
EndTi 1B73E779] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblOpertion NoeCharkhesh] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
{\tt SYSTEM\_VERSIONING = ON \ (HISTORY\_TABLE = [dbo].[tblOpertion\_NoeCharkheshHistory])}
)
GO
ALTER TABLE [dbo].[tblOpertion NoeCharkhesh] ADD CONSTRAINT [FK tblOpertion Noe-
Charkhesh tblAnavinGhabelCharkhesh] FOREIGN KEY ([fldNoeGhabekCharkheshId]) REFERENCES
[dbo].[tblAnavinGhabelCharkhesh] ([fldId])
ALTER TABLE [dbo]. [tblOpertion NoeCharkhesh] ADD CONSTRAINT [FK tblOpertion Noe-
Charkhesh tblOperation] FOREIGN KEY ([fldOpertionId]) REFERENCES [dbo].[tblOperation]
([fldId])
,'SCHEMA', اچرخش قابل نوع- اکشن'N Description', N' پرخش قابل نوع-
```

```
N'dbo', 'TABLE', N'tblOpertion_NoeCharkhesh', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'توفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblOpertion_NoeCharkhesh', 'COLUMN', N'fldDesc'

GO

EXEC sp_addextendedproperty N'MS_Description', N'تيدى ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblOpertion_NoeCharkhesh', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'تلفي آييدي آييدي', 'SCHEMA', N'dbo',
'TABLE', N'tblOpertion_NoeCharkhesh', 'COLUMN', N'fldNoeGhabekCharkheshId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'fldNoeGhabekCharkheshId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'fldNoeGhabekCharkheshId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'fldOpertion_NoeCharkhesh', 'COLUMN', N'fldOpertion_NoeCharkhesh', 'COLUMN', N'fldOpertionId'

GO
```

Uses

[dbo].[tblAnavinGhabelCharkhesh] [dbo].[tblOperation]

Used By

[dbo].[prs_tblOperationDelete]
[dbo].[prs_tblOperationSelect]
[dbo].[prs_tblOperation_NoeCharkheshDelete]
[dbo].[prs_tblOperation_NoeCharkheshInsert]
[dbo].[prs_tblOperation_NoeCharkheshSelect]
[dbo].[prs_tblOperation_NoeCharkheshUpdate]

■ [dbo].[tblOptometri]

MS_Description

اپتومتري

Properties

Property	Value		
Row Count (~)	2		
Created	10:10:43 AM Thursday, February 4, 2021		
Last Modified	11:58:45 AM Thursday, February 4, 2021		
System Versioned	True		
Remote Data Archive	Disabled		
History Table	[dbo].[tblOptometriHistory]		
History Table Row Count (~)	25		
History Table Created	10:56:43 AM Thursday, February 4, 2021		
History Table Last Modified	11:58:45 AM Thursday, February 4, 2021		

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
	fldJahatCheshm	bit	1	False	
	fldBaEslah	decimal(4,2)	5	False	
	fldBedonEslah	decimal(4,2)	5	False	
	fldDidRangi	bit	1	False	
	fldMeydanBinaee	bit	1	False	
	fldTarikh	int	4	False	
F	fldCharkheFirstId	int	4	True	
FK	fldEghdamld	int	4	False	
FK	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())

EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59 9999999 (0)))	
				23:59:59.9999999',(0)))	ı

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblOptometri	fldld	True

Foreign Keys

Name	Columns
FK_tblOptometri_tblActions	fldEghdamId->[dbo].[tblActions].[fldId]
FK_tblOptometri_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldId]
FK_tblOptometri_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	اپتومتری

```
CREATE TABLE [dbo].[tblOptometriHistory]
[fldId] [int] NOT NULL,
[fldJahatCheshm] [bit] NOT NULL,
[fldBaEslah] [decimal] (4, 2) NOT NULL,
[fldBedonEslah] [decimal] (4, 2) NOT NULL,
[fldDidRangi] [bit] NOT NULL,
[fldMeydanBinaee] [bit] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix_tblOptometriHistory] ON [dbo].[tblOptometriHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblOptometri]
```

```
[fldId] [int] NOT NULL,
[fldJahatCheshm] [bit] NOT NULL,
[fldBaEslah] [decimal] (4, 2) NOT NULL,
[fldBedonEslah] [decimal] (4, 2) NOT NULL,
[fldDidRangi] [bit] NOT NULL,
[fldMeydanBinaee] [bit] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Optome Start 4B22FA9B] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblOptome -
EndTi 4C171ED4] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblOptometri] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblOptometriHistory])
)
GO
ALTER TABLE [dbo].[tblOptometri] ADD CONSTRAINT [FK tblOptometri tblActions] FOREIGN
KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblOptometri] ADD CONSTRAINT [FK tblOptometri tblCharkhe First-
Eghdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe FirstEghdam]
([fldId])
GO
ALTER TABLE [dbo].[tblOptometri] ADD CONSTRAINT [FK_tblOptometri_tblKartabl] FOREIGN
KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblOptometri', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'اپتومتری', 'SCHEMA', N'dbo', 'TABLE',
N'tblOptometri', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N' اصلاح بـ'', 'SCHEMA', N'dbo', 'TABLE',
N'tblOptometri', 'COLUMN', N'fldBaEslah'
EXEC sp_addextendedproperty N'MS_Description', N'الصلاح بعدون', 'SCHEMA', N'dbo', 'TABLE',
N'tblOptometri', 'COLUMN', N'fldBedonEslah'
EXEC sp addextendedproperty N'MS_Description', N'افرست چرخه آیدی', 'SCHEMA', N'dbo',
'TABLE', N'tblOptometri', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N' دنگی دیا', 'SCHEMA', N'dbo', 'TABLE',
N'tblOptometri', 'COLUMN', N'fldDidRangi'
EXEC sp addextendedproperty N'MS Description', N'اقدام ایدی', 'SCHEMA', N'dbo',
'TABLE', N'tblOptometri', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N' آبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblOptometri', 'COLUMN', N'fldId'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'ناوبل', 'SCHEMA', N'dbo', 'TABLE', N'tblOptometri', 'COLUMN', N'fldJahatCheshm'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ناوبل آيدي', 'SCHEMA', N'dbo', 'TABLE', N'tblOptometri', 'COLUMN', N'fldKartablId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'interval and a second and a second
```

Uses

[dbo].[tblActions] [dbo].[tblCharkhe_FirstEghdam] [dbo].[tblKartabl]

Used By

[dbo].[prs_KolOptometriSelect]
[dbo].[prs_RptOptometri]
[dbo].[prs_SelectOptometri]
[dbo].[prs_tblOptometriInsert]
[dbo].[prs_tblOptometriSelect]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblOrganPost]

MS_Description

سازمانی پست

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1150
Created	1:24:56 PM Monday, November 30, 2020
Last Modified	9:53:08 AM Monday, December 14, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
	fldCode	nvarchar(50)	100	False	
	fldDescPost	nvarchar(300)	600	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldDateServer	datetime	8	False	(getdate())

Indexes

Key	Name	Key Columns	Unique
PK P G	PK_tblOrganPost	fldld	True

```
CREATE TABLE [dbo].[tblOrganPost]

(
[fldId] [int] NOT NULL,

[fldCode] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDescPost] [nvarchar] (300) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblOrganPost_fldDesc] DEFAULT (''),

[fldDateServer] [datetime] NOT NULL CONSTRAINT [DF_tblOrganPost_fldDateServer] DEFAULT

(getdate())
```

```
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblOrganPost] ADD CONSTRAINT [PK tblOrganPost] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
EXEC sp addextendedproperty N'MS Description', N'سازمانی پست', 'SCHEMA', N'dbo',
'TABLE', N'tblOrganPost', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' كله ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblOrganPost', 'COLUMN', N'fldCode'
EXEC sp_addextendedproperty N'MS_Description', N'ujbo', 'SCHEMA', N'dbo',
'TABLE', N'tblOrganPost', 'COLUMN', N'fldDateServer'
EXEC sp addextendedproperty N'MS Description', N' توضيحات ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblOrganPost', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'uspaller', 'SCHEMA', N'dbo',
'TABLE', N'tblOrganPost', 'COLUMN', N'fldDescPost'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblOrganPost', 'COLUMN', N'fldId'
GO
```

Used By

[dbo].[tblShoghleAmaliyati_Detail]
[dbo].[prs_PersonlInfoInsert]
[dbo].[prs_tblOrganPostSelect]
[dbo].[prs_tblPersonalInfoSelect]
[dbo].[prs_tblShoghleAmaliyati_DetailSelect]
[dbo].[prs_tblShoghleAmaliyatiSelect]

[dbo].[tblPageHtml]

MS_Description

HTML صفحه جدول

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	1:25:48 PM Monday, November 30, 2020
Last Modified	1:25:48 PM Monday, November 30, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK# C	fldld	int	4	False
ф	fldTitle	nvarchar(100)	200	False
	fldMasir	nvarchar(max)	max	False
	fldMohtavaHtml	nvarchar(max)	max	False
	fldDesc	nvarchar(100)	200	False

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblPageHtml	fldld	True
	IX_tblPageHtml	fldTitle	True

```
CREATE TABLE [dbo].[tblPageHtml]

(
[fldId] [int] NOT NULL,

[fldTitle] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldMasir] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldMohtavaHtml] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
```

```
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblPageHtml] ADD CONSTRAINT [PK tblPageHtml] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPageHtml] ADD CONSTRAINT [IX tblPageHtml] UNIQUE NONCLUSTERED
([fldTitle]) ON [PRIMARY]
GO
EXEC sp addextendedproperty N'MS Description', N' مفحه جدول HTML', 'SCHEMA', N'dbo',
'TABLE', N'tblPageHtml', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نوفيحات ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPageHtml', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPageHtml', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N'ومحتوا مسير ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPageHtml', 'COLUMN', N'fldMasir'
EXEC sp addextendedproperty N'MS_Description', N'محتوا ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPageHtml', 'COLUMN', N'fldMohtavaHtml'
GO
EXEC sp_addextendedproperty N'MS_Description', N' عنوان ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPageHtml', 'COLUMN', N'fldTitle'
```

Used By

[dbo].[prs_tblPageHtmlDelete] [dbo].[prs_tblPageHtmlInsert] [dbo].[prs_tblPageHtmlSelect] [dbo].[prs_tblPageHtmlUpdate]

[dbo].[tblParametrs]

MS_Description

ها پار امتر

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	4
Created	2:17:10 PM Sunday, January 31, 2021
Last Modified	11:22:09 AM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblParametrsHistory]
History Table Row Count (~)	2
History Table Created	7:55:37 AM Monday, February 1, 2021
History Table Last Modified	7:55:37 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldEnName	varchar(150)	150	False	
	fldFaName	nvarchar(150)	300	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblParametrs	fldld	True

Extended Properties

Name	Value
PersianName	پار امتر ها

```
CREATE TABLE [dbo].[tblParametrsHistory]
[fldId] [int] NOT NULL,
[fldEnName] [varchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFaName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblParametrsHistory] ON [dbo].[tblParametrsHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblParametrs]
[fldId] [int] NOT NULL,
[fldEnName] [varchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldFaName] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Parame Start 6581EB1C] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblParame -
EndTi 66760F55] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM_TIME (StartTime, EndTime),
CONSTRAINT [PK tblParametrs] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblParametrsHistory])
)
GO
EXEC sp addextendedproperty N'MS Description', N' ما يارامتر', 'SCHEMA', N'dbo',
'TABLE', N'tblParametrs', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'باراسترها', 'SCHEMA', N'dbo', 'TABLE',
N'tblParametrs', NULL, NULL
EXEC sp addextendedproperty N'MS_Description', N'انگلیسی نام', 'SCHEMA', N'dbo',
'TABLE', N'tblParametrs', 'COLUMN', N'fldEnName'
EXEC sp addextendedproperty N'MS Description', N'فارسي نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblParametrs', 'COLUMN', N'fldFaName'
```

```
GO

EXEC sp_addextendedproperty N'MS_Description', N'آيدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblParametrs', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblParametrs', 'COLUMN', N'fldTimeStamp'

GO
```

Used By

[dbo].[prs_tblParametrsDelete] [dbo].[prs_tblParametrsInsert] [dbo].[prs_tblParametrsSelect] [dbo].[prs_tblParametrsUpdate]

[dbo].[tblParticularProperties]

MS_Description

خاص خصوصيات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	9:23:12 AM Tuesday, January 19, 2021
Last Modified	2:45:37 PM Saturday, January 23, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK. C	fldld	int	4	False	
FK	fldArchiveTreeId	int	4	False	
FK	fldPropertiesId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblParticularProperties	fldld	True

Foreign Keys

Name	Columns	
FK_tblParticularProperties_tblArchiveTree	fldArchiveTreeId->[dbo].[tblArchiveTree].[fldId]	
FK_tblParticularProperties_tblProperties	fldPropertiesId->[dbo].[tblProperties].[fldId]	

```
CREATE TABLE [dbo].[tblParticularProperties]
(
[fldId] [int] NOT NULL,
```

```
[fldArchiveTreeId] [int] NOT NULL,
[fldPropertiesId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblParticularProperties] ADD CONSTRAINT [PK_tblParticularProperties]
PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblParticularProperties] ADD CONSTRAINT [FK tblParticular-
Properties tblArchiveTree] FOREIGN KEY ([fldArchiveTreeId]) REFERENCES [dbo].[tbl-
ArchiveTree] ([fldId])
ALTER TABLE [dbo]. [tblParticularProperties] ADD CONSTRAINT [FK tblParticular-
Properties tblProperties] FOREIGN KEY ([fldPropertiesId]) REFERENCES [dbo].[tbl-
Properties] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'dbo', 'sCHEMA', N'dbo',
'TABLE', N'tblParticularProperties', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'هيو كد'N, 'SCHEMA', N'dbo',
'TABLE', N'tblParticularProperties', 'COLUMN', N'fldArchiveTreeId'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblParticularProperties', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ني آي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblParticularProperties', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'خواس كد', 'SCHEMA', N'dbo', 'TABLE',
N'tblParticularProperties', 'COLUMN', N'fldPropertiesId'
```

Uses

[dbo].[tblArchiveTree] [dbo].[tblProperties]

Used By

[dbo].[prs_DeleteArchiveTreeGroup]
[dbo].[prs_tblArchiveTreeSelect]
[dbo].[prs_tblParticularPropertiesDelete]
[dbo].[prs_tblParticularPropertiesInsert]
[dbo].[prs_tblParticularPropertiesSelect]
[dbo].[prs_tblParticularPropertiesUpdate]

■ [dbo].[tblPaye]

MS_Description

يايه

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	0	
Created	1:26:26 PM Monday, November 30, 2020	
Last Modified	9:00:17 AM Monday, January 25, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
F	fldPerdonalId	int	4	False	
	fldTarikhEjra	int	4	False	
F	fldAnvaPayeId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblPaye	fldld	True

Foreign Keys

Name		Columns	
	FK_tblPaye_tblAnvaPaye	fldAnvaPayeId->[dbo].[tblAnvaPaye].[fldId]	
	FK_tblPaye_tblPersonalInfo	fldPerdonalId->[dbo].[tblPersonalInfo].[fldId]	

SQL Script

```
CREATE TABLE [dbo].[tblPaye]
[fldId] [int] NOT NULL,
[fldPerdonalId] [int] NOT NULL,
[fldTarikhEjra] [int] NOT NULL,
[fldAnvaPayeId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblPaye fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblPaye] ADD CONSTRAINT [PK tblPaye] PRIMARY KEY CLUSTERED ([fld-
Id]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPaye] ADD CONSTRAINT [FK_tblPaye_tblAnvaPaye] FOREIGN KEY ([fld-
AnvaPayeId]) REFERENCES [dbo].[tblAnvaPaye] ([fldId])
ALTER TABLE [dbo].[tblPaye] ADD CONSTRAINT [FK tblPaye tblPersonalInfo] FOREIGN KEY
([fldPerdonalId]) REFERENCES [dbo].[tblPersonalInfo] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' יבובי', 'SCHEMA', N'dbo', 'TABLE',
N'tblPaye', NULL, NULL
GO
EXEC sp addextendedproperty N'MS Description', N' پاپه انواع دی ای ستون ', 'SCHEMA',
N'dbo', 'TABLE', N'tblPaye', 'COLUMN', N'fldAnvaPayeId'
EXEC sp addextendedproperty N'MS Description', N'uto', 'SCHEMA', N'dbo',
'TABLE', N'tblPaye', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPaye', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'نيرسنل دى اى ستون ', 'SCHEMA', N'dbo',
'TABLE', N'tblPaye', 'COLUMN', N'fldPerdonalId'
EXEC sp addextendedproperty N'MS_Description', N'اجرا تاريخ ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPaye', 'COLUMN', N'fldTarikhEjra'
GO
```

Uses

[dbo].[tblAnvaPaye] [dbo].[tblPersonalInfo]

Used By

[dbo].[prs_PersonlInfoInsert] [dbo].[prs_tblAshkhasSelect] [dbo].[prs_tblPayeInsert] [dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblPermission]

MS_Description

ها دسترسی

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	239	
Created	10:25:27 AM Sunday, November 29, 2020	
Last Modified	10:32:12 AM Sunday, January 31, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldID	int	4	False	
F.	fldUserGroupID	int	4	False	
r F	fldApplicationPartID	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblPermission	fldID	True
	IX_tblPermission	fldApplicationPartID, fldUserGroupID	

Foreign Keys

Name	Columns	
FK_tblPermission_tblApplicationPart	fldApplicationPartID->[dbo].[tblApplicationPart].[fldID]	
FK_tblPermission_tblUserGroup	fldUserGroupID->[dbo].[tblUserGroup].[fldID]	

SQL Script

```
CREATE TABLE [dbo].[tblPermission]
[fldID] [int] NOT NULL,
[fldUserGroupID] [int] NOT NULL,
[fldApplicationPartID] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblPermission fldDesc] DEFAULT ('')
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblPermission] ADD CONSTRAINT [PK tblPermission] PRIMARY KEY
CLUSTERED ([fldID]) ON [PRIMARY]
CREATE NONCLUSTERED INDEX [IX tblPermission] ON [dbo].[tblPermission] ([fldApplication-
PartID], [fldUserGroupID]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPermission] ADD CONSTRAINT [FK_tblPermission_tblApplicationPart]
FOREIGN KEY ([fldApplicationPartID]) REFERENCES [dbo].[tblApplicationPart] ([fldID])
ALTER TABLE [dbo].[tblPermission] ADD CONSTRAINT [FK tblPermission tblUserGroup]
FOREIGN KEY ([fldUserGroupID]) REFERENCES [dbo].[tblUserGroup] ([fldID])
EXEC sp_addextendedproperty N'MS_Description', N' נשבר ', 'SCHEMA', N'dbo', 'TABLE',
N'tblPermission', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N'يرنامه آينم آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblPermission', 'COLUMN', N'fldApplicationPartID'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblPermission', 'COLUMN', N'fldDesc
EXEC sp addextendedproperty N'MS Description', N'آيدي ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblPermission', 'COLUMN', N'fldID'
EXEC sp addextendedproperty N'MS Description', N' کارېری گروه آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblPermission', 'COLUMN', N'fldUserGroupID'
```

Uses

[dbo].[tblApplicationPart] [dbo].[tblUserGroup]

Used By

```
[dbo].[Fn_AppId_Name_Dastresi]
[dbo].[fn_GetUserGroup]
[dbo].[prs_CopyPermission]
[dbo].[prs_DeleteChildUserGroupPermission]
[dbo].[prs_GetName_applicationpart]
[dbo].[prs_tblApplicationPartSelect]
[dbo].[prs_tblPermissionDelete]
[dbo].[prs_tblPermissionInsert]
```

[dbo].[prs_tblPermissionSelect]
[dbo].[prs_tblPermissionUpdate]
[dbo].[prs_tblUser_PermissionInsert]
[dbo].[prs_User_PermissionAppIdSelect]

[dbo].[tblPermission_DigitalArchive]

MS_Description

دیجیتال بایگانی دسترسی

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	8	
Created	8:52:07 AM Tuesday, January 19, 2021	
Last Modified	8:53:23 AM Tuesday, January 19, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK G	fldld	int	4	False	
FK	fldApp_PartId	int	4	False	
FK	fldUserSelectId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblPermission_DigitalArchive	fldld	True

Foreign Keys

Name	Columns
FK_tblPermission_DigitalArchive_tblApplicationPart DigitablArchive	fldApp_PartId->[dbo].[tblApplicationPart_Digitabl-Archive].[fldId]
FK_tblPermission_DigitalArchive_tblUser	fldUserSelectId->[dbo].[tblUser].[fldId]

```
CREATE TABLE [dbo].[tblPermission_DigitalArchive]
```

```
[fldId] [int] NOT NULL,
[fldApp PartId] [int] NOT NULL,
[fldUserSelectId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblPermission DigitalArchive fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblPermission DigitalArchive] ADD CONSTRAINT [PK tblPermission -
DigitalArchive] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPermission_DigitalArchive] ADD CONSTRAINT [FK tblPermission -
DigitalArchive tblApplicationPart DigitablArchive] FOREIGN KEY ([fldApp PartId])
REFERENCES [dbo].[tblApplicationPart DigitablArchive] ([fldId])
ALTER TABLE [dbo].[tblPermission DigitalArchive] ADD CONSTRAINT [FK tblPermission -
DigitalArchive tblUser] FOREIGN KEY ([fldUserSelectId]) REFERENCES [dbo].[tblUser]
([fldId])
GO
EXEC sp addextendedproperty N'MS_Description', N'ی دسترسی', 'SCHEMA',
N'dbo', 'TABLE', N'tblPermission DigitalArchive', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' برنامه های قسمت کد', 'SCHEMA',
N'dbo', 'TABLE', N'tblPermission DigitalArchive', 'COLUMN', N'fldApp PartId'
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblPermission DigitalArchive', 'COLUMN', N'fldDesc'
GO
EXEC sp_addextendedproperty N'MS_Description', N' "SCHEMA', N'dbo', دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPermission DigitalArchive', 'COLUMN', N'fldId'
", 'SCHEMA', کاربر کد'S addextendedproperty N'MS Description', N' شده انتخاب کاربر کد'
N'dbo', 'TABLE', N'tblPermission DigitalArchive', 'COLUMN', N'fldUserSelectId'
```

Uses

[dbo].[tblApplicationPart_DigitablArchive] [dbo].[tblUser]

Used By

[dbo].[prs_DeleteArchiveTreeGroup]
[dbo].[prs_tblApplicationPart_DigitablArchiveSelect]
[dbo].[prs_tblPermission_DigitalArchiveDelete]
[dbo].[prs_tblPermission_DigitalArchiveInsert]
[dbo].[prs_tblPermission_DigitalArchiveSelect]
[dbo].[prs_tblPermission_DigitalArchiveUpdate]

[dbo].[tblPermissionCharkhe]

MS_Description

چرخه دسترسی

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	11:15:44 AM Tuesday, December 1, 2020
Last Modified	1:33:33 PM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldId	int	4	False	
FK9	fldCharkheld	int	4	False	
FK)	fldUserGroupId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblPermissionCharkhe	fldld	True

Foreign Keys

Name	Columns
FK_tblPermissionCharkhe_tblCharkhe	fldCharkheld->[dbo].[tblCharkhe].[fldld]
FK_tblPermissionCharkhe_tblUserGroup	fldUserGroupId->[dbo].[tblUserGroup].[fldID]
FK_tblPermssionCharkhe_tblCharkhe	fldCharkheld->[dbo].[tblCharkhe].[fldld]
FK_tblPermssionCharkhe_tblUser_Group	fldUserGroupId->[dbo].[tblUserGroup].[fldID]

SQL Script

```
CREATE TABLE [dbo].[tblPermissionCharkhe]
[fldId] [int] NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldUserGroupId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblPermissionCharkhe] ADD CONSTRAINT [PK tblPermissionCharkhe]
PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPermissionCharkhe] ADD CONSTRAINT [FK tblPermissionCharkhe tbl-
Charkhe] FOREIGN KEY ([fldCharkheId]) REFERENCES [dbo].[tblCharkhe] ([fldId])
ALTER TABLE [dbo].[tblPermissionCharkhe] ADD CONSTRAINT [FK tblPermissionCharkhe tbl-
UserGroup] FOREIGN KEY ([fldUserGroupId]) REFERENCES [dbo]. [tblUserGroup] ([fldID])
ALTER TABLE [dbo].[tblPermissionCharkhe] ADD CONSTRAINT [FK tblPermssionCharkhe tbl-
Charkhe] FOREIGN KEY ([fldCharkheId]) REFERENCES [dbo].[tblCharkhe] ([fldId])
ALTER TABLE [dbo].[tblPermissionCharkhe] ADD CONSTRAINT [FK tblPermssionCharkhe tbl-
User Group] FOREIGN KEY ([fldUserGroupId]) REFERENCES [dbo]. [tblUserGroup] ([fldID])
EXEC sp addextendedproperty N'MS Description', N', اجرخه دسترسی', 'SCHEMA', N'dbo',
'TABLE', N'tblPermissionCharkhe', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' , 'SCHEMA', N'dbo', 'TABLE',
N'tblPermissionCharkhe', 'COLUMN', N'fldCharkheId'
EXEC sp addextendedproperty N'MS Description', N'توفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblPermissionCharkhe', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'L, 'SCHEMA', N'dbo', 'TABLE', N'tbl-
PermissionCharkhe', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' اکاربری گروه که', 'SCHEMA', N'dbo',
'TABLE', N'tblPermissionCharkhe', 'COLUMN', N'fldUserGroupId
GO
```

Uses

[dbo].[tblCharkhe] [dbo].[tblUserGroup]

Used By

[dbo].[fn_charkhePermission]
[dbo].[prs_ApplictionPart_Charkhe]
[dbo].[prs_DeleteChildUserGroupPermissionCharkhe]
[dbo].[prs_tblPermissionCharkheDelete]
[dbo].[prs_tblPermissionCharkheInsert]

[dbo].[prs_tblPermissionCharkheSelect]
[dbo].[prs_tblUser_PermissionCharkheInsert]
[dbo].[prs_User_PermissionCharkheldSelect]

[dbo].[tblPersonalInfo]

MS_Description

پرسنل

Properties

Property	Value	
Collation	SQL_Latin1_General_CP1_CI_AS	
Row Count (~)	9	
Created	11:10:06 AM Monday, January 4, 2021	
Last Modified	2:34:11 PM Tuesday, January 19, 2021	

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldOrganId	int	4	True	
FK	fldTypeEstekhdamld	int	4	False	
FK	fldMahalSazmanild	int	4	False	
	fldCodeEnhesari	varchar(10)	10	False	
	fldDateServer	datetime	8	False	
	fldIsMovazaf	bit	1	False	((1))
	fldTarikh	varchar(10)	10	False	
	fldPass	nvarchar(100)	200	False	(")
	fldSazmanild	int	4	True	
FK	fldStationId	int	4	True	
FK	fldShakhsld	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldEmploymentId	int	4	True	

F	fldDegreeOfEducationId	int	4	True	
	fldTypeSafety	bit	1	True	
	fldPersoneli_No	varchar(10)	10	True	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblPersonalInfo	fldld	True

Foreign Keys

Name	Columns
FK_tblPersonalInfo_tblAshkhas	fldShakhsld->[dbo].[tblAshkhas].[fldld]
FK_tblPersonalInfo_tblDegreeOfEducation	fldDegreeOfEducationId->[dbo].[tblDegreeOfEducation].[fldId]
FK_tblPersonalInfo_tblEmploymentStatus	fldEmploymentId->[dbo].[tblEmploymentStatus].[fldId]
FK_tblPersonalInfo_tblMahalSazmani	fldMahalSazmanild->[dbo].[tblMahalSazmani].[fldld]
FK_tblPersonalInfo_tblStation	fldStationId->[dbo].[tblStation].[fldId]
FK_tblPersonalInfo_tblTypeEstekhdam	fldTypeEstekhdamld->[dbo].[tblTypeEstekhdam].[fldId]

```
CREATE TABLE [dbo].[tblPersonalInfo]
[fldId] [int] NOT NULL,
[fldOrganId] [int] NULL,
[fldTypeEstekhdamId] [int] NOT NULL,
[fldMahalSazmaniId] [int] NOT NULL,
[fldCodeEnhesari] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDateServer] [datetime] NOT NULL,
[fldIsMovazaf] [bit] NOT NULL CONSTRAINT [DF tblPersonalInfo fldIsMovazaf 1] DEFAULT
((1)),
[fldTarikh] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldPass] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblPersonalInfo_fldPass_1] DEFAULT (''),
[fldSazmaniId] [int] NULL,
[fldStationId] [int] NULL,
[fldShakhsId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblPersonalInfo_fldDesc_1] DEFAULT (''),
[fldEmploymentId] [int] NULL,
[fldDegreeOfEducationId] [int] NULL,
[fldTypeSafety] [bit] NULL,
[fldPersoneli_No] [varchar] (10) COLLATE SQL_Latin1_General_CP1_CI_AS NULL
ON [PRIMARY]
```

```
GO
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [PK tblPersonalInfo] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [FK tblPersonalInfo tblAshkhas]
FOREIGN KEY ([fldShakhsId]) REFERENCES [dbo].[tblAshkhas] ([fldId])
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [FK tblPersonalInfo tblDegreeOf-
Education] FOREIGN KEY ([fldDegreeOfEducationId]) REFERENCES [dbo].[tblDegreeOf-
Education] ([fldId])
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [FK tblPersonalInfo tblEmployment-
Status] FOREIGN KEY ([fldEmploymentId]) REFERENCES [dbo].[tblEmploymentStatus] ([fld-
Id])
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [FK tblPersonalInfo tblMahalSazmani]
FOREIGN KEY ([fldMahalSazmaniId]) REFERENCES [dbo].[tblMahalSazmani] ([fldId])
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [FK tblPersonalInfo tblStation]
FOREIGN KEY ([fldStationId]) REFERENCES [dbo].[tblStation] ([fldId])
ALTER TABLE [dbo].[tblPersonalInfo] ADD CONSTRAINT [FK tblPersonalInfo tblType-
Estekhdam] FOREIGN KEY ([fldTypeEstekhdamId]) REFERENCES [dbo].[tblTypeEstekhdam] ([fld-
EXEC sp addextendedproperty N'MS Description', N'پرسنل', 'SCHEMA', N'dbo', 'TABLE',
N'tblPersonalInfo', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'انحصاری کد ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldCodeEnhesari'
EXEC sp addextendedproperty N'MS_Description', N'uso', '". '". 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldDateServer
EXEC sp addextendedproperty N'MS Description', N'uto', 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' موظف ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldIsMovazaf'
". SCHEMA', اسازمانی صحل دی ای ستون "EXEC sp addextendedproperty N'MS Description', N'
N'dbo', 'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldMahalSazmaniId'
EXEC sp addextendedproperty N'MS Description', N'dbo', 'ارگان دی آی ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldOrganId'
EXEC sp addextendedproperty N'MS_Description', N'use,', 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldPass'
EXEC sp addextendedproperty N'MS Description', N' سازمان دی ای ستون ', 'SCHEMA', N'dbo',
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldSazmaniId'
EXEC sp_addextendedproperty N'MS_Description', N' اشخاص جدول دى اى ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldShakhsId'
EXEC sp addextendedproperty N'MS Description', N' ایستگاه دی آی ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldStationId'
EXEC sp_addextendedproperty N'MS_Description', N'ujbo', 'sCHEMA', N'dbo',
```

```
'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldTarikh'

GO

EXEC sp_addextendedproperty N'MS_Description', N' ستغدام نوع دی آی ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblPersonalInfo', 'COLUMN', N'fldTypeEstekhdamId'

GO
```

Uses

[dbo].[tblAshkhas]

[dbo].[tblDegreeOfEducation]

[dbo].[tblEmploymentStatus]

[dbo].[tblMahalSazmani]

[dbo].[tblStation]

[dbo].[tblTypeEstekhdam]

Used By

```
[dbo].[tblDegreeOfEducationHistory]
```

[dbo].[tblEmploymentStatusHistory]

[dbo].[tblPaye]

[dbo].[tblUser]

[dbo].[prs_CheckPass]

[dbo].[prs_GetName_applicationpart]

[dbo].[prs_GetUserGroupTree]

[dbo].[prs_KolAudiometriSelect]

[dbo].[prs KolOptometriSelect]

[dbo].[prs_PersonIInfoInsert]

[dbo].[prs_RptMoayenat]

[dbo].[prs_SelectDistictAction_Cartable]

[dbo].[prs_SelectKolSabeghe]

[dbo].[prs_SelectUserByUserId]

[dbo].[prs_SelectUserByUserIdTicket]

[dbo].[prs_tblAcceptOrRejectSelect]

[dbo].[prs_tblAshkhasSelect]

[dbo].[prs_tblAudiometri1Select]

[dbo].[prs_tblAudiometri2Select]

[dbo].[prs_tblAvamelZiyanAvarSelect]

[dbo].[prs_tblBazgashtBeGhablSelect]

[dbo].[prs_tblDidOmghSelect]

[dbo].[prs_tblEnterToCycleSelect]

[dbo].[prs_tblEtmamCharkheSelect]

[dbo].[prs_tblMoayenatSelect]

[dbo].[prs_tblNahiSelect]

[dbo].[prs_tblNazarNahaiiSelect]

[dbo].[prs_tblOptometriSelect]

[dbo].[prs_tblPersonalInfoDelete]

[dbo].[prs_tblPersonalInfoInsert]

[dbo].[prs_tblPersonalInfoSelect]

[dbo].[prs_tblPersonalInfoUpdate]

[dbo].[prs_tblSabegheSelect]

[dbo].[prs_tblSpirometriSelect]

[dbo].[prs_tblStationSelect]

[dbo].[prs_tblTicketSelect]

[dbo].[prs_tblUserGroupSelect]

[dbo].[prs_tblUserSelect]

[dbo].[prs_UpdateFilePersonal]

[dbo].[prs_UpdatePassPersonal]

[dbo].[tblPezeshkan]

MS_Description

پزشکان

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	8:53:12 AM Monday, February 1, 2021
Last Modified	6:55:19 PM Saturday, February 6, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblPezeshkanHistory]
History Table Row Count (~)	4
History Table Created	10:17:03 AM Monday, February 1, 2021
History Table Last Modified	9:48:56 AM Thursday, February 4, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
F P	fldAshkhasId	int	4	False	
.th.	fldCodeNezamPezeshki	nvarchar(15)	30	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime 2],'9999-12-31 23:59:59.9999999',(0))
	fldCodeMoayenatSalamat	varchar(15)	15	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblPezeshkan	fldId	True
	IX_tblPezeshkan	fldAshkhasId, fldCodeNezamPezeshki	True

Foreign Keys

Name	Columns
FK_tblPezeshkan_tblAshkhas	fldAshkhasId->[dbo].[tblAshkhas].[fldId]

Extended Properties

Name	Value
PersianName	پزشکان

```
CREATE TABLE [dbo].[tblPezeshkanHistory]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldCodeNezamPezeshki] [nvarchar] (15) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldCodeMoayenatSalamat] [varchar] (15) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
CONSTRAINT [DF tblPezeshkanHistory fldCodeMoayenatSalamat] DEFAULT ('')
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix tblPezeshkanHistory] ON [dbo].[tblPezeshkanHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblPezeshkan]
[fldId] [int] NOT NULL,
[fldAshkhasId] [int] NOT NULL,
[fldCodeNezamPezeshki] [nvarchar] (15) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Pezesh Start 2FE4F47A] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblPezesh -
EndTi__30D918B3] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999,(0))),
[fldCodeMoayenatSalamat] [varchar] (15) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
CONSTRAINT [DF tblPezeshkan fldCodeMoayenatSalamat] DEFAULT (''),
```

```
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblPezeshkan] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblPezeshkanHistory])
)
GO
ALTER TABLE [dbo].[tblPezeshkan] ADD CONSTRAINT [IX tblPezeshkan] UNIQUE NONCLUSTERED
([fldAshkhasId], [fldCodeNezamPezeshki]) ON [PRIMARY]
ALTER TABLE [dbo].[tblPezeshkan] ADD CONSTRAINT [FK tblPezeshkan tblAshkhas] FOREIGN
KEY ([fldAshkhasId]) REFERENCES [dbo].[tblAshkhas] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'پزشكان', 'SCHEMA', N'dbo', 'TABLE',
N'tblPezeshkan', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'پزشکان', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Pezeshkan', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'ياشخاص آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblPezeshkan', 'COLUMN', N'fldAshkhasId'
EXEC sp_addextendedproperty N'MS_Description', N' اسلامت معابنات کد', 'SCHEMA', N'dbo',
'TABLE', N'tblPezeshkan', 'COLUMN', N'fldCodeMoayenatSalamat'
EXEC sp addextendedproperty N'MS Description', N' ، 'پزشکی نظام که', 'SCHEMA', N'dbo',
'TABLE', N'tblPezeshkan', 'COLUMN', N'fldCodeNezamPezeshki'
EXEC sp addextendedproperty N'MS Description', N' آپدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblPezeshkan', 'COLUMN', N'fldId'
GO
EXEC sp addextendedproperty N'MS Description', N'. ويرايش به مربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblPezeshkan', 'COLUMN', N'fldTimeStamp'
GO
```

Uses

[dbo].[tblAshkhas]

Used By

```
[dbo].[tblMoayenat]
[dbo].[tblNazarNahaii]
[dbo].[prs_RptMoayenat]
[dbo].[prs_RptNazarNahaii]
[dbo].[prs_tblMoayenatSelect]
[dbo].[prs_tblNazarNahaiiSelect]
[dbo].[prs_tblPezeshkanDelete]
[dbo].[prs_tblPezeshkanInsert]
[dbo].[prs_tblPezeshkanSelect]
[dbo].[prs_tblPezeshkanUpdate]
```

[dbo].[tblPorseshname]

MS_Description

پرسشنامه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	16
Created	9:06:42 AM Tuesday, February 2, 2021
Last Modified	9:08:37 AM Tuesday, February 2, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblPorseshnameHistory]
History Table Row Count (~)	42
History Table Created	9:07:18 AM Tuesday, February 2, 2021
History Table Last Modified	9:08:37 AM Tuesday, February 2, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
	fldTitle	nvarchar(150)	300	False	
	fldParametr	nvarchar(2000)	4000	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	False	

Indexes

Key	Name	Key Columns	Unique
-----	------	-------------	--------



Extended Properties

Name	Value
PersianName	پرسشنامه

```
CREATE TABLE [dbo].[tblPorseshnameHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldParametr] [nvarchar] (2000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NOT NULL
) ON [PRIMARY]
GO
CREATE CLUSTERED INDEX [ix tblPorseshnameHistory] ON [dbo].[tblPorseshnameHistory]
([EndTime], [StartTime]) ON [PRIMARY]
CREATE TABLE [dbo].[tblPorseshname]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldParametr] [nvarchar] (2000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Porses__Start__7E4D98E6] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblPorses -
EndTi__7F41BD1F] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.9999999,(0))),
[fldOrder] [int] NOT NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblPorseshname] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblPorseshnameHistory])
)
GO
EXEC sp addextendedproperty N'MS Description', N' برسشنامه', 'SCHEMA', N'dbo', 'TABLE',
N'tblPorseshname', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'برسشناهه', 'SCHEMA', N'dbo', 'TABLE',
N'tblPorseshname', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'آيدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblPorseshname', 'COLUMN', N'fldId'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'نرتيب', 'SCHEMA', N'dbo', 'TABLE', N'tblPorseshname', 'COLUMN', N'fldOrder'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ucley, 'SCHEMA', N'dbo', 'TABLE', N'tblPorseshname', 'COLUMN', N'fldParametr'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ucley, 'schema', N'dbo', 'TABLE', N'tblPorseshname', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ucley, 'schema', N'dbo', 'TABLE', N'tblPorseshname', 'COLUMN', N'fldTitle'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ucley, 'schema', N'dbo', 'TABLE', N'tblPorseshname', 'COLUMN', N'fldTitle'

GO
```

Used By

```
[dbo].[tblSabeghe_Detail]
[dbo].[prs_RptSabeghe]
[dbo].[prs_SelectKolSabeghe]
[dbo].[prs_SelectPorseshnameByAshkhasld]
[dbo].[prs_tblPorseshnameDelete]
[dbo].[prs_tblPorseshnameInsert]
[dbo].[prs_tblPorseshnameSelect]
[dbo].[prs_tblPorseshnameUpdate]
[dbo].[prs_UpdateOrder]
```

I [dbo].[tblProperties]

MS_Description

خصوصيات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	2:45:37 PM Saturday, January 23, 2021
Last Modified	2:47:09 PM Saturday, January 23, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblPropertiesHistory]
History Table Row Count (~)	1
History Table Created	2:47:09 PM Saturday, January 23, 2021
History Table Last Modified	2:47:09 PM Saturday, January 23, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldNameFn	nvarchar(100)	200	False	
	fldNameEn	nvarchar(100)	200	False	
	fldType	int	4	False	
FK	fldFormulld	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblProperties	fldld	True

Foreign Keys

Name	Columns
FK_tblProperties_tblComputationFormula	fldFormulld->[dbo].[tblComputationFormula].[fldld]

Extended Properties

Name	Value
PersianName	خصوصيات

```
CREATE TABLE [dbo].[tblPropertiesHistory]
[fldId] [int] NOT NULL,
[fldNameFn] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldNameEn] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldType] [int] NOT NULL,
[fldFormulId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix tblPropertiesHistory] ON [dbo].[tblPropertiesHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblProperties]
[fldId] [int] NOT NULL,
[fldNameFn] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldNameEn] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldType] [int] NOT NULL,
[fldFormulId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblProperties fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Proper Start 4F3DA442] DEFAULT (getutcdate()),
```

```
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblProper -
EndTi 5031C87B] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblProperties] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblPropertiesHistory])
)
GO
ALTER TABLE [dbo].[tblProperties] ADD CONSTRAINT [FK tblProperties tblComputation-
Formula] FOREIGN KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' 'خصوصيات', 'SCHEMA', N'dbo', 'TABLE',
N'tblProperties', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'خصوصيات', 'SCHEMA', N'dbo', 'TABLE',
N'tblProperties', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توهيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblProperties', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'فرمول كد', 'SCHEMA', N'dbo', 'TABLE',
N'tblProperties', 'COLUMN', N'fldFormulId'
EXEC sp addextendedproperty N'MS Description', N'آيدى', 'SCHEMA', N'dbo', 'TABLE',
N'tblProperties', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N'انگلیسی نام', 'SCHEMA', N'dbo',
'TABLE', N'tblProperties', 'COLUMN', N'fldNameEn'
EXEC sp addextendedproperty N'MS Description', N'فارسي نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblProperties', 'COLUMN', N'fldNameFn'
GO
EXEC sp_addextendedproperty N'MS_Description', N'. اوبرایش په صربوط فیلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblProperties', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS Description', N'نوع', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Properties', 'COLUMN', N'fldType'
GO
```

Uses

[dbo].[tblComputationFormula]

Used By

```
[dbo].[tblParticularProperties]
[dbo].[prs_tblArchiveTreeSelect]
[dbo].[prs_tblComputationFormulaInsert]
[dbo].[prs_tblParticularPropertiesSelect]
[dbo].[prs_tblPropertiesDelete]
[dbo].[prs_tblPropertiesInsert]
[dbo].[prs_tblPropertiesSelect]
```

[dbo].[prs_tblPropertiesUpdate] [dbo].[prs_tblReferralRulesDelete] [dbo].[prs_tblReferralRulesUpdate]

[dbo].[tblReferralRules]

MS_Description

ارجاع قوانين

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	9:51:23 AM Tuesday, January 26, 2021
Last Modified	1:42:02 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblReferralRulesHistory]
History Table Row Count (~)	0
History Table Created	9:52:04 AM Tuesday, January 26, 2021
History Table Last Modified	9:52:04 AM Tuesday, January 26, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK	fldNextActionId	int	4	True	
	fldValue	nvarchar(400)	800	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldFormulld	int	4	True	
	fldFormul	nvarchar(max)	max	True	
	fldOrder	tinyint	1	False	
F	fldCharkhe_EghdamId	int	4	True	
F	fldOpertion_ActionId	int	4	True	
	fldTimeStamp	timestamp	8	False	

StartTime	datetime2	8	False	(getutcdate())
EndTime	datetime2	8	False	(CONVERT([datetime2],' 9999-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblReferralRules	fldld	True

Foreign Keys

Name	Columns
FK_tblReferralRules_tblActions	fldNextActionId->[dbo].[tblActions].[fldId]
FK_tblReferralRules_tblCharkhe_Eghdam	fldCharkhe_EghdamId->[dbo].[tblCharkhe_Eghdam].[fldld]
FK_tblReferralRules_tblComputationFormula	fldFormulId->[dbo].[tblComputationFormula].[fldId]
FK_tblReferralRules_tblOpertion_Action	fldOpertion_ActionId->[dbo].[tblOpertion_Action].[fldId]

Extended Properties

Name	Value
PersianName	ارجاع قوانين

```
CREATE TABLE [dbo].[tblReferralRulesHistory]
[fldId] [int] NOT NULL,
[fldNextActionId] [int] NULL,
[fldValue] [nvarchar] (400) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldFormulId] [int] NULL,
[fldFormul] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[fldOrder] [tinyint] NOT NULL,
[fldCharkhe EghdamId] [int] NULL,
[fldOpertion_ActionId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
```

```
CREATE CLUSTERED INDEX [ix tblReferralRulesHistory] ON [dbo].[tblReferralRulesHistory]
([EndTime], [StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblReferralRules]
[fldId] [int] NOT NULL,
[fldNextActionId] [int] NULL,
[fldValue] [nvarchar] (400) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblReferralRules fldDesc] DEFAULT (''),
[fldFormulId] [int] NULL,
[fldFormul] [nvarchar] (max) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldOrder] [tinyint] NOT NULL,
[fldCharkhe EghdamId] [int] NULL,
[fldOpertion ActionId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Referr Start ODF9F0CA] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblReferr -
EndTi 0EEE1503] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblReferralRules] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
(
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblReferralRulesHistory])
GO
ALTER TABLE [dbo].[tblReferralRules] ADD CONSTRAINT [FK tblReferralRules tblActions]
FOREIGN KEY ([fldNextActionId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblReferralRules] ADD CONSTRAINT [FK tblReferralRules tblCharkhe -
Eghdam] FOREIGN KEY ([fldCharkhe EghdamId]) REFERENCES [dbo].[tblCharkhe Eghdam] ([fld-
GO
ALTER TABLE [dbo].[tblReferralRules] ADD CONSTRAINT [FK tblReferralRules tblComputation-
Formula] FOREIGN KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
ALTER TABLE [dbo].[tblReferralRules] ADD CONSTRAINT [FK tblReferralRules tblOpertion -
Action] FOREIGN KEY ([fldOpertion ActionId]) REFERENCES [dbo].[tblOpertion Action]
([fldId])
EXEC sp addextendedproperty N'MS Description', N'(ارجاع قوانين', 'SCHEMA', N'dbo',
'TABLE', N'tblReferralRules', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'(رجاع قوانين, 'SCHEMA', N'dbo', 'TABLE',
N'tblReferralRules', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' اقدام- چرخه آپدی', 'SCHEMA', N'dbo',
'TABLE', N'tblReferralRules', 'COLUMN', N'fldCharkhe EghdamId'
EXEC sp addextendedproperty N'MS Description', N'توهيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblReferralRules', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'فرمول', 'SCHEMA', N'dbo', 'TABLE',
N'tblReferralRules', 'COLUMN', N'fldFormul'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'فرمول کی', 'SCHEMA', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldFormulId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'نيدي ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldNextActionId'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldOpertion_ActionId'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldOrder'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldValue', 'schema', N'dbo', 'TABLE', N'tblReferralRules', 'COLUMN', N'fldValue'

GO
```

Uses

[dbo].[tblActions]

[dbo].[tblCharkhe_Eghdam]

[dbo].[tblComputationFormula]

[dbo].[tblOpertion_Action]

Used By

[dbo].[prs_CopyCharkhe]

[dbo].[prs_tblComputationFormulaInsert]

[dbo].[prs_tblReferralRulesDelete]

[dbo].[prs_tblReferralRulesInsert]

[dbo].[prs_tblReferralRulesSelect]

[dbo].[prs_tblReferralRulesUpdate]

[dbo].[prs_UpdateFormulRules]

☐ [dbo].[tblRules]

MS_Description

قو انين

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	2:41:15 PM Sunday, January 24, 2021
Last Modified	1:33:33 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblRulesHistory]
History Table Row Count (~)	0
History Table Created	2:42:04 PM Sunday, January 24, 2021
History Table Last Modified	2:42:04 PM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
	fldFormul	nvarchar(max)	max	True	
FK	fldFormulld	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")
. 	fldTarikhEjra	int	4	False	(")
# F	fldCharkheld	int	4	True	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'99 99-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblRules	fldld	True
	IX_tblRules	fldTarikhEjra, fldCharkheld	True

Foreign Keys

Name	Columns
FK_tblRules_tblCharkhe	fldCharkheld->[dbo].[tblCharkhe].[fldld]
FK_tblRules_tblComputationFormula	fldFormulld->[dbo].[tblComputationFormula].[fldld]

Extended Properties

Name	Value
PersianName	قو انین

```
CREATE TABLE [dbo].[tblRulesHistory]
[fldId] [int] NOT NULL,
[fldFormul] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NULL,
[fldFormulId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTarikhEjra] [int] NOT NULL,
[fldCharkheId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
(
DATA COMPRESSION = PAGE
CREATE CLUSTERED INDEX [ix_tblRulesHistory] ON [dbo].[tblRulesHistory] ([EndTime],
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblRules]
[fldId] [int] NOT NULL,
[fldFormul] [nvarchar] (max) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldFormulId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblRules fldDesc] DEFAULT (''),
```

```
[fldTarikhEjra] [int] NOT NULL CONSTRAINT [DF tblRules fldTarikhEjra] DEFAULT ('''),
[fldCharkheId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Rules StartT 55B597A7] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblRules -
EndTim 56A9BBE0] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblRules] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblRulesHistory])
)
GO
ALTER TABLE [dbo].[tblRules] ADD CONSTRAINT [IX tblRules] UNIQUE NONCLUSTERED ([fld-
TarikhEjra], [fldCharkheId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblRules] ADD CONSTRAINT [FK tblRules tblCharkhe] FOREIGN KEY ([fld-
Charkheld]) REFERENCES [dbo].[tblCharkhe] ([fldId])
ALTER TABLE [dbo].[tblRules] ADD CONSTRAINT [FK tblRules tblComputationFormula] FOREIGN
KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'قوانين', 'SCHEMA', N'dbo', 'TABLE',
N'tblRules', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'فوانين', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Rules', NULL, NULL
GO
EXEC sp addextendedproperty N'MS Description', N' اجرخه کد', 'SCHEMA', N'dbo', 'TABLE',
N'tblRules', 'COLUMN', N'fldCharkheId'
EXEC sp addextendedproperty N'MS Description', N'نوفيحات ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblRules', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' فرمول', 'SCHEMA', N'dbo', 'TABLE',
N'tblRules', 'COLUMN', N'fldFormul'
EXEC sp addextendedproperty N'MS Description', N' افرمول که', 'SCHEMA', N'dbo', 'TABLE',
N'tblRules', 'COLUMN', N'fldFormulId'
EXEC sp_addextendedproperty N'MS_Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblRules', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'طورا تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblRules', 'COLUMN', N'fldTarikhEjra'
EXEC sp addextendedproperty N'MS_Description', N'. ويرايش به صربوط فيلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblRules', 'COLUMN', N'fldTimeStamp'
GΩ
```

Uses

[dbo].[tblCharkhe]

[dbo].[tblComputationFormula]

Used By

[dbo].[prs_CopyCharkhe]

[dbo].[prs_tblComputationFormulaInsert]

[dbo].[prs_tblRulesDelete]

[dbo].[prs_tblRulesInsert]

[dbo].[prs_tblRulesSelect]

[dbo].[prs_tblRulesUpdate]

[dbo].[prs_UpdateFormulRules]

[dbo].[tblSabeghe]

MS_Description

سابقه

Properties

Property	Value
Row Count (~)	1
Created	11:07:06 AM Monday, February 1, 2021
Last Modified	11:40:19 AM Monday, February 1, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblSabegheHistory]
History Table Row Count (~)	7
History Table Created	11:40:19 AM Monday, February 1, 2021
History Table Last Modified	11:40:19 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
F	fldCharkheFirstId	int	4	True	
F	fldKartablld	int	4	False	
F/P	fldEghdamId	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK2 G	PK_tblSabeghe	fldld	True

Foreign Keys

Name	Columns
FK_tblSabeghe_tblActions	fldEghdamld->[dbo].[tblActions].[fldId]
FK_tblSabeghe_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldld]
FK_tblSabeghe_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	سابقه

```
CREATE TABLE [dbo].[tblSabegheHistory]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldKartablId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblSabegheHistory] ON [dbo].[tblSabegheHistory] ([EndTime],
[StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblSabeghe]
[fldId] [int] NOT NULL,
[fldCharkheFirstId] [int] NULL,
[fldKartablId] [int] NOT NULL,
[fldEghdamId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Sabegh Start 1313ABA2] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblSabegh -
EndTi 1407CFDB] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM_TIME (StartTime, EndTime),
CONSTRAINT [PK tblSabeghe] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
{\tt SYSTEM~VERSIONING~=~ON~(HISTORY\_TABLE~=~[dbo].[tblSabegheHistory])}
)
GO
ALTER TABLE [dbo].[tblSabeghe] ADD CONSTRAINT [FK tblSabeghe tblActions] FOREIGN KEY
```

```
([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblSabeghe] ADD CONSTRAINT [FK tblSabeghe tblCharkhe FirstEghdam]
FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe_FirstEghdam] ([fldId])
ALTER TABLE [dbo].[tblSabeghe] ADD CONSTRAINT [FK_tblSabeghe_tblKartabl] FOREIGN KEY
([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'سانة, 'SCHEMA', N'dbo', 'TABLE',
N'tblSabeghe', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'ulpo', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Sabeghe', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'بافرست چرخه آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe', 'COLUMN', N'fldCharkheFirstId'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N' آپدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblSabeghe', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'اکارتابل آیدی', 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe', 'COLUMN', N'fldKartablId'
```

Uses

[dbo].[tblActions]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[tblKartabl]

Used By

[dbo].[tblSabeghe_Detail]
[dbo].[prs_RptSabeghe]
[dbo].[prs_SelectKolSabeghe]
[dbo].[prs_SelectPorseshnameByAshkhasld]
[dbo].[prs_tblSabegheInsert]
[dbo].[prs_tblSabegheSelect]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblSabeghe_Detail]

MS_Description

سابقه جزئيات

Properties

Property	Value
Row Count (~)	16
Created	11:15:31 AM Monday, February 1, 2021
Last Modified	9:48:24 AM Tuesday, February 2, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblSabeghe_DetailHistory]
History Table Row Count (~)	32
History Table Created	11:40:43 AM Monday, February 1, 2021
History Table Last Modified	11:59:46 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK	fldSabegheld	int	4	False	
F	fldPorseshnameId	int	4	False	
	fldValue	bit	1	False	
FK	fldDescld	int	4	True	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKC	PK_tblSabeghe_Detail	fldld	True

Foreign Keys

Name	Columns
FK_tblSabeghe_Detail_tblDescription	fldDescId->[dbo].[tblDescription].[fldId]
FK_tblSabeghe_Detail_tblPorseshname	fldPorseshnameId->[dbo].[tblPorseshname].[fldId]
FK_tblSabeghe_Detail_tblSabeghe	fldSabegheld->[dbo].[tblSabeghe].[fldld]

Extended Properties

Name	Value
PersianName	سابقه ريز

```
CREATE TABLE [dbo].[tblSabeghe DetailHistory]
[fldId] [int] NOT NULL,
[fldSabegheId] [int] NOT NULL,
[fldPorseshnameId] [int] NOT NULL,
[fldValue] [bit] NOT NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblSabeqhe DetailHistory] ON [dbo].[tblSabeqhe Detail-
History] ([EndTime], [StartTime]) WITH (DATA_COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblSabeghe_Detail]
[fldId] [int] NOT NULL,
[fldSabegheId] [int] NOT NULL,
[fldPorseshnameId] [int] NOT NULL,
[fldValue] [bit] NOT NULL,
[fldDescId] [int] NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Sabegh Start 15F0184D] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblSabegh -
EndTi__16E43C86] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999',(0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblSabeghe Detail] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblSabeghe DetailHistory])
```

```
GO
ALTER TABLE [dbo].[tblSabeghe Detail] ADD CONSTRAINT [FK tblSabeghe Detail tbl-
Description] FOREIGN KEY ([fldDescId]) REFERENCES [dbo]. [tblDescription] ([fldId])
ALTER TABLE [dbo].[tblSabeghe Detail] ADD CONSTRAINT [FK tblSabeghe Detail tbl-
Porseshname] FOREIGN KEY ([fldPorseshnameId]) REFERENCES [dbo].[tblPorseshname] ([fld-
GO
ALTER TABLE [dbo].[tblSabeqhe Detail] ADD CONSTRAINT [FK tblSabeqhe Detail tblSabeqhe]
FOREIGN KEY ([fldSabegheId]) REFERENCES [dbo].[tblSabeghe] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'سابقه جزئيات', 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe Detail', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N', 'SCHEMA', N'dbo', 'TABLE',
N'tblSabeghe Detail', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'نوفيحات آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe_Detail', 'COLUMN', N'fldDescId'
EXEC sp_addextendedproperty N'MS_Description', N'آيدى ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblSabeghe Detail', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS_Description', N'برسشنامه آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe Detail', 'COLUMN', N'fldPorseshnameId'
EXEC sp addextendedproperty N'MS Description', N'سابقه آبدی', 'SCHEMA', N'dbo',
'TABLE', N'tblSabeghe Detail', 'COLUMN', N'fldSabegheId'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo', 'TABLE',
N'tblSabeghe Detail', 'COLUMN', N'fldValue'
```

Uses

[dbo].[tblDescription] [dbo].[tblPorseshname] [dbo].[tblSabeghe]

Used By

[dbo].[prs_RptSabeghe]
[dbo].[prs_SelectKolSabeghe]
[dbo].[prs_SelectPorseshnameByAshkhasId]
[dbo].[prs_tblSabeghe_DetailInsert]
[dbo].[prs_tblSabeghe_DetailSelect]

[dbo].[tblService]

MS_Description

سرويس

Properties

Property	Value		
Collation	SQL_Latin1_General_CP1_CI_AS		
Row Count (~)	135		
Created	8:57:12 AM Sunday, December 13, 2020		
Last Modified	9:51:50 AM Monday, December 14, 2020		

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK C	fldld	int	4	False	
. 	fldEnName	varchar(250)	250	False	
	fldSharhAmalkard	nvarchar(2000)	4000	False	
FK	fldDataTypeId	int	4	False	
	fldSharhKhorooji	nvarchar(2000)	4000	False	
	fldDesc	nvarchar(500)	1000	False	(")
	fldOutputName	nvarchar(350)	700	False	

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblService	fldld	True
	IX_tblService	fldEnName	True

Foreign Keys

Name	Columns
FK_tblService_tblDataTypes	fldDataTypeId->[dbo].[tblDataTypes].[fldId]

SQL Script

```
CREATE TABLE [dbo].[tblService]
[fldId] [int] NOT NULL,
[fldEnName] [varchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldSharhAmalkard] [nvarchar] (2000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDataTypeId] [int] NOT NULL,
[fldSharhKhorooji] [nvarchar] (2000) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (500) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblService fldDesc] DEFAULT (''),
[fldOutputName] [nvarchar] (350) COLLATE SQL Latin1 General CP1 CI AS NOT NULL
ON [PRIMARY]
ALTER TABLE [dbo].[tblService] ADD CONSTRAINT [PK tblService] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblService] ADD CONSTRAINT [IX tblService] UNIQUE NONCLUSTERED
([fldEnName]) ON [PRIMARY]
ALTER TABLE [dbo].[tblService] ADD CONSTRAINT [FK tblService tblDataTypes] FOREIGN KEY
([fldDataTypeId]) REFERENCES [dbo].[tblDataTypes] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'سرويس', 'SCHEMA', N'dbo', 'TABLE',
N'tblService', NULL, NULL
GO
EXEC sp addextendedproperty N'MS Description', N' داده نوع', 'SCHEMA', N'dbo', 'TABLE',
N'tblService', 'COLUMN', N'fldDataTypeId'
EXEC sp addextendedproperty N'MS_Description', N'iche', 'SCHEMA', N'dbo', 'TABLE',
N'tblService', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N' انگلیسی نام', 'SCHEMA', N'dbo',
'TABLE', N'tblService', 'COLUMN', N'fldEnName
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblService', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' دروجی نام', 'SCHEMA', N'dbo', 'TABLE',
N'tblService', 'COLUMN', N'fldOutputName'
GO
EXEC sp_addextendedproperty N'MS_Description', N' خروجي عملكرد شرح', 'SCHEMA', N'dbo',
'TABLE', N'tblService', 'COLUMN', N'fldSharhAmalkard'
EXEC sp_addextendedproperty N'MS_Description', N' خروجي شرح', 'SCHEMA', N'dbo', 'TABLE',
N'tblService', 'COLUMN', N'fldSharhKhorooji'
```

Uses

[dbo].[tblDataTypes]

Used By

[dbo].[tblInputArgument]

[dbo].[prs_tblServiceDelete]

[dbo].[prs_tblServiceInsert]

[dbo].[prs_tblServiceSelect]

[dbo].[prs_tblServiceUpdate]

[dbo].[prs_UpdateDataTypeService]

[dbo].[prs_UpdateSharhAmalkardService]

[dbo].[tblSetting]

MS_Description

تنظيمات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	12:38:21 PM Tuesday, February 9, 2021
Last Modified	12:38:22 PM Tuesday, February 9, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	((1))
	fldTitle	nvarchar(1000)	2000	False	
	fldFile	varbinary(max)	max	True	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblSetting	fldld	True

```
CREATE TABLE [dbo].[tblSetting]

(

[fldId] [int] NOT NULL CONSTRAINT [DF_tblSetting_fldId] DEFAULT ((1)),

[fldTitle] [nvarchar] (1000) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldFile] [varbinary] (max) NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT

[DF_tblSetting_fldDesc] DEFAULT ('')

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblSetting] ADD CONSTRAINT [PK_tblSetting] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
```

```
EXEC sp_addextendedproperty N'MS_Description', N'ننظيمات', 'SCHEMA', N'dbo', 'TABLE', N'tblSetting', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'intercolony, N'inte
```

Used By

[dbo].[prs_tblSettingSelect] [dbo].[prs_tblSettingUpdate]

[dbo].[tblShoghleAmaliyati]

MS_Description

عملياتي شغل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	4
Created	12:36:25 PM Sunday, January 24, 2021
Last Modified	2:15:07 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblShoghleAmaliyatiHistory]
History Table Row Count (~)	10
History Table Created	2:08:10 PM Sunday, January 24, 2021
History Table Last Modified	2:15:07 PM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
	fldTitle	nvarchar(250)	500	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

Indexes

|--|



Extended Properties

Name	Value
PersianName	عملیاتی شغل

```
CREATE TABLE [dbo].[tblShoghleAmaliyatiHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblShoghleAmaliyatiHistory] ON [dbo].[tblShoghleAmaliyati-
History] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblShoghleAmaliyati]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (250) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblShoghleAmaliyati fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Shoghl Start 3DDE0E16] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblShoghl -
EndTi 3ED2324F] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.9999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblShoghleAmaliyati] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblShoghleAmaliyatiHistory])
GO
EXEC sp addextendedproperty N'MS Description', N' معلياتي شغل', 'SCHEMA', N'dbo',
'TABLE', N'tblShoghleAmaliyati', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N'عملیاتی شغل', 'SCHEMA', N'dbo', 'TABLE',
```

```
N'tblShoghleAmaliyati', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'نوفيحان', 'SCHEMA', N'dbo', 'TABLE', N'tblShoghleAmaliyati', 'COLUMN', N'fldDesc'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iploof, 'SCHEMA', N'dbo', 'TABLE', N'tblShoghleAmaliyati', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iploof, 'SCHEMA', N'dbo', 'TABLE', N'tblShoghleAmaliyati', 'COLUMN', N'fldOrder'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iploof, 'SCHEMA', N'dbo', 'TABLE', N'tblShoghleAmaliyati', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iploof, 'SCHEMA', N'dbo', 'TABLE', N'dbo', 'TABLE', N'tblShoghleAmaliyati', 'COLUMN', N'fldTimeStamp'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iploof, 'SCHEMA', N'dbo', 'TABLE', N'tblShoghleAmaliyati', 'COLUMN', N'fldTitle'

GO
```

Used By

[dbo].[tblDastoorAmal]
[dbo].[tblShoghleAmaliyati_Detail]
[dbo].[prs_tblDastoorAmalSelect]
[dbo].[prs_tblShoghleAmaliyati_DetailSelect]
[dbo].[prs_tblShoghleAmaliyatiDelete]
[dbo].[prs_tblShoghleAmaliyatiInsert]
[dbo].[prs_tblShoghleAmaliyatiSelect]
[dbo].[prs_tblShoghleAmaliyatiUpdate]

[dbo].[prs_UpdateOrder]

[dbo].[tblShoghleAmaliyati_Detail]

MS_Description

عملياتي شغل جرئيات

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	9
Created	8:50:57 AM Thursday, December 3, 2020
Last Modified	2:08:36 PM Sunday, January 24, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblShoghleAmaliyati_DetailHistory]
History Table Row Count (~)	19
History Table Created	2:08:36 PM Sunday, January 24, 2021
History Table Last Modified	2:08:36 PM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldHeaderId	int	4	False	
FK	fldOrganPostId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PKC	PK_tblShoghleAmaliyati_Detail	fldld	True

Foreign Keys

Name	Columns
FK_tblShoghleAmaliyati_Detail_tblOrganPost	fldOrganPostId->[dbo].[tblOrganPost].[fldId]
FK_tblShoghleAmaliyati_Detail_tblShoghleAmaliyati	fldHeaderId->[dbo].[tblShoghleAmaliyati].[fldId]

Extended Properties

Name	Value
PersianName	عملياتي شغل جزبيات

```
CREATE TABLE [dbo].[tblShoghleAmaliyati DetailHistory]
[fldId] [int] NOT NULL,
[fldHeaderId] [int] NOT NULL,
[fldOrganPostId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblShoghleAmaliyati DetailHistory] ON [dbo].[tblShoghle-
Amaliyati DetailHistory] ([EndTime], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON
[PRIMARY]
CREATE TABLE [dbo].[tblShoghleAmaliyati Detail]
[fldId] [int] NOT NULL,
[fldHeaderId] [int] NOT NULL,
[fldOrganPostId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblShoghleAmaliyati Detail fldDesc] DEFAULT (''),
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Shoghl Start 40BA7AC1] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblShoghl_-
EndTi 41AE9EFA] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999', (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblShoghleAmaliyati Detail] PRIMARY KEY CLUSTERED ([fldId]) ON
[PRIMARY]
) ON [PRIMARY]
WTTH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblShoghleAmaliyati DetailHistory])
GO
```

```
ALTER TABLE [dbo].[tblShoghleAmaliyati Detail] ADD CONSTRAINT [FK tblShoghleAmaliyati -
Detail tblOrganPost] FOREIGN KEY ([fldOrganPostId]) REFERENCES [dbo].[tblOrganPost]
([fldId])
GO
ALTER TABLE [dbo].[tblShoqhleAmaliyati Detail] ADD CONSTRAINT [FK tblShoqhleAmaliyati -
Detail tblShoghleAmaliyati] FOREIGN KEY ([fldHeaderId]) REFERENCES [dbo].[tblShoghle-
Amaliyati] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'بعملياتي شغل جرئيات', 'SCHEMA', N'dbo',
'TABLE', N'tblShoghleAmaliyati Detail', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'تعملياتي شغل جزييات', 'SCHEMA', N'dbo',
'TABLE', N'tblShoghleAmaliyati Detail', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblShoghleAmaliyati Detail', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' مدر ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblShoghleAmaliyati Detail', 'COLUMN', N'fldHeaderId'
EXEC sp addextendedproperty N'MS Description', N' آپدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblShoghleAmaliyati Detail', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'ئازمانى پست آبدى', 'SCHEMA', N'dbo',
'TABLE', N'tblShoghleAmaliyati_Detail', 'COLUMN', N'fldOrganPostId'
```

Uses

[dbo].[tblOrganPost]
[dbo].[tblShoghleAmaliyati]

Used By

[dbo].[prs_tblAshkhasSelect]
[dbo].[prs_tblShoghleAmaliyati_DetailSelect]
[dbo].[prs_tblShoghleAmaliyatiDelete]
[dbo].[prs_tblShoghleAmaliyatiInsert]
[dbo].[prs_tblShoghleAmaliyatiSelect]
[dbo].[prs_tblShoghleAmaliyatiUpdate]

[dbo].[tblSokhanBozorgan]

MS_Description

بزرگان سخن

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2000
Created	8:51:40 AM Tuesday, December 29, 2020
Last Modified	8:51:40 AM Tuesday, December 29, 2020

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK	fldld	int	4	False
	fldMoalef	nvarchar(50)	100	False
	fldNaghlGhol	nvarchar(2000)	4000	False

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblSokhanBozorgan	fldld	True

```
CREATE TABLE [dbo].[tblSokhanBozorgan]

(
[fldId] [int] NOT NULL,

[fldMoalef] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldNaghlGhol] [nvarchar] (2000) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblSokhanBozorgan] ADD CONSTRAINT [PK_tblSokhanBozorgan] PRIMARY KEY

CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'

'TABLE', N'tblSokhanBozorgan', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'

"I_BLE', N'tblSokhanBozorgan', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'

"I_BLE', N'tblSokhanBozorgan', N'MS_Description', N'

"I_BLE', N'TABLE', N
```

```
N'tblSokhanBozorgan', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'فولف', 'SCHEMA', N'dbo', 'TABLE',
N'tblSokhanBozorgan', 'COLUMN', N'fldMoalef'

GO

EXEC sp_addextendedproperty N'MS_Description', N'فول نقل', 'SCHEMA', N'dbo', 'TABLE',
N'tblSokhanBozorgan', 'COLUMN', N'fldNaghlGhol'

GO
```

Used By

[dbo].[prs_tblSokhanBozorganSelect]

[dbo].[tblSpecificCartablePermission]

MS_Description

کار تابل به خاص دسترسی

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	16
Created	11:43:22 AM Tuesday, December 1, 2020
Last Modified	8:23:15 AM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
FK	fldUserAccessId	int	4	False	
FK	fldOperation_ActionId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldIsAccept	bit	1	False	((1))

Indexes

K	(ey	Name	Key Columns	Unique
PI	P C	PK_tblSpecificCartablePermission	fldld	True

Foreign Keys

Name	Columns
FK_tblSpecificCartablePermission_tblOpertion_Action	fldOperation_ActionId->[dbo].[tblOpertion_Action].[fldId]
FK_tblSpecificCartablePermission_tblUser	fldUserAccessId->[dbo].[tblUser].[fldId]

SQL Script

```
CREATE TABLE [dbo].[tblSpecificCartablePermission]
[fldId] [int] NOT NULL,
[fldUserAccessId] [int] NOT NULL,
[fldOperation ActionId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblSpecificCartablePermission_fldDesc]    DEFAULT (''),
[fldIsAccept] [bit] NOT NULL CONSTRAINT [DF tblSpecificCartablePermission fldIsAccept]
DEFAULT ((1))
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblSpecificCartablePermission] ADD CONSTRAINT [PK tblSpecific-
CartablePermission] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblSpecificCartablePermission] ADD CONSTRAINT [FK tblSpecific-
CartablePermission tblOpertion Action] FOREIGN KEY ([fldOperation ActionId]) REFERENCES
[dbo].[tblOpertion Action] ([fldId])
ALTER TABLE [dbo].[tblSpecificCartablePermission] ADD CONSTRAINT [FK tblSpecific-
CartablePermission tblUser] FOREIGN KEY ([fldUserAccessId]) REFERENCES [dbo].[tblUser]
([fldId])
EXEC sp addextendedproperty N'MS Description', N' دکارتابل به خاص دسترسی', 'SCHEMA',
N'dbo', 'TABLE', N'tblSpecificCartablePermission', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpecificCartablePermission', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblSpecificCartablePermission', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'ښيرش عدم يا پذيرش عدم يا پذيرش عدم يا پذيرش عدم يا
'TABLE', N'tblSpecificCartablePermission', 'COLUMN', N'fldIsAccept'
EXEC sp_addextended
property N'MS_Description', N' ^{\prime} که ', 'SCHEMA', N'dbo', 'TABLE', N'tbl
SpecificCartable
Permission', 'COLUMN', N'fldOperation_ActionId'
EXEC sp_addextended
property N'MS_Description', N' کاربد کیاربر کیاربر کی', 'SCHEMA', N'dbo', 'TABLE', N'tbl
SpecificCartable
Permission', 'COLUMN', N'fldUserAccessId'
GO
```

Uses

[dbo].[tblOpertion_Action] [dbo].[tblUser]

Used By

```
[dbo].[prs_SelectDistictAction_Cartable]
[dbo].[prs_SelectDistictOperation_Action]
[dbo].[prs_SelectEshterakOpration]
[dbo].[prs_SpecificCartablePermissionTreeSelect]
[dbo].[prs_tblKartablSelect]
```

 $[dbo]. [prs_tblSpecificCartablePermissionDelete] \\$

[dbo].[prs_tblSpecificCartablePermissionInsert]

 $[dbo].[prs_tblSpecificCartablePermissionSelect] \\$

[dbo].[tblSpecificCartablePermission_UserGroup]

MS_Description

کارتابل به کاربری گروه خاص دسترسی

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	11:50:46 AM Tuesday, December 1, 2020
Last Modified	8:23:15 AM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK G	fldld	int	4	False	
FK	fldUserGroupId	int	4	False	
FK	fldOperation_ActionId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblSpecificCartablePermission_UserGroup	fldld	True

Foreign Keys

Name	Columns
FK_tblSpecificCartablePermission_UserGroup_tbl- Opertion_Action	fldOperation_ActionId->[dbo].[tblOpertion_Action].[fldId]
FK_tblSpecificCartablePermission_UserGroup_tblUser Group	fldUserGroupId->[dbo].[tblUser_Group].[fldID]

SQL Script

```
CREATE TABLE [dbo].[tblSpecificCartablePermission_UserGroup]
[fldId] [int] NOT NULL,
[fldUserGroupId] [int] NOT NULL,
[fldOperation ActionId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblSpecificCartablePermission UserGroup fldDesc] DEFAULT ('')
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblSpecificCartablePermission UserGroup] ADD CONSTRAINT [PK tbl-
SpecificCartablePermission UserGroup] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblSpecificCartablePermission UserGroup] ADD CONSTRAINT [FK tbl-
SpecificCartablePermission UserGroup tblOpertion Action] FOREIGN KEY ([fldOperation -
ActionId]) REFERENCES [dbo].[tblOpertion Action] ([fldId])
ALTER TABLE [dbo]. [tblSpecificCartablePermission UserGroup] ADD CONSTRAINT [FK tbl-
SpecificCartablePermission UserGroup tblUser Group] FOREIGN KEY ([fldUserGroupId])
REFERENCES [dbo].[tblUser Group] ([fldID])
EXEC sp addextendedproperty N'MS Description', N'دارتابل به کاربری گروه خاص دسترسی',
'SCHEMA', N'dbo', 'TABLE', N'tblSpecificCartablePermission UserGroup', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpecificCartablePermission UserGroup', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'ندی ای ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblSpecificCartablePermission_UserGroup', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'علام - عمليات جدول كد', 'SCHEMA',
N'dbo', 'TABLE', N'tblSpecificCartablePermission_UserGroup', 'COLUMN', N'fldOperation_-ActionId'
EXEC sp_addextendedproperty N'MS_Description', N'كاربري گروه كد', 'SCHEMA', N'dbo',
'TABLE', N'tblSpecificCartablePermission UserGroup', 'COLUMN', N'fldUserGroupId'
```

Uses

[dbo].[tblOpertion_Action] [dbo].[tblUser_Group]

Used By

```
[dbo].[prs_SelectDistictAction_Cartable]
[dbo].[prs_SelectDistictOperation_Action]
[dbo].[prs_SelectEshterakOpration]
[dbo].[prs_SpecificCartablePermissionTreeSelect]
[dbo].[prs_tblKartablSelect]
[dbo].[prs_tblSpecificCartablePermission_UserGroupDelete]
[dbo].[prs_tblSpecificCartablePermission_UserGroupInsert]
[dbo].[prs_tblSpecificCartablePermission_UserGroupSelect]
```

 $\label{local_project} Project > 192.168.1.34 > User\ databases > MedicalExaminations > Tables > dbo.tblSpecificCartablePermission_-UserGroup$

[dbo].[prs_tblSpecificCartablePermissionInsert]

[dbo].[tblSpirometri]

MS_Description

اسپيرومترى

Properties

Property	Value
Row Count (~)	1
Created	2:46:11 PM Thursday, February 4, 2021
Last Modified	8:43:17 AM Saturday, February 6, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblSpirometriHistory]
History Table Row Count (~)	8
History Table Created	12:44:25 PM Thursday, February 4, 2021
History Table Last Modified	8:43:17 AM Saturday, February 6, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
	fldFVC FVC	decimal(5,2)	5	False	
	fldFEV1 FEV1	decimal(5,2)	5	False	
	fldType	bit	1	False	
	fldFEF FEF	decimal(5,2)	5	False	
	fldPEF PEF	decimal(5,2)	5	False	
	fldVEXT VEXT	decimal(5,2)	5	False	
	fldTarikh	int	4	False	
FK	fldTafsirld	int	4	True	
F	fldCharkheFirstId	int	4	True	
FK	fldEghdamId	int	4	False	

F	fldKartablld	int	4	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'999 9-12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblSpirometri	fldld	True

Foreign Keys

Name	Columns
FK_tblSpirometri_tblActions	fldEghdamld->[dbo].[tblActions].[fldId]
FK_tblSpirometri_tblCharkhe_FirstEghdam	fldCharkheFirstId->[dbo].[tblCharkhe_FirstEghdam].[fldld]
FK_tblSpirometri_tblDescription	fldTafsirId->[dbo].[tblDescription].[fldId]
FK_tblSpirometri_tblKartabl	fldKartablId->[dbo].[tblKartabl].[fldId]

Extended Properties

Name	Value
PersianName	اسپير و متر ي

```
CREATE TABLE [dbo].[tblSpirometriHistory]
[fldId] [int] NOT NULL,
[fldFVC] [decimal] (5, 2) NOT NULL,
[fldFEV1] [decimal] (5, 2) NOT NULL,
[fldType] [bit] NOT NULL,
[fldFEF] [decimal] (5, 2) NOT NULL,
[fldPEF] [decimal] (5, 2) NOT NULL,
[fldVEXT] [decimal] (5, 2) NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldTafsirId] [int] NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL
ON [PRIMARY]
```

```
WITH
DATA COMPRESSION = PAGE
)
GO
CREATE CLUSTERED INDEX [ix tblSpirometriHistory] ON [dbo].[tblSpirometriHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblSpirometri]
[fldId] [int] NOT NULL,
[fldFVC] [decimal] (5, 2) NOT NULL,
[fldFEV1] [decimal] (5, 2) NOT NULL,
[fldType] [bit] NOT NULL,
[fldFEF] [decimal] (5, 2) NOT NULL,
[fldPEF] [decimal] (5, 2) NOT NULL,
[fldVEXT] [decimal] (5, 2) NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldTafsirId] [int] NULL,
[fldCharkheFirstId] [int] NULL,
[fldEghdamId] [int] NOT NULL,
[fldKartablId] [int] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbl-
Spirom Start 054F9C30] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF_tblSpirom_-
EndTi 0643C069] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblSpirometri] PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblSpirometriHistory])
GO
ALTER TABLE [dbo].[tblSpirometri] ADD CONSTRAINT [FK tblSpirometri tblActions] FOREIGN
KEY ([fldEghdamId]) REFERENCES [dbo].[tblActions] ([fldId])
ALTER TABLE [dbo].[tblSpirometri] ADD CONSTRAINT [FK tblSpirometri tblCharkhe First-
Eqhdam] FOREIGN KEY ([fldCharkheFirstId]) REFERENCES [dbo].[tblCharkhe FirstEqhdam]
([fldId])
ALTER TABLE [dbo].[tblSpirometri] ADD CONSTRAINT [FK tblSpirometri tblDescription]
FOREIGN KEY ([fldTafsirId]) REFERENCES [dbo].[tblDescription] ([fldId])
ALTER TABLE [dbo].[tblSpirometri] ADD CONSTRAINT [FK tblSpirometri tblKartabl] FOREIGN
KEY ([fldKartablId]) REFERENCES [dbo].[tblKartabl] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'سپپرومتری', 'SCHEMA', N'dbo',
'TABLE', N'tblSpirometri', NULL, NULL
EXEC sp_addextendedproperty N'PersianName', N'سپيرومتری', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpirometri', NULL, NULL
_'. SCHEMA', أيدى فرست جرخه ستون'N Description', N' آيدى فرست جرخه ستون
N'dbo', 'TABLE', N'tblSpirometri', 'COLUMN', N'fldCharkheFirstId'
```

```
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'dbo',
'TABLE', N'tblSpirometri', 'COLUMN', N'fldEghdamId'
EXEC sp addextendedproperty N'MS Description', N'FEF', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Spirometri', 'COLUMN', N'fldFEF'
GO
EXEC sp addextendedproperty N'MS Description', N'FEV1', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpirometri', 'COLUMN', N'fldFEV1'
EXEC sp addextendedproperty N'MS Description', N'FVC', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Spirometri', 'COLUMN', N'fldFVC'
GO
EXEC sp_addextendedproperty N'MS_Description', N'آیدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpirometri', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'كارتابل آبدى', 'SCHEMA', N'dbo',
'TABLE', N'tblSpirometri', 'COLUMN', N'fldKartablId'
EXEC sp_addextendedproperty N'MS_Description', N'PEF', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Spirometri', 'COLUMN', N'fldPEF'
EXEC sp addextendedproperty N'MS Description', N'uso', 'SCHEMA', N'dbo', اتفسير آيدي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblSpirometri', 'COLUMN', N'fldTafsirId'
EXEC sp addextendedproperty N'MS Description', N'الاريخ', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpirometri', 'COLUMN', N'fldTarikh'
GO
EXEC sp_addextended
property N'MS_Description', N'^{\prime}', 'SCHEMA', N'dbo', 'TABLE', N'tbl
Spirometri', 'COLUMN', N'fld
Type'
EXEC sp_addextendedproperty N'MS Description', N'VEXT', 'SCHEMA', N'dbo', 'TABLE',
N'tblSpirometri', 'COLUMN', N'fldVEXT'
GO
```

Uses

[dbo].[tblActions]
[dbo].[tblCharkhe_FirstEghdam]
[dbo].[tblDescription]
[dbo].[tblKartabl]

Used By

[dbo].[prs_RptSpirometri]
[dbo].[prs_tblSpirometriInsert]
[dbo].[prs_tblSpirometriSelect]
[dbo].[prs_UpdateCharkhFirstTableActions]
[dbo].[prs_UpdateCharkhFirstTableActions1]

[dbo].[tblStation]

MS_Description

ها ایستگاه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	504
Created	11:16:39 AM Saturday, November 28, 2020
Last Modified	9:35:30 AM Tuesday, January 12, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKC	fldld	int	4	False	
	fldCode	int	4	False	
	fldNahild	int	4	True	
	fldNahiSeirld	int	4	True	
	fldNo	smallint	2	True	
	fldName	nvarchar(100)	200	True	
	fldStationType	tinyint	1	True	
	fldTagend	bit	1	True	
	fldIsActive	bit	1	True	
	fldAddLogDate	datetime	8	True	
	fldEditLog_Date	datetime	8	True	
	fldExternalStation	bit	1	False	
	fldTypeTahvil	tinyint	1	False	
	fldlsMarzi	bit	1	False	

fldMarziDakheli	bit	1	False	
fldDesc	nvarchar(500)	1000	False	(")

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblStation	fldld	True

```
CREATE TABLE [dbo].[tblStation]
[fldId] [int] NOT NULL,
[fldCode] [int] NOT NULL,
[fldNahiId] [int] NULL,
[fldNahiSeirId] [int] NULL,
[fldNo] [smallint] NULL,
[fldName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NULL,
[fldStationType] [tinyint] NULL,
[fldTagend] [bit] NULL,
[fldIsActive] [bit] NULL,
[fldAddLogDate] [datetime] NULL,
[fldEditLog Date] [datetime] NULL,
[fldExternalStation] [bit] NOT NULL,
[fldTypeTahvil] [tinyint] NOT NULL,
[fldIsMarzi] [bit] NOT NULL,
[fldMarziDakheli] [bit] NOT NULL,
[fldDesc] [nvarchar] (500) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblStation fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblStation] ADD CONSTRAINT [PK tblStation] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
GO
EXEC sp_addextendedproperty N'MS_Description', N'dbo', 'sCHEMA', N'dbo',
'TABLE', N'tblStation', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' کد ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblStation', 'COLUMN', N'fldCode'
EXEC sp_addextendedproperty N'MS_Description', N' ان اي ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblStation', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'وفعال غير يا باشد مى فعال ايستگاه ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblStation', 'COLUMN', N'fldIsActive'
نمیباشد یا باشد می مرزی ایستگاه ستون N'MS_Description', N'نمیباشد یا باشد می مرزی ایستگاه
', 'SCHEMA', N'dbo', 'TABLE', N'tblStation', 'COLUMN', N'fldIsMarzi
```

Used By

```
[dbo].[tblAnnouncement_Tree]
[dbo].[tblPersonalInfo]
[dbo].[tblTreeStructure]
[dbo].[tblUser_Station]
[dbo].[fn_Namelstgah_Edarekol_TreeStructure]
[dbo].[prs_GetTreeStructureTitle]
[dbo].[prs_tblAshkhasSelect]
[dbo].[prs_tblNahiSelect]
[dbo].[prs_tblPersonalInfoSelect]
[dbo].[prs_tblStationSelect]
[dbo].[prs_tblStationUpdate]
[dbo].[prs_tblTreeStructureInsert]
[dbo].[prs_tblTreeStructureSelect]
[dbo].[prs_tblUser_StationSelect]
```

[dbo].[tblTaahol]

MS_Description

تاهل

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	3
Created	8:23:31 AM Thursday, February 4, 2021
Last Modified	11:57:46 AM Tuesday, February 9, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PKP C	fldld	tinyint	1	False
	fldName	nvarchar(50)	100	False

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblTaahol	fldld	True

```
CREATE TABLE [dbo].[tblTaahol]

(
[fldId] [tinyint] NOT NULL,

[fldName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblTaahol] ADD CONSTRAINT [PK_tblTaahol] PRIMARY KEY CLUSTERED

([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'Latin ', 'SCHEMA', N'dbo', 'TABLE',
N'tblTaahol', NULL, NULL

GO
```

Used By

[dbo].[tblAshkhas_Detail] [dbo].[prs_PersonlInfoInsert] [dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblThemDesktop_User]

MS_Description

دسكتاپ عكس

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	2:17:56 PM Monday, January 11, 2021
Last Modified	10:39:48 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP	fldld	int	4	False	
F	fldFileDesktopId	int	4	True	
	fldType	tinyint	1	False	
/	fldUserId	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldThem	tinyint	1	False	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblThemDesktop	fldld	True
P	IX_tblThemDesktop	fldUserId	True

Foreign Keys

Name	Columns
FK_tblThemDesktop_tblThemFile	fldFileDesktopId->[dbo].[tblFileDesktop_User].[fldld]
FK_tblThemDesktop_tblUser	fldUserId->[dbo].[tblUser].[fldId]

SQL Script

```
CREATE TABLE [dbo].[tblThemDesktop User]
[fldId] [int] NOT NULL,
[fldFileDesktopId] [int] NULL,
[fldType] [tinyint] NOT NULL,
[fldUserId] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblThemDesktop fldDesc] DEFAULT (''),
[fldThem] [tinyint] NOT NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblThemDesktop User] ADD CONSTRAINT [PK tblThemDesktop] PRIMARY KEY
NONCLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblThemDesktop User] ADD CONSTRAINT [IX tblThemDesktop] UNIQUE
CLUSTERED ([fldUserId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblThemDesktop_User] ADD CONSTRAINT [FK tblThemDesktop tblThemFile]
FOREIGN KEY ([fldFileDesktopId]) REFERENCES [dbo].[tblFileDesktop User] ([fldId])
ALTER TABLE [dbo].[tblThemDesktop User] ADD CONSTRAINT [FK tblThemDesktop tblUser]
FOREIGN KEY ([fldUserId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'سكتاپ عكس', 'SCHEMA', N'dbo',
'TABLE', N'tblThemDesktop User', NULL, NULL
GO
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblThemDesktop User', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'فايل آيدي', 'SCHEMA', N'dbo', 'TABLE',
N'tblThemDesktop User', 'COLUMN', N'fldFileDesktopId'
EXEC sp_addextendedproperty N'MS_Description', N'نيدی', 'SCHEMA', N'dbo', 'TABLE',
N'tblThemDesktop User', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N' انظر صوره تم', 'SCHEMA', N'dbo',
'TABLE', N'tblThemDesktop User', 'COLUMN', N'fldThem'
EXEC sp addextendedproperty N'MS Description', N'نوع', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
ThemDesktop User', 'COLUMN', N'fldType'
GO
EXEC sp addextendedproperty N'MS Description', N' كاربر كه', 'SCHEMA', N'dbo', 'TABLE',
N'tblThemDesktop User', 'COLUMN', N'fldUserId'
```

Uses

[dbo].[tblFileDesktop_User] [dbo].[tblUser]

Used By

[dbo].[prs_tblThemDesktop_UserInsert] [dbo].[prs_tblThemDesktop_UserSelect] [dbo].[prs_tblThemDesktop_UserUpdate]

[dbo].[tblTicket]

MS_Description

ها گفتگو

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	19
Created	8:52:54 AM Thursday, March 12, 2020
Last Modified	9:40:56 AM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK <mark>P</mark> C	fldld	int	4	False	
	fldHTML	nvarchar(max)	max	False	
FK	fldTicketCategoryId	int	4	False	((1))
	fldSeenDate	datetime	8	True	
	fldSeen	bit	1	False	((0))
FK	fldFileId	int	4	True	
FK	fldUserId	int	4	True	
	fldDesc	nvarchar(500)	1000	False	(")
	fldDate	datetime	8	False	(getdate())
FK	fldInputID	int	4	False	
	fldAshkhasId	int	4	True	
FK	fldUserSeen	int	4	True	
FK	fldSourceForwardId	int	4	True	
FK	fldUserForwarded	int	4	True	

FK	fldSourceReplyId	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblTicket	fldld	True

Foreign Keys

Name	Columns
FK_tblTicket_tblFile	fldFileId->[dbo].[tblFile].[fldId]
FK_tblTicket_tblInputInfo	fldInputID->[dbo].[tblInputInfo].[fldId]
FK_tblTicket_tblTicket	fldSourceForwardId->[dbo].[tblTicket].[fldId]
FK_tblTicket_tblTicket1	fldSourceReplyId->[dbo].[tblTicket].[fldId]
FK_tblTicket_tblTicketCategory	fldTicketCategoryId->[dbo].[tblTicketCategory].[fldld]
FK_tblTicket_tblUser	fldUserId->[dbo].[tblUser].[fldId]
FK_tblTicket_tblUser1	fldUserSeen->[dbo].[tblUser].[fldId]
FK_tblTicket_tblUser2	fldUserForwarded->[dbo].[tblUser].[fldld]

```
CREATE TABLE [dbo].[tblTicket]
[fldId] [int] NOT NULL,
[fldHTML] [nvarchar] (max) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldTicketCategoryId] [int] NOT NULL CONSTRAINT [DF tblTicket fldTicketCategoryId]
DEFAULT ((1)),
[fldSeenDate] [datetime] NULL,
[fldSeen] [bit] NOT NULL CONSTRAINT [DF tblTicket fldSeen] DEFAULT ((0)),
[fldFileId] [int] NULL,
[fldUserId] [int] NULL,
[fldDesc] [nvarchar] (500) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblTicket fldDesc] DEFAULT (''),
[fldDate] [datetime] NOT NULL CONSTRAINT [DF tblTicket fldDate] DEFAULT (getdate()),
[fldInputID] [int] NOT NULL,
[fldAshkhasId] [int] NULL,
[fldUserSeen] [int] NULL,
[fldSourceForwardId] [int] NULL,
[fldUserForwarded] [int] NULL,
[fldSourceReplyId] [int] NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [PK tblTicket] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblFile] FOREIGN KEY ([fld-
```

```
FileId]) REFERENCES [dbo].[tblFile] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblInputInfo] FOREIGN KEY
([fldInputID]) REFERENCES [dbo].[tblInputInfo] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblTicket] FOREIGN KEY ([fld-
SourceForwardId]) REFERENCES [dbo].[tblTicket] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblTicket1] FOREIGN KEY
([fldSourceReplyId]) REFERENCES [dbo].[tblTicket] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblTicketCategory] FOREIGN
KEY ([fldTicketCategoryId]) REFERENCES [dbo].[tblTicketCategory] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblUser] FOREIGN KEY ([fld-
UserId]) REFERENCES [dbo].[tblUser] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblUser1] FOREIGN KEY ([fld-
UserSeen]) REFERENCES [dbo].[tblUser] ([fldId])
ALTER TABLE [dbo].[tblTicket] ADD CONSTRAINT [FK tblTicket tblUser2] FOREIGN KEY ([fld-
UserForwarded]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' ها گفتگو', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicket', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' اشخاص كد', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicket', 'COLUMN', N'fldAshkhasId'
EXEC sp addextendedproperty N'MS_Description', N'خرمان و تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblTicket', 'COLUMN', N'fldDate'
EXEC sp addextendedproperty N'MS Description', N'وفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicket', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'فايل كه', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicket', 'COLUMN', N'fldFileId'
EXEC sp addextendedproperty N'MS Description', N'io', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Ticket', 'COLUMN', N'fldHTML'
EXEC sp addextendedproperty N'MS Description', N'בע', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
Ticket', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'dpo', 'sCHEMA', N'dbo',
'TABLE', N'tblTicket', 'COLUMN', N'fldInputID'
EXEC sp addextendedproperty N'MS Description', N'نمايش', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicket', 'COLUMN', N'fldSeen'
EXEC sp addextendedproperty N'MS Description', N'نمایش تارخ', 'SCHEMA', N'dbo',
'TABLE', N'tblTicket', 'COLUMN', N'fldSeenDate'
EXEC sp addextendedproperty N'MS Description', N'- اگفتگوها ليست كد', 'SCHEMA', N'dbo',
'TABLE', N'tblTicket', 'COLUMN', N'fldTicketCategoryId'
EXEC sp addextendedproperty N'MS Description', N' كاربر كه', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicket', 'COLUMN', N'fldUserId'
```

GO

Uses

[dbo].[tblFile] [dbo].[tblInputInfo] [dbo].[tblTicketCategory] [dbo].[tblUser]

Used By

[dbo].[prs_tblTicketDelete]
[dbo].[prs_tblTicketInsert]
[dbo].[prs_tblTicketSelect]
[dbo].[prs_tblTicketUpdate]
[dbo].[prs_tblTicketUpdateBySetadUserId]
[dbo].[prs_TicketForwardHistory]

■ [dbo].[tblTicketCategory]

MS_Description

گفتگو موضوع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	5
Created	9:40:56 AM Saturday, January 30, 2021
Last Modified	2:17:49 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblTicketCategoryHistory]
History Table Row Count (~)	2
History Table Created	9:48:11 AM Saturday, January 30, 2021
History Table Last Modified	2:17:49 PM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
₽ <mark>≯</mark> C	fldld	int	4	False	
ф	fldTitle	nvarchar(150)	300	False	
ф	fldType	bit	1	False	((0))
	fldDesc	nvarchar(100)	200	False	(")
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31 23:59:59.9999999',(0)))
	fldOrder	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblTicketCategory	fldId	True
	IX_tblTicketCategory	fldTitle, fldType	True

Extended Properties

Name	Value
PersianName	گفتگو موضوع

```
CREATE TABLE [dbo].[tblTicketCategoryHistory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldType] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA COMPRESSION = PAGE
)
CREATE CLUSTERED INDEX [ix tblTicketCategoryHistory] ON [dbo].[tblTicketCategory-
History] ([EndTime], [StarTTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblTicketCategory]
[fldId] [int] NOT NULL,
[fldTitle] [nvarchar] (150) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldType] [bit] NOT NULL CONSTRAINT [DF tblTicketCategory fldType] DEFAULT ((0)),
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblTicketCategory_fldDesc] DEFAULT (''),
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF__tbl-
Ticket__Start__679F3DB8] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF__tblTicket__-
EndTi 689361F1] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tblTicketCategory] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ON [PRIMARY]
WITH
```

```
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblTicketCategoryHistory])
GO
ALTER TABLE [dbo].[tblTicketCategory] ADD CONSTRAINT [IX tblTicketCategory] UNIQUE
NONCLUSTERED ([fldTitle], [fldType]) ON [PRIMARY]
EXEC sp_addextendedproperty N'MS_Description', N' اگفتگو موضوع', 'SCHEMA', N'dbo',
'TABLE', N'tblTicketCategory', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N': گفتگو موضوع', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketCategory', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketCategory', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'J, 'SCHEMA', N'dbo', 'TABLE', N'tbl-
TicketCategory', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'نرتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketCategory', 'COLUMN', N'fldOrder'
EXEC sp_addextendedproperty N'MS_Description', N'. اوبرایش به صربوط فیلد', 'SCHEMA',
N'dbo', 'TABLE', N'tblTicketCategory', 'COLUMN', N'fldTimeStamp'
EXEC sp addextendedproperty N'MS Description', N'عنوان', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketCategory', 'COLUMN', N'fldTitle'
GO
EXEC sp_addextendedproperty N'MS_Description', N'ويكت نوع', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketCategory', 'COLUMN', N'fldType'
GO
```

Used By

```
[dbo].[tblTicket]
[dbo].[tblTicketPermission]
[dbo].[prs_CheckTicketPermission]
[dbo].[prs_tblTicketCategoryDelete]
[dbo].[prs_tblTicketCategoryInsert]
[dbo].[prs_tblTicketCategorySelect]
[dbo].[prs_tblTicketCategoryUpdate]
[dbo].[prs_tblTicketSelect]
[dbo].[prs_tblTicketForwardHistory]
[dbo].[prs_UpdateOrder]
```

[dbo].[tblTicketPermission]

MS_Description

گفتگو ها دسترسي

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	8:55:37 AM Thursday, March 12, 2020
Last Modified	9:40:56 AM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldCategoryld	int	4	False	
FK	fldTicketUserId	int	4	False	
	fldSee	bit	1	False	
	fldAnswer	bit	1	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblTicketPermission	fldld	True

Foreign Keys

Name	Columns
FK_tblTicketPermission_tblTicketCategory	fldCategoryId->[dbo].[tblTicketCategory].[fldId]
FK_tblTicketPermission_tblUser1	fldTicketUserId->[dbo].[tblUser].[fldId]

SQL Script

```
CREATE TABLE [dbo].[tblTicketPermission]
[fldId] [int] NOT NULL,
[fldCategoryId] [int] NOT NULL,
[fldTicketUserId] [int] NOT NULL,
[fldSee] [bit] NOT NULL,
[fldAnswer] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblTicketPermission fldDesc] DEFAULT ('')
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblTicketPermission] ADD CONSTRAINT [PK tblTicketPermission] PRIMARY
KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblTicketPermission] ADD CONSTRAINT [FK tblTicketPermission tbl-
TicketCategory] FOREIGN KEY ([fldCategoryId]) REFERENCES [dbo].[tblTicketCategory]
([fldId])
GO
ALTER TABLE [dbo].[tblTicketPermission] ADD CONSTRAINT [FK tblTicketPermission tbl-
User1] FOREIGN KEY ([fldTicketUserId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp_addextendedproperty N'MS_Description', N'use, all control of the control
'TABLE', N'tblTicketPermission', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'پاسخ', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketPermission', 'COLUMN', N'fldAnswer'
EXEC sp_addextendedproperty N'MS_Description', N' اگفتگوها لیست کد', 'SCHEMA', N'dbo',
'TABLE', N'tblTicketPermission', 'COLUMN', N'fldCategoryId'
GO
EXEC sp addextendedproperty N'MS Description', N'توضيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketPermission', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ב,', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
TicketPermission', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'سمایش', 'SCHEMA', N'dbo', 'TABLE',
N'tblTicketPermission', 'COLUMN', N'fldSee'
EXEC sp addextendedproperty N'MS Description', N'بيكت كاربر كه', 'SCHEMA', N'dbo',
'TABLE', N'tblTicketPermission', 'COLUMN', N'fldTicketUserId'
```

Uses

[dbo].[tblTicketCategory] [dbo].[tblUser]

Used By

[dbo].[prs_CheckTicketPermission] [dbo].[prs_tblTicketCategorySelect] [dbo].[prs_tblTicketPermissionDelete]

[dbo].[prs_tblTicketPermissionInsert]

[dbo].[prs_tblTicketPermissionSelect]

[dbo].[prs_tblTicketPermissionUpdate]

[dbo].[prs_tblTicketSelect]

[dbo].[tblTimeLimit_User]

MS_Description

كاربر زماني محدوديت

Properties

Property	Value
Row Count (~)	2
Created	10:25:29 AM Thursday, January 21, 2021
Last Modified	10:43:48 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK.C	fldld	int	4	False	
FK	fldAppld	int	4	False	
	fldTimeLimit	smallint	2	False	((0))
FK	fldUserId	int	4	False	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblTimeLimit_User	fldld	True

Foreign Keys

Name	Columns
FK_tblTimeLimit_User_tblApplicationPart	fldAppId->[dbo].[tblApplicationPart].[fldID]
FK_tblTimeLimit_User_tblUser	fldUserId->[dbo].[tblUser].[fldId]

```
CREATE TABLE [dbo].[tblTimeLimit_User]
(
[fldId] [int] NOT NULL,
[fldAppId] [int] NOT NULL,
```

```
[fldTimeLimit] [smallint] NOT NULL CONSTRAINT [DF tblTimeLimit User fldTimeLimit]
DEFAULT ((0)),
[fldUserId] [int] NOT NULL
) ON [PRIMARY]
ALTER TABLE [dbo].[tblTimeLimit User] ADD CONSTRAINT [PK tblTimeLimit User] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblTimeLimit User] ADD CONSTRAINT [FK tblTimeLimit User tbl-
ApplicationPart] FOREIGN KEY ([fldAppId]) REFERENCES [dbo].[tblApplicationPart] ([fld-
TD1)
GO
ALTER TABLE [dbo].[tblTimeLimit User] ADD CONSTRAINT [FK tblTimeLimit User tblUser]
FOREIGN KEY ([fldUserId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS_Description', N'كاربر زماني صحدوديت', 'SCHEMA',
N'dbo', 'TABLE', N'tblTimeLimit User', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'يرنامه آينم آيدي', 'SCHEMA', N'dbo',
'TABLE', N'tblTimeLimit User', 'COLUMN', N'fldAppId'
EXEC sp addextendedproperty N'MS Description', N'نبدی', 'SCHEMA', N'dbo', 'TABLE',
N'tblTimeLimit User', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'محدودیت زمان صدت', 'SCHEMA', N'dbo',
'TABLE', N'tblTimeLimit User', 'COLUMN', N'fldTimeLimit'
GO
EXEC sp_addextendedproperty N'MS_Description', N'لكاربر آبدى', 'SCHEMA', N'dbo',
'TABLE', N'tblTimeLimit User', 'COLUMN', N'fldUserId'
```

Uses

[dbo].[tblApplicationPart] [dbo].[tblUser]

Used By

[dbo].[prs_tblTimeLimit_UserDelete]
[dbo].[prs_tblTimeLimit_UserInsert]
[dbo].[prs_tblTimeLimit_UserSelect]
[dbo].[prs_tblTimeLimit_UserUpdate]
[dbo].[prs_User_PermissionAppIdSelect]

[dbo].[tblTimeLimit_UserGroup]

MS_Description

کاربری گروه زمانی محدودیت

Properties

Property	Value
Row Count (~)	2
Created	10:25:43 AM Thursday, January 21, 2021
Last Modified	10:45:06 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK	fldld	int	4	False
FK	fldAppld	int	4	False
	fldTimeLimit	smallint	2	False
FK	fldUserGroupId	int	4	False

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblTimeLimit_UserGroup	fldld	True

Foreign Keys

Name	Columns
FK_tblTimeLimit_UserGroup_tblApplicationPart	fldAppId->[dbo].[tblApplicationPart].[fldID]
FK_tblTimeLimit_UserGroup_tblUserGroup	fldUserGroupId->[dbo].[tblUserGroup].[fldID]

```
CREATE TABLE [dbo].[tblTimeLimit_UserGroup]
(
[fldId] [int] NOT NULL,
[fldAppId] [int] NOT NULL,
```

```
[fldTimeLimit] [smallint] NOT NULL,
[fldUserGroupId] [int] NOT NULL
ON [PRIMARY]
GO
ALTER TABLE [dbo].[tblTimeLimit UserGroup] ADD CONSTRAINT [PK tblTimeLimit UserGroup]
PRIMARY KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblTimeLimit UserGroup] ADD CONSTRAINT [FK tblTimeLimit User-
Group tblApplicationPart] FOREIGN KEY ([fldAppId]) REFERENCES [dbo].[tblApplication-
Part] ([fldID])
ALTER TABLE [dbo]. [tblTimeLimit UserGroup] ADD CONSTRAINT [FK tblTimeLimit User-
Group_tblUserGroup] FOREIGN KEY ([fldUserGroupId]) REFERENCES [dbo].[tblUserGroup]
([fldID])
, 'SCHEMA', کاربری گروہ زمانے صحدودیت'N'MS Description', N' ماربری گروہ زمانے صحدودیت'
N'dbo', 'TABLE', N'tblTimeLimit_UserGroup', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'درنامه های آیتم آیدی', 'SCHEMA',
N'dbo', 'TABLE', N'tblTimeLimit_UserGroup', 'COLUMN', N'fldAppId'
EXEC sp addextendedproperty N'MS Description', N'نيدى', 'SCHEMA', N'dbo', 'TABLE',
N'tblTimeLimit UserGroup', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'نصان', 'SCHEMA', N'dbo',
'TABLE', N'tblTimeLimit UserGroup', 'COLUMN', N'fldTimeLimit'
GO
EXEC sp_addextendedproperty N'MS_Description', N'وکاربری گروه ایدی', 'SCHEMA', N'dbo',
'TABLE', N'tblTimeLimit UserGroup', 'COLUMN', N'fldUserGroupId'
```

Uses

[dbo].[tblApplicationPart] [dbo].[tblUserGroup]

Used By

[dbo].[prs_tblTimeLimit_UserGroupDelete] [dbo].[prs_tblTimeLimit_UserGroupInsert] [dbo].[prs_tblTimeLimit_UserGroupSelect] [dbo].[prs_tblTimeLimit_UserGroupUpdate] [dbo].[prs_User_PermissionAppIdSelect]

[dbo].[tblTreeStructure]

MS_Description

درختی ساختار

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	498
Created	11:08:44 AM Saturday, November 28, 2020
Last Modified	8:33:19 AM Wednesday, January 27, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldPld	int	4	True	
FK	fldNahild	int	4	True	
FK	fldStationId	int	4	True	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblTreeStructure	fldld	True

Foreign Keys

Name	Columns
FK_tblTreeStructure_tblNahi	fldNahild->[dbo].[tblNahi].[fldCode]
FK_tblTreeStructure_tblStation	fldStationId->[dbo].[tblStation].[fldId]
FK_tblTreeStructure_tblTreeStructure1	fldPld->[dbo].[tblTreeStructure].[fldld]

SQL Script

```
CREATE TABLE [dbo].[tblTreeStructure]
[fldId] [int] NOT NULL,
[fldPId] [int] NULL,
[fldNahiId] [int] NULL,
[fldStationId] [int] NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblTreeStructure fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblTreeStructure] ADD CONSTRAINT [PK tblTreeStructure] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblTreeStructure] ADD CONSTRAINT [FK tblTreeStructure tblNahi]
FOREIGN KEY ([fldNahild]) REFERENCES [dbo].[tblNahi] ([fldCode])
ALTER TABLE [dbo].[tblTreeStructure] ADD CONSTRAINT [FK tblTreeStructure tblStation]
FOREIGN KEY ([fldStationId]) REFERENCES [dbo].[tblStation] ([fldId])
ALTER TABLE [dbo].[tblTreeStructure] ADD CONSTRAINT [FK tblTreeStructure tblTree-
Structure1] FOREIGN KEY ([fldPld]) REFERENCES [dbo].[tblTreeStructure] ([fldId])
EXEC sp addextendedproperty N'MS Description', N', درختی ساختار', 'SCHEMA', N'dbo',
'TABLE', N'tblTreeStructure', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblTreeStructure', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N' اناحبه دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblTreeStructure', 'COLUMN', N'fldNahiId'
EXEC sp addextendedproperty N'MS Description', N'us ', 'SCHEMA', N'dbo',
'TABLE', N'tblTreeStructure', 'COLUMN', N'fldPId'
EXEC sp_addextendedproperty N'MS_Description', N' ایستگاه دی آی ستون', 'SCHEMA',
N'dbo', 'TABLE', N'tblTreeStructure', 'COLUMN', N'fldStationId'
GO
```

Uses

[dbo].[tblNahi] [dbo].[tblStation]

Used By

```
[dbo].[fn_Namelstgah_Edarekol_TreeStructure]
[dbo].[prs_GetName_applicationpart]
[dbo].[prs_GetTreeStructureTitle]
[dbo].[prs_tblMahalSazmaniSelect]
[dbo].[prs_tblNahilnsert]
[dbo].[prs_tblStationSelect]
[dbo].[prs_tblTreeStructureInsert]
```

Project > 192.168.1.34 > User databases > MedicalExaminations > Tables > dbo.tblTreeStructure

 $[dbo].[prs_tblTreeStructureSelect] \\$

[dbo].[tblTypeEstekhdam]

MS_Description

استخدام نوع

Properties

Property	Value
Row Count (~)	16
Created	2:31:39 PM Saturday, November 28, 2020
Last Modified	11:10:06 AM Monday, January 4, 2021

Columns

Key	Name	Data Type	Collation	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int		4	False	
	fldDescType	nvarchar(max)	SQL_Latin1 General CP1_CI_AS	max	False	
	fldDesc	nvarchar(100)	SQL_Latin1 General CP1256_CI AS	200	False	(")
	fldDateServer	datetime		8	False	(getdate())

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblTypeEstekhdam	fldld	True

```
CREATE TABLE [dbo].[tblTypeEstekhdam]

(
[fldId] [int] NOT NULL,

[fldDescType] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1256_CI_AS NOT NULL CONSTRAINT

[DF_tblTypeEstekhdam_fldDesc] DEFAULT (''),

[fldDateServer] [datetime] NOT NULL CONSTRAINT [DF_tblTypeEstekhdam_fldDateServer]

DEFAULT (getdate())

) ON [PRIMARY]
```

```
GO
ALTER TABLE [dbo].[tblTypeEstekhdam] ADD CONSTRAINT [PK_tblTypeEstekhdam] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]
GO
EXEC sp_addextendedproperty N'MS_Description', N'epi ", 'SCHEMA', N'dbo',
'TABLE', N'tblTypeEstekhdam', NULL, NULL
GO
EXEC sp_addextendedproperty N'MS_Description', N'epi ", 'SCHEMA', N'dbo',
'TABLE', N'tblTypeEstekhdam', 'COLUMN', N'fldDateServer'
GO
EXEC sp_addextendedproperty N'MS_Description', N'epi ", 'SCHEMA', N'dbo',
'TABLE', N'tblTypeEstekhdam', 'COLUMN', N'fldDesc'
GO
EXEC sp_addextendedproperty N'MS_Description', N'epi ", 'SCHEMA', N'dbo',
'TABLE', N'tblTypeEstekhdam', 'COLUMN', N'fldDescType'
GO
EXEC sp_addextendedproperty N'MS_Description', N'epi ", 'SCHEMA', N'dbo',
'TABLE', N'tblTypeEstekhdam', 'COLUMN', N'fldDescType'
GO
EXEC sp_addextendedproperty N'MS_Description', N'epi ", 'SCHEMA', N'dbo',
'TABLE', N'tblTypeEstekhdam', 'COLUMN', N'fldId'
GO
```

Used By

[dbo].[tblPersonalInfo] [dbo].[prs_PersonlInfoInsert] [dbo].[prs_tblAshkhasSelect] [dbo].[prs_tblPersonalInfoSelect]

[dbo].[tblTypeEstekhdamHistory]

MS_Description

استخدام نوع تاريخچه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	11:09:04 AM Monday, January 4, 2021
Last Modified	11:09:04 AM Monday, January 4, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
PK	fldld	int	4	False	1 - 1	
	fldPersonalId	int	4	False		
	fldTypeEstekhdamId	int	4	False		
	fldTarikh	int	4	False		
	fldDesc	nvarchar(100)	200	False		(")

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblTypeEstekhdamHistory	fldld	True

```
CREATE TABLE [dbo].[tblTypeEstekhdamHistory]

(
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldPersonalId] [int] NOT NULL,
[fldTypeEstekhdamId] [int] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF_tblTypeEstekhdamHistory_fldDesc] DEFAULT ('')
```

```
ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblTypeEstekhdamHistory] ADD CONSTRAINT [PK_tblTypeEstekhdamHistory]

PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'جونار منوع تاريخجاد ستون', 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldDesc'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldPersonalId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldTarikh'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldTarikh'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldTarikh'

GO

EXEC sp_addextendedproperty N'MS_Description', N'iction, 'SCHEMA', N'dbo', 'TABLE', N'tblTypeEstekhdamHistory', 'COLUMN', N'fldTypeEstekhdamId'

GO
```

Used By

[dbo].[prs_PersonIInfoInsert]

[dbo].[tblUser]

MS_Description

کاربران

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	9:09:44 AM Tuesday, January 12, 2021
Last Modified	7:29:59 AM Sunday, February 14, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
F	fldPersonalId	int	4	True	
.	fldUserName	nvarchar(100)	200	False	
	fldPassword	varchar(100)	100	False	
	fldActive_Deactive	bit	1	False	
	fldFirstLogin	bit	1	False	((1))
F	fldShakhsld	int	4	False	
F	fldUserId	int	4	False	
	fldDesc	nvarchar(max)	max	False	(")
	fldDate	datetime	8	False	(getdate())
F	fldInputID	int	4	False	
	fldUserType	tinyint	1	False	
	fldType	bit	1	False	
	fldSetadi	bit	1	False	((0))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblUser	fldld	True
	IX_tblUser	fldUserName	True

Foreign Keys

Name	Columns
FK_tblUser_tblAshkhas	fldShakhsId->[dbo].[tblAshkhas].[fldId]
FK_tblUser_tblInputInfo	fldInputID->[dbo].[tblInputInfo].[fldId]
FK_tblUser_tblPersonalInfo	fldPersonalId->[dbo].[tblPersonalInfo].[fldId]
FK_tblUser_tblUser	fldUserId->[dbo].[tblUser].[fldId]

Extended Properties

Name	Value
PersianName	کاربران

```
CREATE TABLE [dbo].[tblUser]
[fldId] [int] NOT NULL,
[fldPersonalId] [int] NULL,
[fldUserName] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldPassword] [varchar] (100) COLLATE SQL_Latin1 General CP1 CI AS NOT NULL,
[fldActive Deactive] [bit] NOT NULL,
[fldFirstLogin] [bit] NOT NULL CONSTRAINT [DF tblUser fldFirstLogin 1] DEFAULT ((1)),
[fldShakhsId] [int] NOT NULL,
[fldUserId] [int] NOT NULL,
[fldDesc] [nvarchar] (max) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL CONSTRAINT
[DF tblUser fldDesc 1] DEFAULT (''),
[fldDate] [datetime] NOT NULL CONSTRAINT [DF_tblUser_fldDate_1] DEFAULT (getdate()),
[fldInputID] [int] NOT NULL,
[fldUserType] [tinyint] NOT NULL,
[fldType] [bit] NOT NULL,
[fldSetadi] [bit] NOT NULL CONSTRAINT [DF tblUser fldSetadi] DEFAULT ((0))
) ON [PRIMARY]
ALTER TABLE [dbo].[tbluser] ADD CONSTRAINT [PK tbluser] PRIMARY KEY CLUSTERED ([fld-
Id]) ON [PRIMARY]
ALTER TABLE [dbo].[tbluser] ADD CONSTRAINT [IX tbluser] UNIQUE NONCLUSTERED ([flduser-
Name]) ON [PRIMARY]
```

```
ALTER TABLE [dbo].[tbluser] ADD CONSTRAINT [FK tbluser tblAshkhas] FOREIGN KEY ([fld-
ShakhsId]) REFERENCES [dbo].[tblAshkhas] ([fldId])
ALTER TABLE [dbo].[tblUser] ADD CONSTRAINT [FK tblUser tblInputInfo] FOREIGN KEY ([fld-
InputID]) REFERENCES [dbo].[tblInputInfo] ([fldId])
ALTER TABLE [dbo].[tblUser] ADD CONSTRAINT [FK tblUser tblPersonalInfo] FOREIGN KEY
([fldPersonalId]) REFERENCES [dbo].[tblPersonalInfo] ([fldId])
ALTER TABLE [dbo].[tbluser] ADD CONSTRAINT [FK tbluser tbluser] FOREIGN KEY ([flduser-
Id]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'טונירוט', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'كاربران', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'افعال غير / فعال غير / فعال', 'SCHEMA', N'dbo',
'TABLE', N'tbluser', 'COLUMN', N'fldActive Deactive'
EXEC sp addextendedproperty N'MS Description', N'طان و تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tbluser', 'COLUMN', N'fldDate'
EXEC sp addextendedproperty N'MS Description', N'توضيعات', 'SCHEMA', N'dbo', 'TABLE',
N'tbluser', 'COLUMN', N'fldDesc'
GO
EXEC sp addextendedproperty N'MS Description', N'ورود اولين', 'SCHEMA', N'dbo',
'TABLE', N'tbluser', 'COLUMN', N'fldFirstLogin'
EXEC sp addextendedproperty N'MS Description', N'L, 'SCHEMA', N'dbo', 'TABLE', N'tbl-
User', 'COLUMN', N'fldId'
GO
EXEC sp addextendedproperty N'MS_Description', N'نحروج و ورود ستون', 'SCHEMA', N'dbo',
'TABLE', N'tbluser', 'COLUMN', N'fldInputID'
EXEC sp addextendedproperty N'MS Description', N'عبور رمز', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser', 'COLUMN', N'fldPassword'
EXEC sp addextendedproperty N'MS Description', N' پرسنل که', 'SCHEMA', N'dbo', 'TABLE',
N'tbluser', 'COLUMN', N'fldPersonalId'
EXEC sp addextendedproperty N'MS Description', N' اشخص كد', 'SCHEMA', N'dbo', 'TABLE',
N'tbluser', 'COLUMN', N'fldShakhsId'
EXEC sp addextendedproperty N'MS Description', N'وع', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
User', 'COLUMN', N'fldType'
GO
EXEC sp addextendedproperty N'MS Description', N'טוער كב', 'SCHEMA', N'dbo', 'TABLE',
N'tbluser', 'COLUMN', N'flduserId'
EXEC sp addextendedproperty N'MS Description', N'ם ربري نام', 'SCHEMA', N'dbo',
'TABLE', N'tbluser', 'COLUMN', N'flduserName'
EXEC sp_addextendedproperty N'MS_Description', N'dy', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser', 'COLUMN', N'fldUserType'
GO
```

Uses

[dbo].[tblAshkhas]

[dbo].[tblInputInfo]

[dbo].[tblPersonalInfo]

Used By

[Cnt].[tblContact]

[Cnt].[tblContactGroup]

[dbo].[tblAnnouncementSeen]

[dbo].[tblError]

[dbo].[tblInputInfo]

[dbo].[tblLimitationIP]

[dbo].[tblLimitationMacAddress]

[dbo].[tblLimitationTime]

[dbo].[tblPermission_DigitalArchive]

[dbo].[tblSpecificCartablePermission]

[dbo].[tblThemDesktop_User]

[dbo].[tblTicket]

[dbo].[tblTicketPermission]

[dbo].[tblTimeLimit_User]

[dbo].[tblUser_Group]

[dbo].[tblUser_Permission]

[dbo].[tblUser_PermissionCharkhe]

[dbo].[tblUser_Station]

[dbo].[tblUserGroup]

[dbo].[fn_GetPersonalNameByUserId]

[dbo].[fn_GetUserByUserId]

 $[dbo].[prs_DeleteChildUserGroupPermission]\\$

[dbo].[prs_DeleteChildUserGroupPermissionCharkhe]

[dbo].[prs_GetName_applicationpart]

[dbo].[prs_GetUserGroupTree]

 $[dbo].[prs_PersonIInfoInsert] \\$

[dbo].[prs_SelectTimeLine]

[dbo].[prs_SelectUserByUserId]

[dbo].[prs_SelectUserByUserIdTicket]

[dbo].[prs_tblAnnouncementManagerSelect]

[dbo].[prs_tblApplicationPartSelect]

[dbo].[prs_tblErrorSelect]

[dbo].[prs_tblInputInfoSelect]

[dbo].[prs_tblMahalSazmaniSelect]

[dbo].[prs_tblStationSelect]

[dbo].[prs_tblTicketCategorySelect]

[dbo].[prs_tblTicketSelect]

[dbo].[prs_tblTreeStructureSelect]

[dbo].[prs_tblUserDelete]

 $[dbo].[prs_tblUserGroupSelect] \\$

[dbo].[prs_tblUserInsert]

[dbo].[prs_tblUserSelect]

[dbo].[prs_tblUserUpdate]

[dbo].[prs_TicketForwardHistory]

[dbo].[prs_TreeUserGroupSelect]

[dbo].[prs_UpdateTypeUser]

[dbo].[prs_UpdateUserId]

[dbo].[prs_User_PermissionAppIdSelect]

[dbo].[prs_UserDeactive]

[dbo].[prs_UserFirsLoginUpdate]

[dbo].[prs_UserLogSelect]

[dbo].[prs_UserPassUpdate]

[dbo].[prs_UserTypeSelect]

[dbo].[tblUser_Group]

MS_Description

شده انتخاب کاربر -کاربری گروه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	8:59:56 AM Thursday, March 12, 2020
Last Modified	9:32:01 AM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldID	int	4	False	
FK	fldUserGroupID	int	4	False	
FK	fldUserSelectID	int	4	False	
	fldGrant	bit	1	False	
	fldWithGrant	bit	1	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK2 C	PK_tblUser_Group	fldID	True

Foreign Keys

Name	Columns
FK_tblUser_Group_tblUser	fldUserSelectID->[dbo].[tblUser].[fldId]
FK_tblUser_Group_tblUserGroup	fldUserGroupID->[dbo].[tblUserGroup].[fldID]

SQL Script

```
CREATE TABLE [dbo].[tblUser Group]
[fldID] [int] NOT NULL,
[fldUserGroupID] [int] NOT NULL,
[fldUserSelectID] [int] NOT NULL,
[fldGrant] [bit] NOT NULL,
[fldWithGrant] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblUser Group fldDesc] DEFAULT ('')
) ON [PRIMARY]
GO
ALTER TABLE [dbo]. [tblUser Group] ADD CONSTRAINT [PK tblUser Group] PRIMARY KEY
CLUSTERED ([fldID]) ON [PRIMARY]
ALTER TABLE [dbo].[tblUser Group] ADD CONSTRAINT [FK tblUser Group tblUser] FOREIGN KEY
([fldUserSelectID]) REFERENCES [dbo].[tblUser] ([fldId])
ALTER TABLE [dbo].[tblUser Group] ADD CONSTRAINT [FK tblUser Group tblUserGroup]
FOREIGN KEY ([fldUserGroupID]) REFERENCES [dbo].[tblUserGroup] ([fldID])
EXEC sp addextendedproperty N'MS Description', N'، گدوه انتخاب کاربر -کاربری گروه',
'SCHEMA', N'dbo', 'TABLE', N'tblUser Group', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'-وفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser Group', 'COLUMN', N'fldDesc'
GO
EXEC sp_addextendedproperty N'MS_Description', N'dbo', 'sCHEMA', N'dbo',
'TABLE', N'tblUser Group', 'COLUMN', N'fldGrant'
EXEC sp addextendedproperty N'MS Description', N'L', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
User Group', 'COLUMN', N'fldID'
EXEC sp_addextendedproperty N'MS_Description', N' کاربری گروه کد', 'SCHEMA', N'dbo', 'TABLE', N'tblUser_Group', 'COLUMN', N'fldUserGroupID'
EXEC sp addextendedproperty N'MS Description', N' اشده انتخاب کاربر کد', 'SCHEMA',
N'dbo', 'TABLE', N'tbluser Group', 'COLUMN', N'flduserSelectID'
EXEC sp addextendedproperty N'MS_Description', N'ادادن دسترسی مجوز', 'SCHEMA', N'dbo',
'TABLE', N'tblUser Group', 'COLUMN', N'fldWithGrant'
GΩ
```

Uses

[dbo].[tblUser] [dbo].[tblUserGroup]

Used By

[dbo].[tblSpecificCartablePermission_UserGroup]
[dbo].[Fn_AppId_Name_Dastresi]
[dbo].[fn_charkhePermission]

[dbo].[fn_GetUserGroup]

[dbo].[prs_ApplictionPart_Charkhe]

[dbo].[prs_GetName_applicationpart]

[dbo].[prs_GetUserGroupTree]

[dbo].[prs_SelectDistictAction_Cartable]

[dbo].[prs_SelectDistictOperation_Action]

[dbo].[prs_SelectEshterakOpration]

[dbo].[prs_SpecificCartablePermissionTreeSelect]

[dbo].[prs_tblApplicationPartSelect]

[dbo].[prs_tblKartablSelect]

[dbo].[prs_tblPermissionSelect]

[dbo].[prs tblSpecificCartablePermission UserGroupSelect]

[dbo].[prs_tblSpecificCartablePermissionInsert]

[dbo].[prs_tblUser_GroupDelete]

[dbo].[prs_tblUser_GroupInsert]

[dbo].[prs_tblUser_GroupSelect]

[dbo].[prs_tblUser_GroupUpdate]

[dbo].[prs_tblUser_PermissionCharkheInsert]

[dbo].[prs_tblUser_PermissionInsert]

[dbo].[prs_tblUserGroupSelect]

[dbo].[prs_TreeUserGroupWithGrantSelect]

[dbo].[prs_User_PermissionAppIdSelect]

[dbo].[prs_User_PermissionCharkheldSelect]

■ [dbo].[tblUser_Permission]

MS_Description

خاص دسترسى

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	9:01:22 AM Thursday, March 12, 2020
Last Modified	9:09:45 AM Tuesday, January 12, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldUserSelectId	int	4	False	
FK	fldAppld	int	4	False	
	fldIsAccept	bit	1	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK P G	PK_tblUser_Permission	fldld	True

Foreign Keys

Name	Columns
FK_tblUser_Permission_tblApplicationPart	fldAppId->[dbo].[tblApplicationPart].[fldID]
FK_tblUser_Permission_tblUser	fldUserSelectId->[dbo].[tblUser].[fldId]

SQL Script

CREATE TABLE [dbo].[tblUser_Permission]

```
[fldId] [int] NOT NULL,
[fldUserSelectId] [int] NOT NULL,
[fldAppId] [int] NOT NULL,
[fldIsAccept] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblUser Permission fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblUser Permission] ADD CONSTRAINT [PK tblUser Permission] PRIMARY
KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblUser Permission] ADD CONSTRAINT [FK tblUser Permission tbl-
ApplicationPart] FOREIGN KEY ([fldAppId]) REFERENCES [dbo].[tblApplicationPart] ([fld-
ID])
ALTER TABLE [dbo].[tblUser Permission] ADD CONSTRAINT [FK tblUser Permission tblUser]
FOREIGN KEY ([fldUserSelectId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N'طاص دسترسی', 'SCHEMA', N'dbo',
'TABLE', N'tblUser Permission', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'عرناصه های آیتم کد', 'SCHEMA', N'dbo',
'TABLE', N'tbluser Permission', 'COLUMN', N'fldAppId'
EXEC sp addextendedproperty N'MS Description', N'eight ', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser Permission', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'ב,', 'SCHEMA', N'dbo', 'TABLE', N'tbl-
User_Permission', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'نكردن رد / پذيرفتن', 'SCHEMA', N'dbo',
'TABLE', N'tbluser Permission', 'COLUMN', N'fldIsAccept'
EXEC sp addextendedproperty N'MS Description', N' شده انتخاب کاربر که', 'SCHEMA',
N'dbo', 'TABLE', N'tbluser Permission', 'COLUMN', N'flduserSelectId'
```

[dbo].[tblApplicationPart] [dbo].[tblUser]

Used By

```
[dbo].[prs_DeleteChildUserGroupPermission]
[dbo].[prs_GetName_applicationpart]
[dbo].[prs_tblApplicationPartSelect]
[dbo].[prs_tblUser_PermissionDelete]
[dbo].[prs_tblUser_PermissionInsert]
[dbo].[prs_tblUser_PermissionSelect]
[dbo].[prs_tblUser_PermissionUpdate]
[dbo].[prs_User_PermissionAppldSelect]
```

[dbo].[tblUser_PermissionCharkhe]

MS_Description

کاربر چرخه دسترسی

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	0
Created	11:13:16 AM Tuesday, December 1, 2020
Last Modified	1:33:33 PM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldld	int	4	False	
FK	fldUserSelectId	int	4	False	
FK	fldCharkheld	int	4	False	
	fldlsAccept	bit	1	False	
	fldDesc	nvarchar(100)	200	False	(")

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblUser_PermissionCharkhe	fldld	True

Foreign Keys

Name	Columns
FK_tblUser_PermissionCharkhe_tblCharkhe	fldCharkheld->[dbo].[tblCharkhe].[fldld]
FK_tblUser_PermissionCharkhe_tblUser	fldUserSelectId->[dbo].[tblUser].[fldId]

SQL Script

CREATE TABLE [dbo].[tblUser_PermissionCharkhe]

```
[fldId] [int] NOT NULL,
[fldUserSelectId] [int] NOT NULL,
[fldCharkheId] [int] NOT NULL,
[fldIsAccept] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblUser_PermissionCharkhe_fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [dbo].[tblUser PermissionCharkhe] ADD CONSTRAINT [PK tblUser Permission-
Charkhe] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [dbo].[tblUser PermissionCharkhe] ADD CONSTRAINT [FK tblUser Permission-
Charkhe tblCharkhe] FOREIGN KEY ([fldCharkheId]) REFERENCES [dbo].[tblCharkhe] ([fld-
Id])
ALTER TABLE [dbo].[tblUser PermissionCharkhe] ADD CONSTRAINT [FK tblUser Permission-
Charkhe tbluser] FOREIGN KEY ([fldUserSelectId]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp_addextendedproperty N'MS_Description', N' اکاربر چرخه دسترسی', 'SCHEMA', N'dbo',
'TABLE', N'tblUser PermissionCharkhe', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N' پرخه کد', 'SCHEMA', N'dbo', 'TABLE',
N'tblUser_PermissionCharkhe', 'COLUMN', N'fldCharkheId'
EXEC sp_addextendedproperty N'MS_Description', N'icheu, 'SCHEMA', N'dbo', 'TABLE',
N'tblUser PermissionCharkhe', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N' ادى آى ستون', 'SCHEMA', N'dbo',
'TABLE', N'tbluser PermissionCharkhe', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'سنيرش عدم يا پنيرش', 'SCHEMA', N'dbo',
'TABLE', N'tbluser PermissionCharkhe', 'COLUMN', N'fldIsAccept'
EXEC sp addextendedproperty N'MS_Description', N'عده انتخاب پوزر کد', 'SCHEMA', N'dbo',
'TABLE', N'tbluser PermissionCharkhe', 'COLUMN', N'flduserSelectId'
```

[dbo].[tblCharkhe] [dbo].[tblUser]

Used By

```
[dbo].[fn_charkhePermission]
[dbo].[prs_ApplictionPart_Charkhe]
[dbo].[prs_DeleteChildUserGroupPermissionCharkhe]
[dbo].[prs_tblUser_PermissionCharkheDelete]
[dbo].[prs_tblUser_PermissionCharkheInsert]
[dbo].[prs_tblUser_PermissionCharkheSelect]
[dbo].[prs_User_PermissionCharkheldSelect]
```

[dbo].[tblUser_Station]

MS_Description

کاربران های ابیستگاه

Properties

Property	Value
Row Count (~)	283
Created	8:47:01 AM Tuesday, January 12, 2021
Last Modified	9:09:45 AM Tuesday, January 12, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PKC	fldld	int	4	False
FK	fldUserId	int	4	False
FK	fldStationId	int	4	False

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblUser_Station	fldld	True

Foreign Keys

Name	Columns
FK_tblUser_Station_tblStation	fldStationId->[dbo].[tblStation].[fldId]
FK_tblUser_Station_tblUser	fldUserId->[dbo].[tblUser].[fldId]

```
CREATE TABLE [dbo].[tblUser_Station]

(
[fldId] [int] NOT NULL,

[fldUserId] [int] NOT NULL,

[fldStationId] [int] NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblUser_Station] ADD CONSTRAINT [PK_tblUser_Station] PRIMARY KEY
```

```
CLUSTERED ([fldId]) ON [PRIMARY]

GO

ALTER TABLE [dbo].[tblUser_Station] ADD CONSTRAINT [FK_tblUser_Station_tblStation]

FOREIGN KEY ([fldStationId]) REFERENCES [dbo].[tblStation] ([fldId])

GO

ALTER TABLE [dbo].[tblUser_Station] ADD CONSTRAINT [FK_tblUser_Station_tblUser] FOREIGN

KEY ([fldUserId]) REFERENCES [dbo].[tblUser] ([fldId])

GO

EXEC sp_addextendedproperty N'MS_Description', N'obo', 'TABLE', N'tblUser_Station', NULL, NULL

GO
```

[dbo].[tblStation] [dbo].[tblUser]

Used By

[dbo].[prs_SelectUserByUserId]
[dbo].[prs_SelectUserByUserIdTicket]
[dbo].[prs_tblAnnouncementManagerSelect]
[dbo].[prs_tblAshkhasSelect]
[dbo].[prs_tblNahiSelect]
[dbo].[prs_tblStationSelect]
[dbo].[prs_tblTicketSelect]
[dbo].[prs_tblUser_StationSelect]
[dbo].[prs_tblUserInsert]
[dbo].[prs_tblUserSelect]
[dbo].[prs_tblUserSelect]

[dbo].[tblUserGroup]

MS_Description

کاربر گروہ

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	4
Created	9:32:00 AM Saturday, January 30, 2021
Last Modified	2:18:13 PM Saturday, January 30, 2021
System Versioned	True
Remote Data Archive	Disabled
History Table	[dbo].[tblUserGroupHistory]
History Table Row Count (~)	8
History Table Created	9:48:43 AM Saturday, January 30, 2021
History Table Last Modified	2:18:13 PM Saturday, January 30, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PK	fldID	int	4	False	
.th.	fldTitle	nvarchar(100)	200	False	(")
FK	fldUserID	int	4	False	
	fldDesc	nvarchar(100)	200	False	(")
	fldDate	datetime	8	False	(getdate())
FK	fldInputID	int	4	False	
	fldUserType	tinyint	1	False	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999 -12-31

				23:59:59.9999999',(0)))
fldOrder	int	4	True	

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblUserGroup	fldID	True
	IX_tblUserGroup	fldTitle	True

Foreign Keys

Name	Columns	
FK_tblUserGroup_tblInputInfo	fldInputID->[dbo].[tblInputInfo].[fldId]	
FK_tblUserGroup_tblUser	fldUserID->[dbo].[tblUser].[fldld]	

Extended Properties

Name	Value
PersianName	کاربری گروه

```
CREATE TABLE [dbo].[tblUserGroupHistory]
[fldID] [int] NOT NULL,
[fldTitle] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldUserID] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,
[fldDate] [datetime] NOT NULL,
[fldInputID] [int] NOT NULL,
[fldUserType] [tinyint] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] NOT NULL,
[EndTime] [datetime2] NOT NULL,
[fldOrder] [int] NULL
) ON [PRIMARY]
WITH
DATA_COMPRESSION = PAGE
GO
CREATE CLUSTERED INDEX [ix_tblUserGroupHistory] ON [dbo].[tblUserGroupHistory] ([End-
Time], [StartTime]) WITH (DATA COMPRESSION = PAGE) ON [PRIMARY]
CREATE TABLE [dbo].[tblUserGroup]
```

```
[fldID] [int] NOT NULL,
[fldTitle] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblUserGroup fldTitle] DEFAULT (''),
[fldUserID] [int] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF_tblUserGroup_fldDesc] DEFAULT (''),
[fldDate] [datetime] NOT NULL CONSTRAINT [DF tblUserGroup fldDate] DEFAULT (getdate()),
[fldInputID] [int] NOT NULL,
[fldUserType] [tinyint] NOT NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tbluser-
Gr Start 6A7BAA63] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblUserGr -
EndTi__6B6FCE9C] DEFAULT (CONVERT([datetime2], '9999-12-31 23:59:59.99999997, (0))),
[fldOrder] [int] NULL,
PERIOD FOR SYSTEM TIME (StartTime, EndTime),
CONSTRAINT [PK tbluserGroup] PRIMARY KEY CLUSTERED ([fldID]) ON [PRIMARY]
) ON [PRIMARY]
WITH
SYSTEM VERSIONING = ON (HISTORY TABLE = [dbo].[tblUserGroupHistory])
)
GO
ALTER TABLE [dbo].[tblUserGroup] ADD CONSTRAINT [IX tblUserGroup] UNIQUE NONCLUSTERED
([fldTitle]) ON [PRIMARY]
ALTER TABLE [dbo].[tblUserGroup] ADD CONSTRAINT [FK tblUserGroup tblInputInfo] FOREIGN
KEY ([fldInputID]) REFERENCES [dbo].[tblInputInfo] ([fldId])
ALTER TABLE [dbo].[tblUserGroup] ADD CONSTRAINT [FK tblUserGroup tblUser] FOREIGN KEY
([fldUserID]) REFERENCES [dbo].[tblUser] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' کارپر گروه', 'SCHEMA', N'dbo',
'TABLE', N'tblUserGroup', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'كاربري گروه', 'SCHEMA', N'dbo', 'TABLE',
N'tblUserGroup', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' زمان و تاريخ', 'SCHEMA', N'dbo',
'TABLE', N'tblUserGroup', 'COLUMN', N'fldDate'
EXEC sp addextendedproperty N'MS Description', N'توفيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblUserGroup', 'COLUMN', N'fldDesc'
GO
EXEC sp addextendedproperty N'MS Description', N' اآبدی ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblUserGroup', 'COLUMN', N'fldID'
EXEC sp addextendedproperty N'MS Description', N'dbo', 'خروج و ورود ستون'N' SCHEMA', N'dbo',
'TABLE', N'tblUserGroup', 'COLUMN', N'fldInputID'
EXEC sp addextendedproperty N'MS Description', N'ترتيب', 'SCHEMA', N'dbo', 'TABLE',
N'tblUserGroup', 'COLUMN', N'fldOrder'
EXEC sp addextendedproperty N'MS Description', N'، مربوط فيله', 'SCHEMA',
N'dbo', 'TABLE', N'tblUserGroup', 'COLUMN', N'fldTimeStamp'
```

```
EXEC sp_addextendedproperty N'MS_Description', N'ناربری گروه عنوان', 'SCHEMA', N'dbo', 'TABLE', N'tblUserGroup', 'COLUMN', N'fldTitle'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ناربر کد', 'SCHEMA', N'dbo', 'TABLE', N'tblUserGroup', 'COLUMN', N'fldUserID'

GO

EXEC sp_addextendedproperty N'MS_Description', N'ناربری نوع', 'SCHEMA', N'dbo', 'TABLE', N'tblUserGroup', 'COLUMN', N'fldUserType'

GO
```

[dbo].[tblInputInfo] [dbo].[tblUser]

Used By

```
[dbo].[tblPermission]
[dbo].[tblPermissionCharkhe]
[dbo].[tblTimeLimit_UserGroup]
[dbo].[tblUser_Group]
[dbo].[Fn Appld Name Dastresi]
[dbo].[fn_charkhePermission]
[dbo].[fn_GetUserGroup]
[dbo].[prs_ApplictionPart_Charkhe]
[dbo].[prs_DeleteChildUserGroupPermission]
[dbo].[prs_DeleteChildUserGroupPermissionCharkhe]
[dbo].[prs_GetName_applicationpart]
[dbo].[prs_GetUserGroupTree]
[dbo].[prs_SpecificCartablePermissionTreeSelect]
[dbo].[prs_tblApplicationPartSelect]
[dbo].[prs tblSpecificCartablePermissionInsert]
[dbo].[prs_tblUser_PermissionCharkheInsert]
[dbo].[prs_tblUser_PermissionInsert]
[dbo].[prs_tblUserGroupDelete]
[dbo].[prs_tblUserGroupInsert]
[dbo].[prs_tblUserGroupSelect]
[dbo].[prs_tblUserGroupUpdate]
[dbo].[prs_TreeUserGroupSelect]
[dbo].[prs TreeUserGroupWithGrantSelect]
[dbo].[prs_UpdateOrder]
[dbo].[prs_User_PermissionAppIdSelect]
```

[dbo].[prs_User_PermissionCharkheldSelect]

[dbo].[tblWebService]

MS_Description

سرويس وب

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1
Created	10:19:54 AM Sunday, January 24, 2021
Last Modified	12:33:23 PM Sunday, January 24, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Default
PKP C	fldld	int	4	False	
	fldName	nvarchar(350)	700	False	
	fldDesc	nvarchar(100)	200	False	(")
FK	fldFormulld	int	4	True	
	fldTimeStamp	timestamp	8	False	
	StartTime	datetime2	8	False	(getutcdate())
	EndTime	datetime2	8	False	(CONVERT([datetime2],'9999- 12-31 23:59:59.9999999',(0)))

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblWebService	fldld	True

Foreign Keys

Name	Columns
FK_tblWebService_tblComputationFormula	fldFormulld->[dbo].[tblComputationFormula].[fldld]

Extended Properties

Name	Value
PersianName	سرویس وب

SQL Script

```
CREATE TABLE [dbo].[tblWebService]
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (350) COLLATE SQL Latin1 General CP1 CI AS NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblWebService fldDesc] DEFAULT (''),
[fldFormulId] [int] NULL,
[fldTimeStamp] [timestamp] NOT NULL,
[StartTime] [datetime2] GENERATED ALWAYS AS ROW START NOT NULL CONSTRAINT [DF tblWeb-
Ser__Start__2ACB39A2] DEFAULT (getutcdate()),
[EndTime] [datetime2] GENERATED ALWAYS AS ROW END NOT NULL CONSTRAINT [DF tblWebSer -
EndTi__2BBF5DDB] DEFAULT (CONVERT([datetime2],'9999-12-31 23:59:59.99999999, (0))),
PERIOD FOR SYSTEM TIME (StartTime, EndTime)
) ON [PRIMARY]
ALTER TABLE [dbo].[tblWebService] ADD CONSTRAINT [PK tblWebService] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [dbo].[tblWebService] ADD CONSTRAINT [FK tblWebService tblComputation-
Formula] FOREIGN KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
EXEC sp_addextendedproperty N'MS_Description', N', '". 'SCHEMA', N'dbo', 'TABLE',
N'tblWebService', NULL, NULL
EXEC sp addextendedproperty N'PersianName', N'سروپس وب", 'SCHEMA', N'dbo', 'TABLE',
N'tblWebService', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'توهيحات', 'SCHEMA', N'dbo', 'TABLE',
N'tblWebService', 'COLUMN', N'fldDesc'
EXEC sp_addextendedproperty N'MS_Description', N'نفرسول که', 'SCHEMA', N'dbo', 'TABLE',
N'tblWebService', 'COLUMN', N'fldFormulId'
EXEC sp addextendedproperty N'MS Description', N' دی ای ستون', 'SCHEMA', N'dbo',
'TABLE', N'tblWebService', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'نام ستون', 'SCHEMA', N'dbo', 'TABLE',
N'tblWebService', 'COLUMN', N'fldName'
GO
```

Uses

[dbo]. [tbl Computation Formula]

Used By

[dbo].[prs_tblComputationFormulaInsert]
[dbo].[prs_tblWebServiceDelete]
[dbo].[prs_tblWebServiceInsert]
[dbo].[prs_tblWebServiceSelect]
[dbo].[prs_tblWebServiceUpdate]

☐ [Trans].[tblEvent]

MS_Description

رويدادها

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	2
Created	11:43:57 AM Thursday, January 28, 2021
Last Modified	8:31:22 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity	Default
PK <mark>P</mark> C	fldld	int	4	False	1 - 1	
F	fldTransactionTypeId	int	4	False		
F	fldFormulld	int	4	True		
	fldFlag	bit	1	False		
	fldDesc	nvarchar(100)	200	False		(")

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblEvent	fldld	True

Foreign Keys

Name		Columns
	FK_tblEvent_tblComputationFormula	fldFormulId->[dbo].[tblComputationFormula].[fldId]
	FK_tblEvent_tblTransactionType	fldTransactionTypeld->[Trans].[tblTransactionType].[fldld]

SQL Script

```
CREATE TABLE [Trans].[tblEvent]
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldTransactionTypeId] [int] NOT NULL,
[fldFormulId] [int] NULL,
[fldFlag] [bit] NOT NULL,
[fldDesc] [nvarchar] (100) COLLATE SQL Latin1 General CP1 CI AS NOT NULL CONSTRAINT
[DF tblEvent fldDesc] DEFAULT ('')
) ON [PRIMARY]
ALTER TABLE [Trans].[tblEvent] ADD CONSTRAINT [PK tblEvent] PRIMARY KEY CLUSTERED
([fldId]) ON [PRIMARY]
ALTER TABLE [Trans].[tblEvent] ADD CONSTRAINT [FK_tblEvent_tblComputationFormula]
FOREIGN KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
ALTER TABLE [Trans].[tblEvent] ADD CONSTRAINT [FK tblEvent tblTransactionType] FOREIGN
KEY ([fldTransactionTypeId]) REFERENCES [Trans].[tblTransactionType] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' روید ادها', 'SCHEMA', N'Trans',
'TABLE', N'tblEvent', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'ته ضحعات', 'SCHEMA', N'Trans', 'TABLE',
N'tblEvent', 'COLUMN', N'fldDesc'
EXEC sp addextendedproperty N'MS Description', N'نرد نوع', 'SCHEMA', N'Trans', 'TABLE',
N'tblEvent', 'COLUMN', N'fldFlag'
GO
EXEC sp addextendedproperty N'MS Description', N' افرمول آبدی', 'SCHEMA', N'Trans',
'TABLE', N'tblEvent', 'COLUMN', N'fldFormulid'
EXEC sp addextendedproperty N'MS Description', N'آپدی', 'SCHEMA', N'Trans', 'TABLE',
N'tblEvent', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'دراکنش نوع آیدی', 'SCHEMA', N'Trans',
'TABLE', N'tblEvent', 'COLUMN', N'fldTransactionTypeId'
GO
```

Uses

[dbo].[tblComputationFormula]

[Trans].[tblTransactionType]

[Trans]

Used By

```
[dbo].[prs_tblComputationFormulaInsert]
[Trans].[prs_tblEventDelete]
```

[Trans].[prs_tblEventInsert]

[Trans].[prs_tblEventSelect]

[Trans].[prs_tblEventTablesDelete]

[Trans].[prs_tblEventUpdate]

Author: Mary_PC

Project > 192.168.1.34 > User databases > MedicalExaminations > Tables > Trans.tblEvent

[Trans].[prs_UpdateFormuleEvent]

Ⅲ [Trans].[tblEventTables]

MS_Description

جداول رويدادهاي

Properties

Property	Value
Row Count (~)	1
Created	9:22:27 AM Thursday, January 28, 2021
Last Modified	10:49:00 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK <mark>P</mark> C	fldld	int	4	False	1 - 1
FK	fldNameTablesId	int	4	False	
FK	fldEventTypeId	int	4	False	
F	fldFormulld	int	4	True	
	fldFlag	bit	1	False	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblEventTables	fldld	True

Foreign Keys

Name	Columns
FK_tblEventTables_tblComputationFormula	fldFormulld->[dbo].[tblComputationFormula].[fldld]
FK_tblEventTables_tblEventType	fldEventTypeId->[Trans].[tblEventType].[fldId]
FK_tblEventTables_tblNameTables	fldNameTablesId->[Trans].[tblNameTables].[fldId]

SQL Script

CREATE TABLE [Trans].[tblEventTables]

```
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldNameTablesId] [int] NOT NULL,
[fldEventTypeId] [int] NOT NULL,
[fldFormulId] [int] NULL,
[fldFlag] [bit] NOT NULL
ON [PRIMARY]
ALTER TABLE [Trans].[tblEventTables] ADD CONSTRAINT [PK tblEventTables] PRIMARY KEY
CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [Trans].[tblEventTables] ADD CONSTRAINT [FK tblEventTables tblComputation-
Formula] FOREIGN KEY ([fldFormulId]) REFERENCES [dbo].[tblComputationFormula] ([fldId])
ALTER TABLE [Trans].[tblEventTables] ADD CONSTRAINT [FK tblEventTables tblEventType]
FOREIGN KEY ([fldEventTypeId]) REFERENCES [Trans].[tblEventType] ([fldId])
ALTER TABLE [Trans].[tblEventTables] ADD CONSTRAINT [FK tblEventTables tblNameTables]
FOREIGN KEY ([fldNameTablesId]) REFERENCES [Trans].[tblNameTables] ([fldId])
EXEC sp addextendedproperty N'MS Description', N' بجداول رویدادهای', 'SCHEMA', N'Trans',
'TABLE', N'tblEventTables', NULL, NULL
EXEC sp_addextendedproperty N'MS_Description', N'روبداد نوع آبدی', 'SCHEMA', N'Trans',
'TABLE', N'tblEventTables', 'COLUMN', N'fldEventTypeId
EXEC sp addextendedproperty N'MS Description', N' نوع ', 'SCHEMA', N'Trans', 'TABLE',
N'tblEventTables', 'COLUMN', N'fldFlag'
EXEC sp_addextendedproperty N'MS_Description', N' افرمول آبدی', 'SCHEMA', N'Trans',
'TABLE', N'tblEventTables', 'COLUMN', N'fldFormulId'
EXEC sp addextendedproperty N'MS Description', N'آلدی', 'SCHEMA', N'Trans', 'TABLE',
N'tblEventTables', 'COLUMN', N'fldId'
EXEC sp addextendedproperty N'MS Description', N'", 'SCHEMA', N'Trans',
'TABLE', N'tblEventTables', 'COLUMN', N'fldNameTablesId'
GΩ
```

[dbo].[tblComputationFormula]

[Trans].[tblEventType]

[Trans].[tblNameTables]

[Trans]

Used By

[dbo].[prs_tblComputationFormulaInsert]

[Trans].[prs_tblEventTablesDelete]

[Trans].[prs_tblEventTablesInsert]

[Trans].[prs tblEventTablesSelect]

[Trans].[prs_tblEventTablesUpdate]

[Trans].[prs_UpdateFormuleEvent]

☐ [Trans].[tblEventType]

MS_Description

رويداد نوع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	6
Created	10:09:48 AM Saturday, January 23, 2021
Last Modified	10:49:37 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
P <mark>/P</mark> G	fldld	int	4	False
	fldName	nvarchar(50)	100	False

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblEventType	fldld	True

```
CREATE TABLE [Trans].[tblEventType]

(
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [Trans].[tblEventType] ADD CONSTRAINT [PK_tblEventType] PRIMARY KEY
CLUSTERED ([fldId]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'eguile', 'SCHEMA', N'Trans',
'TABLE', N'tblEventType', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'eguile', 'SCHEMA', N'Trans',
'TABLE', N'tblEventType', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'eguile', 'SCHEMA', N'Trans',
'TABLE', N'tblEventType', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'eguile', 'SCHEMA', N'Trans', 'TABLE',
```

N'tblEventType', 'COLUMN', N'fldName'
GO

Uses

[Trans]

Used By

[Trans].[tblEventTables]
[Trans].[prs_tblEventTablesSelect]
[Trans].[prs_tblEventTypeSelect]

[Trans].[tblNameTables]

MS_Description

جداول نام

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	66
Created	10:49:01 AM Saturday, January 23, 2021
Last Modified	10:51:55 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK	fldld	int	4	False	1 - 1
	fldEnNameTables	varchar(50)	50	False	
	fldSystemIdTables	int	4	False	
	fldFaName	nvarchar(100)	200	False	

Indexes

Key	Name	Key Columns	Unique
PK G	PK_tblNameAllTable	fldld	True

```
CREATE TABLE [Trans].[tblNameTables]

(
[fldId] [int] NOT NULL IDENTITY(1, 1),

[fldEnNameTables] [varchar] (50) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldSystemIdTables] [int] NOT NULL,

[fldFaName] [nvarchar] (100) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL

) ON [PRIMARY]

GO

ALTER TABLE [Trans].[tblNameTables] ADD CONSTRAINT [PK_tblNameAllTable] PRIMARY KEY

CLUSTERED ([fldId]) ON [PRIMARY]
```

```
EXEC sp_addextendedproperty N'MS_Description', N'جداول نام', 'SCHEMA', N'Trans', 'TABLE', N'tblNameTables', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N'مدول انگلیسی نام', 'SCHEMA', N'Trans', 'TABLE', N'tblNameTables', 'COLUMN', N'fldEnNameTables'

GO

EXEC sp_addextendedproperty N'MS_Description', N'مدول فارسی اسم', 'SCHEMA', N'Trans', 'TABLE', N'tblNameTables', 'COLUMN', N'fldFaName'

GO

EXEC sp_addextendedproperty N'MS_Description', N'مرول المراح ', 'SCHEMA', N'Trans', 'TABLE', N'tblNameTables', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'مرول سیستمی ایدی', 'SCHEMA', N'Trans', 'TABLE', N'tblNameTables', 'COLUMN', N'fldSystemIdTables'

GO
```

[Trans]

Used By

[Trans].[tblEventTables]

[Trans].[tblSubTransactionTables]

[dbo].[fn_UserIdByRowId]

[dbo].[prs_tblCharkhe_EghdamDelete]

 $[dbo].[prs_tblEkhtesasActions_CartableDelete] \\$

[dbo].[prs_tblEkhtesasMoayeneBeTreeDelete]

[dbo].[prs_tblFactorsAffectingValues_DetailDelete]

[dbo].[prs_tblOpertion_ActionDelete]

[dbo].[prs_UpdateCartable_CharkheEghdam]

[dbo].[prs_UpdateCharkhFirstTableActions]

[dbo].[prs_UpdateCharkhFirstTableActions1]

[Trans].[prs_tblEventTablesSelect]

[Trans].[prs_tblNameTablesInsert]

[Trans].[prs_tblNameTablesSelect]

[Trans].[prs_tblSubTransactionInsert]

[Trans].[prs_tblSubTransactionInsert_Loop]

III [Trans].[tblSubTransaction]

MS_Description

ها تراکنش ریز

Properties

Property	Value
Row Count (~)	4012
Created	12:24:35 PM Saturday, January 23, 2021
Last Modified	8:31:22 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK	fldld	int	4	False	1 - 1
FK	fldInputId	int	4	False	
FK	fldTransactiontTypeId	int	4	False	
	fldStatus	bit	1	False	
	fldTarikh	int	4	False	
	fldTime	int	4	False	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblSubTransaction_1	fldld	True

Foreign Keys

Name	Columns
FK_tblSubTransaction_tblInputInfo	fldInputId->[dbo].[tblInputInfo].[fldId]
FK_tblSubTransaction_tblTransactionType	fldTransactiontTypeId->[Trans].[tblTransactionType].[fldId]

SQL Script

```
CREATE TABLE [Trans].[tblSubTransaction]
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldInputId] [int] NOT NULL,
[fldTransactiontTypeId] [int] NOT NULL,
[fldStatus] [bit] NOT NULL,
[fldTarikh] [int] NOT NULL,
[fldTime] [int] NOT NULL
) ON [PRIMARY]
ALTER TABLE [Trans].[tblSubTransaction] ADD CONSTRAINT [PK tblSubTransaction 1] PRIMARY
KEY CLUSTERED ([fldid]) ON [PRIMARY]
ALTER TABLE [Trans].[tblSubTransaction] ADD CONSTRAINT [FK tblSubTransaction tblInput-
Info] FOREIGN KEY ([fldInputId]) REFERENCES [dbo].[tblInputInfo] ([fldId])
ALTER TABLE [Trans].[tblSubTransaction] ADD CONSTRAINT [FK tblSubTransaction tbl-
TransactionType] FOREIGN KEY ([fldTransactiontTypeId]) REFERENCES [Trans].[tbl-
TransactionType] ([fldId])
EXEC sp addextendedproperty N'MS Description', N', 'sCHEMA', N'Trans', اها تراكنش ريز', 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransaction', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N'آپسی', 'SCHEMA', N'Trans', 'TABLE',
N'tblSubTransaction', 'COLUMN', N'fldId'
GO
EXEC sp_addextendedproperty N'MS_Description', N'خروج و ورود آبدی', 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransaction', 'COLUMN', N'fldInputId'
EXEC sp addextendedproperty N'MS Description', N'وضعيت', 'SCHEMA', N'Trans', 'TABLE',
N'tblSubTransaction', 'COLUMN', N'fldStatus'
EXEC sp addextendedproperty N'MS_Description', N'בוניב', 'SCHEMA', N'Trans', 'TABLE',
N'tblSubTransaction', 'COLUMN', N'fldTarikh'
EXEC sp addextendedproperty N'MS Description', N'زمان', 'SCHEMA', N'Trans', 'TABLE',
N'tblSubTransaction', 'COLUMN', N'fldTime'
EXEC sp_addextendedproperty N'MS_Description', N'دراکنش نوع آیدی', 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransaction', 'COLUMN', N'fldTransactiontTypeId'
GO
```

Uses

[dbo].[tblInputInfo]

[Trans].[tbl Transaction Type]

[Trans]

Used By

[Trans].[tblSubTransactionParametrs]

[Trans].[tblSubTransactionTables]

[dbo].[fn_UserIdByRowId]
[Trans].[prs_tblSubTransactionInsert]
[Trans].[prs_tblSubTransactionInsert_LogForm]
[Trans].[prs_tblSubTransactionInsert_Loop]
[Trans].[prs_tblSubTransactionInsert_Report]

[Trans].[tblSubTransactionParametrs]

MS_Description

پار امتر ها تر اکنش ریز

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	1332
Created	12:22:46 PM Saturday, January 23, 2021
Last Modified	10:55:58 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK G	fldld	int	4	False	1 - 1
FK	fldSubTransactionId	int	4	False	
	fldJsonParametr	nvarchar(2000)	4000	False	

Indexes

Key	Name	Key Columns	Unique
PK C	PK_tblSubTransactionParametrs	fldld	True

Foreign Keys

Name	Columns
FK_tblSubTransactionParametrs_tblSubTransaction	fldSubTransactionId->[Trans].[tblSubTransaction].[fldId]

```
CREATE TABLE [Trans].[tblSubTransactionParametrs]

(
[fldId] [int] NOT NULL IDENTITY(1, 1),

[fldSubTransactionId] [int] NOT NULL,

[fldJsonParametr] [nvarchar] (2000) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
```

```
ON [PRIMARY]

GO

ALTER TABLE [Trans].[tblSubTransactionParametrs] ADD CONSTRAINT [PK_tblSubTransaction-Parametrs] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

ALTER TABLE [Trans].[tblSubTransactionParametrs] ADD CONSTRAINT [FK_tblSubTransaction-Parametrs_tblSubTransaction] FOREIGN KEY ([fldSubTransactionId]) REFERENCES [Trans].[tblSubTransaction] ([fldId])

GO

EXEC sp_addextendedproperty N'MS_Description', N'نابارامنرها ", 'SCHEMA', N'Trans', 'TABLE', N'tblSubTransactionParametrs', NULL, NULL

GO

EXEC sp_addextendedproperty N'MS_Description', N' " ", 'SCHEMA', N'Trans', 'TABLE', N'tblSubTransactionParametrs', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N' " ", 'gces plotes plote
```

[Trans]. [tbl Sub Transaction]

[Trans]

Used By

[Trans].[prs_tblSubTransactionInsert]

[Trans].[prs_tblSubTransactionInsert_Loop]

[Trans].[prs_tblSubTransactionInsert_Report]

 $[Trans].[prs_tblSubTransactionParametrsInsert]$

☐ [Trans].[tblSubTransactionTables]

MS_Description

جدولها تراكنش ريز

Properties

Property	Value
Row Count (~)	1341
Created	2:43:10 PM Saturday, January 23, 2021
Last Modified	10:58:03 AM Sunday, January 31, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls	Identity
PK <mark>P</mark> C	fldld	int	4	False	1 - 1
F	fldSubTransactionId	int	4	False	
F	fldNameTablesId	int	4	False	
	fldRowld	varbinary(8)	8	True	
	fldFlag	bit	1	False	

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblSubTransactionTables	fldld	True

Foreign Keys

Name	Columns
FK_tblSubTransactionTables_tblNameTables	fldNameTablesId->[Trans].[tblNameTables].[fldId]
FK_tblSubTransactionTables_tblSubTransaction	fldSubTransactionId->[Trans].[tblSubTransaction].[fldld]

SQL Script

CREATE TABLE [Trans].[tblSubTransactionTables]

```
[fldId] [int] NOT NULL IDENTITY(1, 1),
[fldSubTransactionId] [int] NOT NULL,
[fldNameTablesId] [int] NOT NULL,
[fldRowId] [varbinary] (8) NULL,
[fldFlag] [bit] NOT NULL
) ON [PRIMARY]
ALTER TABLE [Trans].[tblSubTransactionTables] ADD CONSTRAINT [PK tblSubTransaction-
Tables] PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]
ALTER TABLE [Trans].[tblSubTransactionTables] ADD CONSTRAINT [FK tblSubTransaction-
Tables tblNameTables] FOREIGN KEY ([fldNameTablesId]) REFERENCES [Trans].[tblName-
Tables] ([fldId])
ALTER TABLE [Trans].[tblSubTransactionTables] ADD CONSTRAINT [FK tblSubTransaction-
Tables tblSubTransaction] FOREIGN KEY ([fldSubTransactionId]) REFERENCES [Trans].[tbl-
SubTransaction] ([fldId])
EXEC sp_addextendedproperty N'MS_Description', N'يجدولها تراكنش ريز', 'SCHEMA',
N'Trans', 'TABLE', N'tblSubTransactionTables', NULL, NULL
EXEC sp addextendedproperty N'MS Description', N' ''. ''. 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransactionTables', 'COLUMN', N'fldFlag'
EXEC sp addextendedproperty N'MS Description', N'آپدی', 'SCHEMA', N'Trans', 'TABLE',
N'tblSubTransactionTables', 'COLUMN', N'fldId'
EXEC sp_addextendedproperty N'MS_Description', N'جدول نام آبدی', 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransactionTables', 'COLUMN', N'fldNameTablesId'
EXEC sp_addextendedproperty N'MS_Description', N'", 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransactionTables', 'COLUMN', N'fldRowId
EXEC sp_addextendedproperty N'MS_Description', N'يراكنش ريز آيدى', 'SCHEMA', N'Trans',
'TABLE', N'tblSubTransactionTables', 'COLUMN', N'fldSubTransactionId'
```

[Trans].[tblNameTables] [Trans].[tblSubTransaction] [Trans]

Used By

```
[dbo].[fn_UserIdByRowId]
[dbo].[prs_tblCharkhe_EghdamDelete]
[dbo].[prs_tblEkhtesasActions_CartableDelete]
[dbo].[prs_tblEkhtesasMoayeneBeTreeDelete]
[dbo].[prs_tblFactorsAffectingValues_DetailDelete]
[dbo].[prs_tblOpertion_ActionDelete]
[dbo].[prs_UpdateCartable_CharkheEghdam]
[dbo].[prs_UpdateCharkhFirstTableActions]
```

[dbo].[prs_UpdateCharkhFirstTableActions1] [Trans].[prs_tblSubTransactionInsert] [Trans].[prs_tblSubTransactionTablesInsert]

Ⅲ [Trans].[tblTransactionGroup]

MS_Description

تراکنش گروه

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	7
Created	10:10:32 AM Thursday, January 21, 2021
Last Modified	8:31:22 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK <mark>P</mark> G	fldld	int	4	False
.	fldName	nvarchar(200)	400	False

Indexes

Key	Name	Key Columns	Unique
PKP C	PK_tblTransactionGroup	fldld	True
	IX_tblTransactionGroup	fldName	True

```
CREATE TABLE [Trans].[tblTransactionGroup]

(
[fldId] [int] NOT NULL,
[fldName] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL
) ON [PRIMARY]

GO

ALTER TABLE [Trans].[tblTransactionGroup] ADD CONSTRAINT [PK_tblTransactionGroup]

PRIMARY KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO

ALTER TABLE [Trans].[tblTransactionGroup] ADD CONSTRAINT [IX_tblTransactionGroup]

UNIQUE NONCLUSTERED ([fldName]) ON [PRIMARY]

GO

EXEC sp_addextendedproperty N'MS_Description', N'ochema', N'Trans',

'TABLE', N'tblTransactionGroup', NULL, NULL
```

```
EXEC sp_addextendedproperty N'MS_Description', N'قبدي'', 'SCHEMA', N'Trans', 'TABLE', N'tblTransactionGroup', 'COLUMN', N'fldId'

GO

EXEC sp_addextendedproperty N'MS_Description', N'گروه نام', 'SCHEMA', N'Trans', 'TABLE', N'tblTransactionGroup', 'COLUMN', N'fldName'

GO
```

[Trans]

Used By

[Trans].[tblTransactionType]

[Trans].[prs_tblEventSelect]

[Trans].[prs_tblTransactionGroupDelete]

[Trans].[prs_tblTransactionGroupInsert]

[Trans].[prs_tblTransactionGroupSelect]

[Trans].[prs_tblTransactionGroupUpdate]

[Trans].[prs_tblTransactionTypeSelect]

☐ [Trans].[tblTransactionType]

MS_Description

تراكنش نوع

Properties

Property	Value
Collation	SQL_Latin1_General_CP1_CI_AS
Row Count (~)	65
Created	8:31:22 AM Monday, February 1, 2021
Last Modified	8:31:22 AM Monday, February 1, 2021

Columns

Key	Name	Data Type	Max Length (Bytes)	Allow Nulls
PK	fldld	int	4	False
	fldName	nvarchar(200)	400	False
FK	fldTransactionGroupId	int	4	False

Indexes

Key	Name	Key Columns	Unique
PK	PK_tblTransactionType	fldld	True

Foreign Keys

Name	Columns
FK_tblTransactionType_tblTransactionGroup	fldTransactionGroupId->[Trans].[tblTransactionGroup].[fldId]

```
CREATE TABLE [Trans].[tblTransactionType]

(
[fldId] [int] NOT NULL,

[fldName] [nvarchar] (200) COLLATE SQL_Latin1_General_CP1_CI_AS NOT NULL,

[fldTransactionGroupId] [int] NOT NULL

) ON [PRIMARY]
```

```
GO
ALTER TABLE [Trans].[tblTransactionType] ADD CONSTRAINT [PK_tblTransactionType] PRIMARY
KEY CLUSTERED ([fldId]) ON [PRIMARY]

GO
ALTER TABLE [Trans].[tblTransactionType] ADD CONSTRAINT [FK_tblTransactionType_tbl-
TransactionGroup] FOREIGN KEY ([fldTransactionGroupId]) REFERENCES [Trans].[tbl-
TransactionGroup] ([fldId])

GO
EXEC sp_addextendedproperty N'MS_Description', N'ego,', 'SCHEMA', N'Trans',
'TABLE', N'tblTransactionType', NULL, NULL

GO
EXEC sp_addextendedproperty N'MS_Description', N'ego,', 'SCHEMA', N'Trans', 'TABLE',
N'tblTransactionType', 'COLUMN', N'fldId'

GO
EXEC sp_addextendedproperty N'MS_Description', N'ego,', 'SCHEMA', N'Trans', 'TABLE',
N'tblTransactionType', 'COLUMN', N'fldName'

GO
EXEC sp_addextendedproperty N'MS_Description', N'ego,', 'SCHEMA', N'Trans', 'TABLE',
N'tblTransactionType', 'COLUMN', N'fldTransactionGroupId'

GO
EXEC sp_addextendedproperty N'MS_Description', N'ego,', 'SCHEMA', N'Trans', 'TABLE',
N'tblTransactionType', 'COLUMN', N'fldTransactionGroupId'

GO
```

[Trans].[tblTransactionGroup]

[Trans]

Used By

[Trans].[tblEvent]

[Trans].[tblSubTransaction]

[Trans].[prs_tblEventSelect]

[Trans].[prs_tblSubTransactionInsert_LogForm]

 $[Trans].[prs_tblSubTransactionInsert_Report]$

[Trans].[prs_tblTransactionTypeDelete]

[Trans].[prs_tblTransactionTypeInsert]

[Trans].[prs_tblTransactionTypeSelect]

[Trans].[prs_tblTransactionTypeUpdate]