
## Usamos john para sacar hash.txt

keepass2john file.bdbx > hash.txt



Eliminamos la palabra fullcrum del archivo hash.txt




Ejecutamos el comando (el diccionario tiene que estar descomprimido)

```
—(kali⊛kali)-[~/Downloads/John]
    -$ john --wordlist=/usr/share/wordlists/rockyou.txt.gz hash.txt
Jsing default input encoding: UTF-8
Loaded 1 password hash (KeePass [SHA256 AES 32/64])
Cost 1 (iteration count) is 100000 for all loaded hashes
Cost 2 (version) is 2 for all loaded hashes
Cost 3 (algorithm [0=AES 1=TwoFish 2=ChaCha]) is 0 for all loaded hashes
Will run 2 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
0g 0:00:00:23 1.70% (ETA: 04:35:07) 0g/s 91.93p/s 91.93c/s 91.93C/s ◆◆◆◆◆3◆◆
 ♦H♦♦6♦♦"♦$♦+♦^♦♦...♦N♦S.#♦"
                                                                                                               ***L*M**Pk**hK*cSU^aT)*g*x***n6*'*k***z**b!**+
T+5*VHp+++++C+++/++X*+*1
j~y**`**C*V***\\particle 1. $\\particle 1. $\\particle 1. $\\particle 1. $\\particle 1. $\\particle 1. $\particle 
 ___(kali:@kali:]-(/Downloads/John]
$ john —wordlist-/usr/share/wordlists/rockyou.txt.gz hash.txt > prueba.txt
Using default input encoding: Uff-8
Will run 2 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
0g 0:00:00:04 0.31% (ETA: 05:05:09) 0g/s 91.93p/s 91.93c/s 91.93c/s ••h•
  N
Lees:#9Resep$?esj<exle%eet*DeehkeeQeIsie∥ceNB=eeq
Warning: UTF-16 BOM seen in wordlist. Fi∥ceNB=eeq
0g 0:00:24:38 DONE (2023-09-25 05:08) 0g/s 91.66p/s 91.66c/s 91.66c/s He-,∥°eeJ*;#E!#S*********.R**4e^oe*Re*)****-*Qe{ev{AC******
Session completed.
           (<mark>kali⊕kali</mark>)-[~/Downloads/John]
st=/usr/share/wordlists/rockyou.txt.gz hash.txt
```

Terminara y con -show sacaremos la contraseña

Volcamos la unidad descargada en la maquina virtual de kali





Vamos a comprobar /etc/password y /etc/shadow

## Etc/passwd



Etc/shadow

```
CNU nano 7.2

rot:$65MANNTKTxZgy, 7aF$KZHeZLXCcbGgfQ.eUsHXYZDIm5J7jPKSpZdTDHdJMwixTuBjHt7a0jb3KEKjYVvqJz75KhbIpCVxGxIGmfh.4/:18892:8:99999:7:::
bin::18767:0:9999997:::
syi::18767:0:9999997:::
syi::18767:0:9999997:::
games:*18767:0:9999997:::
lp::18767:0:9999997:::
lp::18767:0:9999997:::
lp::18767:0:9999997:::
upc::18767:0:9999997:::
upc::18767:0:999997:::
upc::18767:0:9999997:::
upc::18767:0:9999997:::
upc::18767:0:999997:::
upc::18767:0:9999997:::
upc::1876
```

## Usamos el "unshadow"

```
File Actions Edit View Help

kali@kali:_/hrabajo_john × kali@kali:_/trabajo_john × kali@kali:_/trabajo_john ×

[stali@kali):_(-/trabajo_john)

sunshadow passwd.txt shadow.txt > passwords

[stali@kali):_(-/trabajo_john)

stali@kali:_/trabajo_john × kali@kali:_/trabajo_john ×

[stali@kali:_/trabajo_john × kali@kali:_/trabajo_john × kali@kali:_/trabajo_john ×

[stali@kali:_/trabajo_john × kali@kali:_/trabajo_john × kali@kali:_/trabajo_john ×

[stali@kali:_/trabajo_john × kali@kali:_/trabajo_john × kali@kali:_/trab
```

```
(kali@ kali)-[-/trabajo_john]

## youn passwords

## young passwords

## young password pass (halbs: young password)

## young password p
```

Y tendriamos la contraseña

```
- (mail@ Natl)-[-/Downloads/John]
- $ John - power[st.*, home/kali/tabajo_john/rockyou.txt = rules /home/kali/t
rabajo_john/passwords

warning: detected hash type "shabizcrypt", but the string is also recognized
as "HWAC-SHAZ56" option to force loading these as that type in
stead
Use the "- format-HWAC-SHAZ56" option to force loading these as that type in
stead
Loaded 1 password hash (shabizcrypt, crypt(3) $6$ [SHM512 256/256 AVX2 4X])
Cost 1 (Iteration count) is 5000 for all loaded hashes
MILT run * OpenDet Threats

MILT run *
```