


## Design Type: SLOPING 3% Simple Grades

NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. BED THICKNESS FROM BASE OF STONE TO TOP OF LOAM IS MINIMUM 20" WITH FILTER FABRIC AND 22" WITH HAY.


APPROXIMATE ABOVE GRADE FILL REQUIRED  
48.6 cubic yards of LOAM  
112.2 cubic yards of SAND  
Volume of stone not considered



## Design Type: SLOPING 3% Compound Grades

NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. BED THICKNESS FROM BASE OF STONE TO TOP OF LOAM IS MINIMUM 20" WITH FILTER FABRIC AND 22" WITH HAY.

APPROXIMATE ABOVE GRADE FILL REQUIRED  
55.2 cubic yards of LOAM  
185.2 cubic yards of SAND  
Volume of stone not considered



Customizable  
Note or Block


NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. BED THICKNESS FROM BASE OF STONE TO TOP OF LOAM IS MINIMUM 20" WITH FILTER FABRIC AND 22" WITH HAY.

APPROXIMATE ABOVE  
GRADE FILL REQUIRED  
50 cubic yards of LOAM  
195.4 cubic yards of SAND  
Volume of stone not considered

## Design Type: 3% CROWN Simple Grades

Above Grade Fill Volume

Guide for edge of HHE-200 Form



NOT TO SCALE


NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. USE GRAVELLY COARSE SAND WITHIN 3' OF CONCRETE CHAMBERS. REMAINING FILL: LOAMY SAND (no clay)

APPROXIMATE ABOVE  
GRADE FILL REQUIRED  
52.8 cubic yards of LOAM  
159.5 cubic yards of SAND  
Volume of chambers not considered

## Design Type: 3% CROWN Compound Grades

Guide for edge of HHE-200 Form

Typical Note - most notes  
can be customized by user



NOT TO SCALE

## Design Type: SLOPING Complex Grades

### Above Grade System


NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. USE GRAVELLY COARSE SAND WITHIN 3' OF ELJENS. REMAINING FILL: LOAMY SAND (no clay)

ROW #	1	2	3	4
TOP	-37"	-39"	-42"	-45"
BOTTOM	-53"	-55"	-58"	-61"

APPROXIMATE ABOVE GRADE FILL REQUIRED  
23.1 cubic yards of LOAM  
73 cubic yards of SAND  
Volume of chambers not considered

Above Grade Fill Volume

Customizable  
Note or Block



NOT TO SCALE


## Design Type: SLOPING Simple Grades

NOTE: SCARIFY ALL GROUND SURFACE TO BE FILLED. USE GRAVELLY COARSE SAND WITHIN 3' OF CHAMBERS. REMAINING FILL: LOAMY SAND (no clay)

ROW #	1	2	3	4
TOP	-37"	-39"	-42"	-45"
BOTTOM	-53"	-55"	-58"	-61"

APPROXIMATE ABOVE GRADE FILL REQUIRED  
42.8 cubic yards of LOAM  
134.5 cubic yards of SAND  
Volume of chambers not considered

Typical Note - most notes  
can be customized by user



Guide for edge of HHE-200 Form

NOT TO SCALE