User Manual — MBIP

Majlis Bandaraya Iskandar Puteri · IES Automation Suite

Examples use **C:\ies-testing** — replace with your own folder (short path, no spaces).

0 · Download

Centralized Reporting → MBIP → Manual User → **DOWNLOAD SCRIPT**. The zip lands in **Downloads**.

1 · Organize files

```
mkdir C:\ies-testing
```

Downloads → right-click the zip → **Extract All** → into **C:\ies-testing**. Never run from Downloads or inside the zip.

2 · Install tools (once per computer)

Python 3.11+ · Node.js LTS · adb on PATH.

```
npm install -g appium
```

```
appium driver install uiautomator2
```

3 · Dependencies (once per folder)

```
cd C:\ies-testing\MBIP-skrip
```

```
pip install -r requirements.txt
```

4 · Devices

Phone: USB debugging ON, MBIP APK installed. Bixolon printer ON.

```
adb devices
```

5 · Terminal 1

```
appium
```

6 · Terminal 2

```
cd C:\ies-testing\MBIP-skrip
```

```
python tools\run_penuh_mbip.py --profil mbip-production --terus
```

7 · Results

Reports: **MBIP-skrip\reports**. To show a run on the Centralized Reporting board: copy the run JSON → **laporan\data\MBIP\runs** → refresh.

The script zip contains PBT test credentials — internal use only.